

72662-5

9/22/2009

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Dr. Matthew Brooks
Consultant for
Oro Agri Inc.
12208 Quinque Lane
Clinton, VA 20124

SEP 22 2009

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4 and 98-10

Dear Dr. Brooks:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated July 14, 2009 for:

EPA Registration 72662-5 Prev-Gard

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 2007-4 and 98-10 and finds that the label changes requested falls within the scope of PR Notice 2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-5551.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



Ag-Chem Consulting
 Pesticide Science and Registration
 12208 Quinque Lane, Clifton VA 20124
 (703) 266-0128 mwbrooks@ag-chem.com
 (703) 266-4377 Fax

3/9

July 14, 2009 ^{SK}

Kimberly Nesci
 Product Manager 11
 Insecticide Branch
 Registration Division (7505P)
 One Potomac Yard (South Building)
 2777 S. Crystal Drive
 Arlington, VA 22202

**Subject: Prev-Gard
 Notification of Final Printed Labels
 EPA Reg. No. 72662-5**

Dear Ms. Nesci,


Ag-Chem Consulting, on behalf of Oro-Agri Inc., hereby submits the following notification of final printed labels for the above product. The label has been revised as requested in your letter of September 13, 2005. Additionally the storage and disposal section has been revised according to PR notice 2007-4. ^{check}

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula for the product. I understand that it is a violation of 18 U.S.C. Sec 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Certification for notification per PR Notice 98-10 is on the application form. Should you have any questions or require additional information, please do not hesitate to contact me at 703-266-0128.

Very Sincerely,

Dr. Matthew Brooks
 Director, Ag-Chem Consulting
 An Authorized Representative for Oro-Agri Inc.



4/9



**Control of Outdoor Insects and Diseases for Home Gardens, Greenhouses,
Lawns, Shrubs and Ornamental Plantings**

ACTIVE INGREDIENT:

Sodium Tetraborohydrate Decahydrate..... 0.99%

OTHER INGREDIENTS: 99.01%

TOTAL:..... 100.00%

KEEP OUT OF REACH OF CHILDREN

NOTIFICATION

SEP 22 2009

WARNING / AVISO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See Side Panel for FIRST AID and additional PRECAUTIONARY STATEMENTS


EPA Reg. No.: 72662-5

EPA Est. No. 70815-GA-001

Manufactured For:

ORO AGRI, Inc.
990 Trophy Club Drive
Trophy Club, TX 76262

Net Contents:



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREV-GARD® controls outdoor insects and diseases for home gardens, greenhouses, lawns, shrubs, and ornamental plantings. PREV-GARD® may be applied with pump-up garden type sprayers, trigger sprayers, hose-end sprayers, or handheld sprayers.

Keep people and pets out of treated area until sprays have dried.

Wash all fruits and vegetables before eating or processing.

To Control Listed Diseases and Insects:

Apply PREV-GARD® as shown in the table section of this label according to the directions for the control of the pest or infection on the desired plant.

Dilution and Mixing Instructions:

Shake PREV-GARD® container well prior to dilution. Mix PREV-GARD® with water according to the directions in the table below; add PREV-GARD® to the container last. Continuous agitation is recommended during application.

This product is not recommended for application in mid-day sun or during periods of drought when plants are subject to heat and moisture stress as temporary leaf burn may occur.

Use sufficient water to obtain full coverage of foliage, stems, etc. Spray plants every 7-10 days. If insect infestation or fungal infections are severe, the timing and frequency of applications can be as often as every 4 days until control is obtained.

Use one gallon of diluted solution for every 1000 sq. feet. Thoroughly spray plants to the point of run-off for best results. Flowers, fruits, and vegetables can be picked as soon as spray has dried.

FRUIT & VEGETABLES:	
Blackberry, Raspberry, Blueberry	
	<p>To Control: Botrytis, Powdery Mildew, Downy Mildew, Lygus Bug, Mealy Bug, Mite Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Leaf hopper Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Strawberry	
	<p>To Control: Botrytis, Powdery Mildew, Downy Mildew, Lygus Bug, Mealy Bug, Mite, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Leaf Hopper Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Broccoli, Cauliflower, Cabbage	

	<p>To Control: Downy Mildew, Powdery Mildew, Beet Armyworm, Cabbage Looper, Diamondback moth, Imported Cabbage worm, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Garlic, Onions	
	<p>To Control: Botrytis, Downy Mildew, Late Blight, Powdery Mildew Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Thrip Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Cucumber, Melon, Pumpkin, Squash	
	<p>To Control: Downy Mildew, Powdery Mildew, Leafhopper, Mite, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Thrip Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Eggplant, Pepper, Tomato	
	<p>To Control: Downy Mildew, Late Blight, Powdery Mildew, Mite, Whitefly, Beet Armyworm, Cabbage Looper Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Celery, Head Lettuce, Leaf Lettuce, Spinach	
	<p>To Control: Downy Mildew, Powdery Mildew, Beet Armyworm, Cabbage Looper, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>

Herbs, such as basil, cilantro, mint, oregano, parsley, rosemary, thyme	
	<p>To Control: Downy Mildew, Powdery Mildew, Beet Armyworm, Cabbage Looper, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Beans (Dry, Common, Lima, Snap), Lentil, Chickpea, Pea (Southern, Edible, Garden)	
	<p>To Control: Downy Mildew, Powdery Mildew, Brown Rust, Mite, Beet Armyworm, Lygus Bug, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Thrip Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Carrot, Potato, Sugar Beet	
	<p>To Control: Powdery Mildew, Late Blight, Beet Armyworm, Cabbage Looper Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid, Leaf Hopper Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
LAWNS:	
Bentgrass, Bermuda, Bluegrass, Fescue, Kentucky Varieties, Ryegrass, St. Augustine, Zoysia,	
	<p>To Control: Anthracnose, Dollar Spot, Fairy Ring, Armyworm Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray infected area of the lawn.</p>
ORNAMENTAL PLANTINGS (Except Roses see below):	
Allamanda, Asp. Sperengi, Blue Daze, Caladium, Carnation, Croton, Daisy, Heather, Foxtail, Fern, Ficus, Fuchsia, Gardenia, Hibiscus, Jasmine, Lily, Mandevilla, Oleander, Ornamental Citrus, Plumbago, Philadendron, Schefflera, Snowbush	
	<p>To Control: Downy Mildew, Powdery Mildew, Mealy Bug, Mite, Scale, Whitefly Mix ½ ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p> <p>To Control: Aphid Mix 1 ounce of PREV-GARD® per gallon and thoroughly spray plants.</p>
Roses	

	<p>To Control: Downy Mildew, Powdery Mildew Mix 1/3 ounce (0.33 fl. oz.) of PREV-GARD® per gallon and thoroughly spray plants.</p>
FRUIT & NUT TREES:	
<p>General Directions: Spray thoroughly to the point of run-off. Make sure to penetrate dense foliage and cover both sides of leaves and branches for best results. Avoid application during windy conditions and wear eye protection when spraying overhead.</p>	
Apple, Apricot, Cherry, Peach, Plum, Nectarine	
	<p>To Control: Powdery Mildew and Mite Mix 1/2 ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray trees.</p>
Almond, Pecan, Pistachio, Walnut	
	<p>To Control: Mites Mix 1/2 ounce (0.5 fl. oz.) of PREV-GARD® per gallon and thoroughly spray trees.</p>

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE:
 Store out of reach of children. Keep container closed when not in use. Avoid temperatures below 34°F (5°C) and above 100°F (40°C).

DISPOSAL:
Nonrefillable container. Do not reuse or refill this container.
If empty: Place in trash or offer for recycling if available
If partly filled: Call your local solid waste agency or 1-800-CLEANUP (1-800-253-2687) for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 800-924-9300 for emergency medical treatment information.</p>	

9/9

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
WARNING / AVISO

Causes substantial but temporary eye irritation. Harmful if inhaled or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin or breathing spray mist. Wear protective eyewear/goggles, long-sleeved shirt, long pants, shoes, socks and waterproof gloves when applying this product. When making overhead applications, also wear a hat.

Wash the outside of gloves before removing. Wash thoroughly with soap and water after handling and before eating, smoking, or using tobacco. Remove and wash contaminated clothing before reuse.

Do not allow children or pets to contact treated area until sprays have dried.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply to outdoor ornamental aquariums or ponds. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF QUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS.

PREV-GARD® is a registered trademark of ORO AGRI, INC.

Patent Numbers: US 6,258,369 B1, US 6,277,389 B1
International Patents: Pending