72674-19 5/8/2002 Page 17



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAY 8 2002

Mr. Mark E. Burt Regulatory Manager Avecia Inc. 1405 Foulk Road P.O. Box 15457 Wilmington, DE 19850-5457

Subject:

(

Revised Label

Baquacil Swimming Pool Sanitizer and Algistat

EPA Registration No. 72674-19

Applications Dated March 28 and April 8, 2002

Dear Mr. Burt:

The following amendments, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable.

Proposed Amendments

- · Amendment to add use directions for the Baquacil Automated Dosing System to the "Master" Label
- · Amend the directions for use to add use directions for low volume or "Kiddie Pools"
- · Response to EPA letter dated March 6, 2002.

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling, which include all three amends before distributing or selling the product bearing the revised labeling.

Should you have any questions concerning this letter, please contact me at (703) 308-6422 or Renae Whitaker at (703) 308-7003.

Sincerely,

Adam Heyward

Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure

Chlorine-free SWIMMING POOL AND ALGISTAT

ACTIVE INGREDIENT: POLY (IMINOIMIDOCARBONYLIMI-NOIMIDOCARBONYLIMINO-HEXAMETHYLENE HYDRO CHLORIDE).....20% INERT INGREDIENTS......80% TOTAL.....100%

> **SEE SIDE PANEL** FOR ADDITIONAL **PRECAUTIONARY** STATEMENTS.

> > **KEEP OUT** OF REACH OF CHILDREN WARNING

Net Contents:

One Half Gallon (1.89 Liters)

ACCEPTED with COMMENTS in EPA Letter Dated: MAY - 8 2002

Under the Pederal Insecticide, Fungicide, and Rodenticide Act as registered under EPA Req. No 7267H-19 Pints 1 ½

2

2 1/2

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

WARNING

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. HARMFUL IF SWALLOWED.

Do not get concentrate in eyes or on clothing. Avoid contact with skin. Avoid breathing vapor or mist. Wash thoroughly with soap and water after handling. Wear goggles or face shield when handling concentrate. Keep container closed. May cause allergic skin reactions.

	FIRST AID
IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
if swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

MEDICAL EMERGENCY INFORMATION CENTER 1-800-286-7850

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

WARRANTY STATEMENT

NOTICE TO BUYER AND USER - LIMITED WARRANTY FROM AYECIA INC. - Avecia Inc. ("Avecia") warrants that this product conforms to the chemical description on the label, and that it is reasonably lift for the purposes stated on the label when used in accordance with Avecia's instructions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions. Avecia will replace the product or refund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED WARRANTIES IS LIMITED TO ONE YEAR.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. IN NO EVENT SHALL AVECIA BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, and no person is authorized to after the terms of Avecia's warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. For warranty assistance, write Business Manager, BAQUACIL, Wilmington, DE 19850. This warranty gives you specific legal rights and you may have other rights which

EPA Reg. No. 72674-19

It lot # contains an "A", EPA Est. No. is 058996-M0-001.
If lot # contains an "M", EPA Est. No. is 36209-NJ-01.
It lot # contains a "B", EPA Est. No. is 4091-TN-3

(Right Panel)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner other than for which it was intended.

TREATING POOL

POOLS PREVIOUSLY TREATED WITH CHLORINATING CHEMICALS ortant – BAQUACIL SWIMMING POOL SANITIZER AND ALGISTAT ("BAQUACIL SANITIZER") is incompatible with chlorinating chemical products. Consult your Authorized Dealer of BAQUACIL for information on balancing your pool water. Note: If the pool is a plaster pool, add 1 1/4 ibs. of BAQUACIL® METAL CONTROL per 10,000 gallons after the chlorine has been neutralized, and allow pump/filter to operate for 8-12 hours.

Check with chlorine test kit for free and combined chlorine prior to the beginning of neutralization. To destroy chlorine, add BAQUACIL® CHLORINE NEUTRALIZER per label directions or add 1 gallon of BAQUACIL® SHOCK AND OXIDIZER (27% hydrogen peroxide) per 10,000 gallons of pool water. Fifter overnight. Check with chlorine test kit. If free chlorine is detected, repeat neutralizer treatment.

FRESHLY FILLED AND DECHLORINATED POOLS START UP WITH BAQUÂCIL

Note: If the pool water contains algae or is hazy, consult the problem-solving section of "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL.

- Backwash or clean pool filter. Check pool pH; adjust to 7.2-7.8
- if necessary.

 Add BAQUACIL SANITIZER to give a content of 50 ppm (1/2 gallon
- product/10,000 gattons of pool water).
 After 24 hours, check pH and BAQUACIL SANITIZER concentration with BAQUACIL® TEST STRIPS and adjust if necessary.

NORMAL POOL ROUTINE

- Every week, check BAQUACIL SANITIZER concentration and pH.
- Maintain BAQUACIL SANITIZER concentration at about 50 ppm. If concentration falls 10 ppm or more, add a top-up dose. The level should not be allowed to drop below 30 ppm. For example, to raise the BAQUACIL SANITIZER level 10 ppm, add 1 pint per 10,000 gallons of water. Consult the booklet, "The Pool Care Guide for BAQUACIL," for calculation instructions

NOTE: BAQUACIL SANITIZER AND CHLORINE ARE INCOMPATIBLE. Refer to "The Pool Care Guide for BAQUACIL" for information on how to deal with accidental chlorination.

PROBLEM-SOLVING AND SUPPLEMENTAL POOL INFORMATION

Do not use in freestanding spas/hot tubs. Do not use in unpainted plaster pools previously exposed to metals which may cause staining. (See current "Pool Care Guide" for specific information.) BAQUACIL is not compatible with many detergents and some supplemental algicides (such as those based on copper).

If algae development, cloudiness, or pool problems occur or additional information on water quality is desired, consult "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL.

TREATING SPAS OR HOT TUBS

Important-BAQUACIL SANTIZER is incompatible with chlorinating and brominating chemical products

Start Up with BAQUACH, SANITIZER:

- 1. Remove chlorine or bromine source and disconnect feeder Discontinue use of ionizers and electrochlorinators if present.
- 2. Drain existing water in spa.
- 3. Clean spa surface and filter.
- Fill spa with water.
- 5. Have your Authorized Dealer of BAQUACIL SANITIZER check your water for proper water balance.
- 6. After water has been balanced, add BAQUACIL SANITIZER to give concentration of 50 ppm (1 oz. of product per 150 gallons of spa
- 7. Circulate water for 30 minutes, then check BAQUACIL SANITIZER concentration with BAQUACIL TEST STRIPS and adjust if necessary.

NORMAL SPA MAINTENANCE

- 1. Every week, check BAQUACIL SANITIZER concentration and pH. Adjust if necessary
- 2. The level of BAQUACIL SANITIZER should be maintained between 30 and 50 ppm. When the level of BAQUACIL SANITIZER is 30 ppm or less, add enough BAQUACIL SANITIZER to bring the level up to 50 ppm. The spa's level of BAQUACIL SANITIZER should never be allowed to drop below 30 ppm. To raise the BAQUACIL SANITIZER level 10 ppm, add 0.2 oz. per 150 gallons of spa water.

TREATING POOLS ON THE BAQUACIL AUTOMATED DOSING SYSTEM START-UP

- 1. Unscrew the child resistant cap (keep this cap for the possible offseason storage of chemical) and connect to appropriate feed line for the automated system.
- 2. BAQUACIL Automated Dosing System will deliver an initial dose of 64 oz. per 10,000 gallons to the pool water to obtain an initial reading of 50
- ppm.
 3. After about 24 hours, take a water sample to your Authorized BAQUACIL Dealer for complete water analysis.

NORMAL POOL MAINTENANCE

- 1. Once a week, check the BAQUACIL SANITIZER concentration, using the BAQUACIL TEST STRIPS.
- 2. To insure proper sanitization and protection, maintain your BADUACIL SANITIZER concentration level between 30 50 ppm 3. Once a month take a water sample to your Authorized BAQUACIL
- Dealer for complete water analysis.

END OF SEASON

Disconnect BAQUACIL SANITIZER container from system and replace child resistant cap. Store in a cool place, in upright position, away from direct sunlight and out of reach of children

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL

Keep container closed when not in use. Store in original container in an area inaccessible to children

PROTECT FROM FREEZING.

In case of a leak or spill, soak up with absorbent, such as sand, earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations.

To dispose of excess product, securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL

Do not reuse container. To dispose of empty container, rinse thoroughly before discarding in trash. FOR INFORMATION ON SPILLS, CALL 1-800-424-2466.



BAQUACIL is a registered trademark of Avecia Limited.

84321L2C Made in U.S.A.

Manufactured by Avecia Inc. Wilmington, DE 19850

© 2002. Avecia Inc. For more information, visit our website at

www.baquacil.com



Pints 1 1/2

PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

WARNING

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. HARMFUL IF SWALLOWED.

Do not get concentrate in eyes or on clothing, Avoid contact with skin, Avoid breathing vapor or mist. Wash thoroughly with soap and water after handling Wear goggles or face shelld when handling concentrate Keep container closed. May cause alteroic shir reactions,

	Keep container closed, may cause allergic skill reactions.			
		FIRST AID		
2	IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
2 1/2	IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.		
	IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a plass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		
	Have the pro	MEDICAL EMERGENCY IMPORMATION CENTER 1-800-286-7860 duct container or label with you when calling a porson control center or doctor or coing for treatment		

ENVIRONMENTAL HAZARDS

This product is toxic to tish. Do not contaminate water by cleaning of equipment or disposal of wastes

WARRANTY STATEMENT

NOTICE TO BUYER AND USER — LIMITED WARRANTY FROM A VECIA INC. — Avecia Inc. ("Avecia") warrants that this product conforms to the chemical description on the label, and that it is reasonably fill for the purposes stated on the label when used in accordance with Avecia's instructions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions. Avecia will replace the product or refund the purchase price at your option should this warranty be breached within one year of sale THE DURATION OF ANY IMPLIED WARRANTES IS LIMITED TO ONE YEAR.

Some states do not allow limitations on how long an implied warranty tasts, so the above limitations may not apply to you. IN NO EVENT SHALL AVECIA BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, and no person is authorized to after the terms of Avecua's warranty Some states do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. For warranty assistance, write Business Manager, BAOUACIL, Williamogrop, DE 1985.0 This warranty gives you specific legal rights and you may have other rights which

EPA Reg. No. 72674-19

II lot # contains an "A", EPA Est, No. is 058996-MO-001.

If lot a contains an "M", EPA Est. No. is 36209-NJ-01.

If lot a contains a 'B', EPA Est. No. is 4091-TN-3



with COMMENTS in EPA Letter Dated:
MAY - 8 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pessicide,
recristered under EPA Reg. No 72674 – 19

9

DIRECTIONS FOR USE

If is a violation of federal law to use this product in a manner other than for which it was intended.

TREATING POOL

POOLS PREVIOUSLY TREATED WITH CHLORINATING CHEMICALS important — BAQUACIL SWIMMING POOL SANITIZER AND ALGISTAT ("BAQUACIS, SANITIZER") is incompatible with chlorinating chemical products. Consult your Authorized Dealer of BAQUACIL for Information on balancing your pool water. Note: If the pool is a plaster pool, add 1 1/4 lbs. of BAQUACIL® METAL CONTROL per 10,000 gallons after the chlorine has been neutralized, and allow pump/filter to operate for 8-12 hours.

Check with chlorine test kill for Irse and combined chlorine prior to the beginning of neutralization. To destroy chlorine, add BAQUACIL® CHLORINE NEUTRALIZER per label directions or add 1 gallon of BAQUACIL® SHOCK AND OXIDIZER (27% hydrogen peroxide) per 10,000 gallons of pool water. Filter overnight. Check with chlorine test kit. If free chlorine is detected, repeat neutralizer treatment.

FRESHLY FILLED AND DECHLORINATED PODLS

START UP WITH BAQUACIL

Note: If the pool water contains algae or is nazy, consult the problemsolving section of "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL.

- Backwash or clean pool filter. Check pool pH; adjust to 7.2-7.8
 if necessary.
- Add BAQUACIL SANITIZER to give a content of 50 ppm (1/2 gallon product/10,000 gallons of pool water).
- After 24 hours, check pH and BAQUACIL SANITIZER concentration with BAQUACIL® TEST STRIPS and adjust if necessary.

NORMAL POOL ROUTINE

Every week, check BADUACIL SANITIZER concentration and pH
 Maintain BAQUACIL SANITIZER concentration at about 50 ppm, it
 concentration (als) 10 ppm or more, add a top-up dose. The level
 should not be allowed to drop below 30 ppm. For example, to raise
 the BAQUACIL SANITIZER level 10 ppm, add 1 pint per 10,000 gations
 of waler. Consult the booklet, "The Pool Care Guide for BAQUACIL,"
 lot calculation instructions.

NOTE: BAQUACIL SANITIZER AND CHLORINE ARE INCOMPATIBLE.
Refer to "The Pool Care Guide for BAQUACIL" for information on how
to deal with accidental chloringtion.

OBLEM-SOLVING AND SUPPLEMENTAL POOL INFORMATION

do not use in freestanding spas/hot tubs. Do not use in unpainted plaster pools previously exposed to metals which may cause staining. (See current "Pool Care Guide" for specific information.) BAQUACIL is not compatible with many detergents and some supplemental algicides (such as those based on copper).

If algae development, cloudiness, or pool problems occur or additional information on water quality is desired, consult "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL.

TREATING SPAS OR HOT TURS

Important-BAQUACIL SANITIZER is incompatible with chlorinating and brominating chemical products.

Start Up with BADWACIL SANITIZER

- Remove chlorine or bromine source and disconnect leader.

 Discontinue use of ionizers and electrochlorinators if present.
- 2. Drain existing water in spa-
- 3. Clean spa surface and litter.
- 4. Fill spa with water.
- Have your Authorized Dealer of BAQUACIL SANITIZER check your water for proper water balance.
- After water has been balanced, add BAQUACIL SANITIZER to give concentration of 50 ppm (1 oz. of product per 150 gallons of spawarer).
- Circulate water for 30 minutes, then check BAQUACIL SANITIZER concentration with BAQUACIL TEST STRIPS and adjust if necessary.

NORMAL SPA MAINTENANCE

- Every week, check BAQUACIL SANITIZER concentration and pH Adjust if necessary.
- 2. The level of BAQUACIL SANITIZER should be maintained between 30 and 50 ppm. When the level of BAQUACIL SANITIZER is 30 ppm or less, add enough BAQUACIL SANITIZER to bring the level up to 50 ppm. The spa's level of BAQUACIL SANITIZER should never be allowed to drop below 30 ppm. To raise the BAQUACIL SANITIZER level 10 ppm, add 0.2 oz. per 150 gallons of spa water.

TREATING KIDDIE POOLS

- 1. Fill the pool with tresh water
- 2. Add a dose of BAQUACIL SANITIZER. Use the chart below to calculate how much to add.
- 3. After one minute, test the water with BAQUACIL TEST STRIPS. The color should be in the "OK" range.
- A. After one week, drain or discard the water from the pool, scrub poolsides lightly with a soft cloth, rinse the pool and retill with fresh water. Add a tresh dose of BAQUACIL SANITIZER.

Amount of BAQUACIL SANITIZER to Add						
Pool volume in gallons	BAQUACIL SANITIZER in teaspoons	BAQUACIL SANITIZER in tablespoons	BAQUACIL SANITIZER in ounces			
25	1	1/3	1/6			
75	3	1	1/2			
100	4	1 1/3	2/3			
150	6	2	1			
200	} 8	2 2/3	1 1/3			
250	10	3 1/3	1 2/3			
300	12	4	2			
350	14	4 2/3	2 1/3			

NOTES:

- Grass and soil in the pool will make water cloudy. Minimizing the amount of soil and grass in the pool will help the water to remain, clean and reduce the number of refills.
- 2. Heavy rain may dilute the sanitizer and allow bacteria to grow Alter a heavy rain check the sanitizer concentration with BAQUACIL TEST STRIPS. If the pool is still clear but the Test Strip reads "Add", add 1/2 standard dose of sanitizer. Test water with test strip to ensure that sanitizer is within range. If the water is cloudy after a rain you should drain the pool and refill with fresh water.
- 3. If the water becomes cloudy, drain the pool and refill with fresh water

STORAGE AND

PESTICIDE DISPUNDE

Keep container closed when not in use. Store in original container in an area inaccessible to children.

PROTECT FROM FREEZING.

In case of a leak or spiff, soak up with absorbent, such as sand, earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations.

To dispose of excess product, securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL

Do not reuse container. To dispose of empty container, rinse thoroughly before discarding in trash. FOR INFORMATION ON SPILLS. CALL 1-800-424-2456.



BAQUACIL is a registered trademark of Avecia Limited.

84321L2C Made in U.S.A.

Manufactured by Avecia Inc. Wilmington, DE 19850

© 2002. Avecia Inc.

For more information, visit our website at www.baquacif.com

