
72674-19

7/15/2002

Page 175



OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUL 15 2002

Dr. Mark E. Burt Regulatory Manager Avecia 1405 Foulk Road P.O. Box 15457 Wilmington, DE 19850-5457

Subject:

Bacquacil Swimming Pool Sanitizer and Algistat

EPA Registration No. 72674-19

Letters Dated May 23 and May 28, 2002

Dear Dr. Burt:

The following amendments, submitted in connection with registration under section of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable.

Proposed Amendments

- · revised labeling
- · add statement for use in residential and public swimming pools

Label Comment

Add the following statement to the label directions for use section:

"Bacquacil Swimming Pool Sanitizer and Algistat can be used in both residential and public swimming pools."

2 35

Other comments

A stamped copy of the accepted label is enclosed. Submit three (3) copies of your final printed label before you release the product for shipment bearing amended label.

Should you have any questions concerning this letter, please contact me at (703) 308-6422 or Renae Whitaker at (703) 308-7003.

Sincerely yours,

Adam Heyward

Product Manager (34)

Regulatory Management Branch II Antimicrobials Division (7510C)

Enclosure

 j_i^*



ACCEPTED with COMMENTS - EPA Letter Dated:

JUL 15 2002

Under the Federal Insecticide,
Pungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 72674-19

Pints 1 1/2

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

WARNING

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. HARMFUL IF SWALLOWED.

Do not get concentrate in eyes or on clothing. Avoid contact with skin. Avoid breathing vapor or mist. Wash thoroughly with soap and water after handling. Wear goggles or face shield when handling concentrate. Keep container closed. May cause allergic skin reactions.

	FIRST AID	
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	

MEDICAL EMERGENCY INFORMATION CENTER 1-800-286-7850

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE TO BUYER AND USER - LIMITED WARRANTY FROM AVECIA INC. - Avecia Inc. ("Avecia") warrants that this product conforms to the chemical description on the label, and that it is reasonably fit for the purposes stated on the label when used in accordance with Avecia's instructions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions. Avecia will replace the product or retund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED WARRANTIES IS LIMITED TO ONE YEAR

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. IN NO EVENT SHALL AVECIA BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, and no person is authorized to alter the terms of Avecia's warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above fimitation or exclusion may not apply to you. For warranty assistance, write Business Manager, BAQUACIL, Wilmington, DE 19850. This warranty gives you specific legal rights and you may have other rights which

EPA Reg. No. 72674-19

If lot # contains an "A", EPA Est. No. is 058996-MO-001. If lot # contains an "M", EPA Est. No. is 36209-NJ-01. If lot # contains a "B", EPA Est. No. is 4091-TN-3

ACCEPTED with COMMENTS - EPA Letter Dated:

JUL 15 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 72674-19

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner other than for which it was intended

TREATING POOL

POOLS PREVIOUSLY TREATED WITH CHLORINATING CHEMICALS Important - BAQUACIL SWIMMING POOL SANITIZER AND ALGISTAT ("BAQUACH, SANITIZER") is incompatible with chlorinating chemical products. Consult your Authorized Dealer of BAQUACIL for information on balanking your pool water. Note: If the pool is a plaster pool, add 1 1/4 lbs. of BAQUACIL® METAL CONTROL per 10,000 gallons after the chlorine has been neutralized, and allow pump/filter to operate for 8-12 hours.

Check with chlorine lest kit for free and combined chlorine prior to the beginning of neutralization. To destroy chlorine, add BAQUACIL® CHLORINE NEUTRALIZER per label directions or add 1 gallon of BAQUACIL® SHOCK AND OXIDIZER (27% hydrogen peroxide) per 10,000 gallons of pool water. Fifter overnight. Check with chlorine test kit. If free chlorine is detected, repeal neutralizer treatment.

FRESHLY FILLED AND DECHLORINATED POOLS

START UP WITH BAQUACIL

Note: If the pool water contains algae or is hazy, consult the problem-solving section of "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL.

- Backwash or clean pool filter. Check pool pH; adjust to 7 2-7.8
- JACIL SANITIZER to give a content of 50 ppm (1/2 gallon product/10,000 gallons of pool water)
- After 24 hours, check pH and BAQUACIL SANITIZER concentration with BAQUACIL® TEST STRIPS and adjust if necessary

NORMAL POOL ROUTINE

- . Every week, check BAQUACIL SANITIZER concentration and pH
- . Maintain BAQUACIL SANITIZER concentration at about 50 ppm. If concentration falls 10 ppm or more, add a top-up dose. The level should not be allowed to drop below 30 ppm. For example, to raise the BAQUACIL SANITIZER level 10 ppm, add 1 pint per 10,000 gallons of water Consult the booklet. "The Pool Care Guide for BAQUACIL." for calculation instructions

NOTE BAQUACIL SANITIZER AND CHLORINE ARE INCOMPATIBLE. Refer to "The Pool Care Guide for BAQUACIE" for information on how to deal with accidental chlorination

IDDIE POOLS

- 1. Fill use pool with fresh water
- 2 Add a dose of BAQUACIL SANITIZER. Use the chart below to calculate how much to add
- 3 After one minute, test the water with BAQUACIL TEST STRIPS. The color should be in the "OK" range
- 4. After one week, drain or discard the water from the pool, scrub poolsides lightly with a soft cloth, rinse the pool and retill with Iresh water Add a fresh dose of BAQUACIL SANITIZER

Amount of BAQUACIL SANITIZER to Add				
Poor e in gairuns	BAQUACIL SANITIZER in teaspoons	BAQUACIL SANITIZER in tablespoons	BAQUACIL SANITIZER in ounces	
25	t	1/3	1/6	
75	3	t	1/2	
100	4	1 1/3	2/3	
150	6	2	1	
200	8	2 2/3	1 1/3	
250	10	3 1/3	1 2/3	
300	12	4	2	
350	14	4 2/3	2 1/3	

- 1. Grass and soil in the pool will make water cloudy. Minimizing the amount of soil and grass in the pool will help the water to remain clean and reduce the number of refilfs.
- 2. Heavy rain may difute the sanitizer and allow bacteria to grow. After a heavy rain check the sanitizer concentration with BAQUACIL TEST STRIPS If the pool is still clear but the Test Strip reads "Add", add 1/2 standard dose of sanitizer. Test water with test strip to ensure that sanitizer is within range. If the water is cloudy after a rain you should drain the pool and refiff with tresh water.
- 3. If the water becomes cloudy, drain the gool and relill with fresh water

PROBLEM-SOLVING AND SUPPLEMENTAL POOL INFORMATION

Do not use in freestanding spas/hot tubs. Do not use in unpainted plaster pools previously exposed to metals which may cause staining (See current "Pool Care Guide" for specific information.) BAQUACIL is not compatible with many detergents and some supplemental algicides (such as those based on copper)

If algae development, cloudiness, or pool problems occur or additional information on water quality is desired, consult "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL

TREATING SPAS OR HOT TUBS

Important-BAQUACIL SANITIZER is incompatible with chlorinating and brominating chemical products

Start Up with BAQUACIL SANITIZER:

- 1. Remove chlorine or bromine source and disconnect feeder. Discontinue use of ionizers and electrochlorinators if present.
- Drain existing water in spa
- 3. Clean spa surface and filter
- 4. Fill spa with water.
- 5. Have your Authorized Dealer of BAQUACIL SANITIZER check your water for proper water balance.
- 6. After water has been balanced, add BAQUACIL SANITIZER to give concentration of 50 ppm (1 oz. of product per 150 gallons of spa
- 7. Circulate water for 30 minutes, then check BAQUACIL SANITIZER concentration with BAQUACIL TEST STRIPS and adjust if necessary

NORMAL SPA MAINTENANCE

- 1. Every week, check BAQUACIL SANITIZER concentration and pH Adjust it necessary
- . The level of BAQUACIL SANITIZER should be maintained between 30 and 50 ppm. When the level of BAQUACIL SANITIZER is 30 ppm or less, add enough BAQUACIL SANITIZER to bring the level up to 50 ppm. The spa's level of BAQUACIL SANITIZER should never be allowed to drop below 30 ppm. To raise the BAQUACIL SANITIZER level 10 ppm, add 0.2 oz. per 150 gallons of spa water

TREATING POOLS ON THE BAQUACIL AUTOMATED DOSING SYSTEM START-UP

- 1. Unscrew the child resistant cap (keep this cap for the possible offseason storage of chemical) and connect to appropriate feed line for the
- 2 BAQUACIL Automated Dosing System will deliver an initial dose of 64 ez, per 10,000 gallons to the pool water to obtain an initial reading of 50
- 3. After about 24 hours, take a water sample to your Authorized BAQUACIL Dealer for complete water analysis

NORMAL POOL MAINTENANCE

- 1. Once a week, check the BAQUACIL SANITIZER concentration, using the BAQUACIL TEST STRIPS.
- 2. To insure proper sanitization and protection, maintain your BAQUACIL SANITIZER concentration level between 30 - 50 ppm
- 3 Once a month take a water sample to your Authorized BAQUACIL Dealer for complete water analysis

END OF SEASON

Disconnect BAQUACIL SANITIZER container from system and replace third resistant cap. Store in a cool place, in upright position, away from direct sunlight and out of reach of children.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL

Keep container closed when not in use. Store in original container in an area inaccessible to children.

PROTECT FROM FREEZING.

In case of a leak or spill, soak up with absorbent, such as sand, earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations.

To dispose of excess product, securely wrap original container in several layers of newspaper and discard in trash

CONTAINER DISPOSAL

Do not reuse container. To dispose of empty container. rinse thoroughly before discarding in trash. FOR INFORMATION ON SPILLS, CALL 1-800-424-2466.



BAQUACII is a registered trademark of Avecia Limited.

84321120 Made in U.S.A.

Manufactured by Avecta Inc. Wilmington, DE 19850

C 2002, Avecia Inc.

For more information, visit our website at www.baquacil.com



ACCEPTED with COMMENTS F EPA Letter Dated:

JUL 15 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.