Pints 1 1/2

PRECAUTIONARY STATEMENTS, HAZARDS TO HUMANS AND DOMESTIC ANIMALS. WARNING

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. HARMFUL IF SWALLOWED.

Do not get concentrate in eyes or on clothing. Avoid contact with skin. Avoid breathing vapor or mist. Wash thoroughly with soap and water after handling. Wear goggles or face shield when handling concentrate. Keep container closed. May cause allernic skin reactions.

	neep some or croses may seed and ground realizations.			
		FIRST AID		
2	IF IN EYES	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. 		
		Remove contact lenses, if present, after the first 5 minutes,		
		Then continue rinsing eye		
		Call a poison control center or doctor for treatment advice.		
2 1/2	IF ON SKIN OR CLOTHING	Take off contaminated clothing.		
		Rinse skin immediately with plenty of water for 15-20 minutes.		
		Gall a poison control center or doctor for treatment advice.		
	IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice.		
		Have person sip a glass of water if able to swallow.		
		. Do not induce verniting unless told to do so by a poison control center or doctor.		
	ļ	Do not give anything by mouth to an unconscious person		
	MEDICAL EMERGENCY INFORMATION CENTER			
	1-800-286-7850			
	Have the product container or label with you when calling a poison control center or			

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes

WARRANTY STATEMENT

NOTICE TO BUYER AND USER - LIMITED WARRANTY FROM AVECIA INC. - Avecia Inc. ("Avecia") warrants that this product conforms to the chemical description on the label, and that it is reasonably lit for the purposes stated on the label when used in accordance with Avecia's instructions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions. Avecia will replace the product or refund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED WARRANTIES IS LIMITED TO ONE YEAR.

doctor, or going for treatment

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. IN NO EVENT SHALL AVECIA BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, and no person is authorized to after the terms of Avecia's warranty Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. For warranty assistance, write Business Manager. BAQUACIL Wilmington DE 19850 This warranty gives you specific legal rights and you may have other rights which EPA Reg. No. 72674-19

If lot # contains an "A", EPA Est. No. is 058996-MO-001 If iot # contains an "M", EPA Est. No. is 36209-NJ-01 If lot / contains a '8' EPA Est No is 4091-TN-3

Chlorine-free SANITIZER AND ALGISTAT

CHLORIDE)......20%

INERT INGREDIENTS......80% TOTAL....100%

> SEE SIDE PANEL FOR ADDITIONAL **PRECAUTIONARY** STATEMENTS

KEEP OUT OF REACH OF CHILDREN WARNING

Net Contents: One Half Gallon (1.89 Liters)

ACCEPTED

OCT - 2 2002

Under the Psyleral Insecticide, Fungicide, and Bodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

DIRECTIONS FOR USE

fiation of federal faw to use this product in a manner other which it was intended. BAQUACIL can be used in both ial and public swimming pools and spas

TREATING POOL

POOLS PREVIOUSLY TREATED WITH CHLORINATING CHEMICALS Important - BAQUACIL SWIMMING POOL SANITIZER AND ALGISTAT ("BAQUACIL SANITIZER") is incompatible with chlorinating chemical products. Consult your Authorized Dealer of BAQUACIL for information on balancing your pool water. Note: If the pool is a plaster pool, add 1 1/4 ibs of BAOUACIL® METAL CONTROL per 10,000 gallons after the chlorine has been neutralized, and allow pump/filter to operate for 8-12 hours.

Check with chloring test kit for free and/combined chloring prior to the beginning of neutralization. To destroy chlorine, add BAQUACIL® CHLORINE NEUTRALIZER per label directions or add 1 gallon of BAQUACIL® SHOCK AND OXIDIZER (27% hydrogen peroxide) per 10,000 gallons of pool water. Filter overnight, Check with chlorine test kit. If free chlorine is detected, repeat neutralizer treatment.

FRESHLY FILLED AND DECHLORINATED POOLS START UP WITH BAQUACIL

Note If the pool water contains algae or is hazy, consult the problemsolving section of "The Pool Care Guide for BAOLIACIL" available from your Authorized Dealer of BAQUACIL

- . Backwash or clean pool filter. Check pool pH, adjust to 7 2-7.8 il necessary
- Add BAQUÁCIL SANITIZER to give a content of 58 ppm (1/2 gallon) product/10 000 gallons of gool water)
- . After 24 hours, check pH and BAQUACIL SANITIZER concentration with BADUACIL® TEST STRIPS and adjust if necessary.
- NORMAL POOL ROUTINE Every week check SADUACIL SANITIZER concentration and ph.
- . Maintain BAQUACIL SANITIZER concentration at about 50 ppm. If concentration fails 10 pom or more, add a top-up dose. The level should not be allowed to drop below 30 ppm. For example, to raise the BAQUACIL SANITIZER level 10 npm, add 1 pint per 10 000 gallons of water. Consult the booklet, "The Pool Care Guide for BAQUACIL." for calculation instructions.

NOTE: BADUACIL SANITIZER AND CHLORINE ARE INCOMPATIBLE. Refer to "The Pool Care Guide for BAQUACIL" for information on how to deal with accidental chlorination.

TREATING KIDDIE POOLS

- 1. Fill the pool with fresh water.
- 2 Add a dose of BAQUACIL SANITIZER. Use the chart below to calculate how much to add.
- 3 After one minute, test the water with BAQUACIL TEST STRIPS. The color should be in the "OK" range.
- 4 Alter one week, drain or discard the water from the pool, scrubpoolsides lightly with a soft cloth, rinse the pool and relill with fresh water Add a fresh dose of BAQUACIL SANITIZER.

Amount of BAQUAGIL SANITIZER to Add					
Pool volume in gallons	BAQUACIL SANITIZER in leaspoons	BADUACIL SANITIZER in tablespoons	BAQUACIL SANITIZER in ounces		
25	1	1/3	1/6		
75	3	1	1/2		
100	4	1 1/3	2/3		
150	6	2	1		
200	8	2 2/3	1 1/3		
250	10	3 1/3	1 2/3		
300	12	4	2		
350	14	4 2/3	2 1/3		

- 1 Grass and soil in the pool will make water cloudy. Minimizing the amount of soil and grass in the pool will help the water to remain clean and reduce the number of telills.
- 2 Heavy rain may diffute the sanitizer and allow bacteria to grow. After a heavy rain check the sanitizer concentration with BAQUACIL TEST STRIPS, if the pool is still clear but the Test Strip reads "Add", add 1/2 standard dose of sanitizer. Test water with test strip to ensure that sanitizer is within range. If the water is cloudy after a rain you should drain the pool and relill with Iresh water.
- 3. If the water becomes cloudy, drain the pool and reliff with fresh water.

PROBLEM-SOLVING AND SUPPLEMENTAL POOL INFORMATION Do not use in freestanding spas/hot tubs. Do not use in unpaint plaster nonis previr posed to metals which may cause ! ide" for specific information) BAOL (See current "Pool not compatible with many detergents and some supplemental algicides (such as those based on copper)

il ainae development, cloudiness, or pool problems occur or additional information on water quality is desired, consult "The Pool Care Guide for BAQUACIL," available from your Authorized Dealer of BAQUACIL.

TREATING SPAS OR HOT TURS

Important-BAQUACIL SANITIZER is incompatible with chlorinating and brominating chemical products.

- Start Up with BAQUACIL SANITIZER: 1. Remove chlorine or bromine source and disconnect feeder.
- Discontinue use of ionizers and electrochlorinators if present. 2. Drain existing water in spa.
- 3. Clean spa surface and filler
- 4 Fill soa with water.
- 5. Have your Authorized Dealer of BAQUACIL SANITIZER check your water for proper water balance.
- 6 After water has been balanced, add BAQUACIL SANITIZER to give concentration of 50 ppm (1 oz. of product per 150 gallons of spawater)
- 7. Circulate water for 30 minutes, then check BAQUACIL SANITIZER concentration with BAQUACIL TEST STRIPS and adjust if necessary

NORMAL SPA MAINTENANCE

- 1. Every week, check BAQUACIL SANITIZER concentration and oH Adjust if necessary
- 2 The level of BAQUACIL SANITIZER should be maintained between 30 and 50 ppm. When the level of BAQUACIL SANITIZER is 30 ppm or less, and enough BAQUACIL SANITIZER to bring the level up to 50 ppm. The spa's level of BADUACII SANITIZER should never be allowed to drop below 30 ppm. To raise the BAQUACIL SANITIZER level 10 ppm, add 0.2 oz. per 150 gallons of spa water.

TREATING POOLS ON THE BAQUACIL AUTOMATED DOSING SYSTEM START-UP

- 1. Unscrew the child resistant cap (keep this cap for the possible offseason storage of chemical) and connect to appropriate feed fine for the automated system.
- 2. BAQUACIL Automated Dosing System will deliver an initial dose of 64 oz, per 10,000 gallons to the pool water to obtain an initial reading of 50

3. After about 24 hours, take a water sample to your Authorized BAQUACIL Dealer for complete water analysis.

NORMAL POOL MAINTENANCE

- 1. Once a week, check the BAQUACIL SANITIZER concentration, using THE BAQUACIL TEST STRIPS
- 2. To insure proper sanitization and protection, maintain your BAQUACIL SANITIZER concentration level between 30 - 50 ppm
- 3. Once a month take a water sample to your Authorized BAQUACIL Dealer for complete water analysis.

END OF SEASON

Disconnect BAQUACIL SANITIZER container from system and replace child resistant cap. Store in a cool place, in upright position, away from direct sunlight and out of reach of children.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL

Keep container closed when not in fore in original container in an area maccessible to children

PROTECT FROM FREEZING

In case of a leak or spill, soak up with absorbent, such as sand, earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations To dispose of excess product, securely wrap original container in several

layers of newspaper and discard in trash.

CONTAINER DISPOSAL

Do not reuse container. To dispose of empty container, rinse thoroughly before discarding in trash. FOR INFORMATION ON SPILLS, CALL 1-800-424-2466.



BAQUACIL is a registered trademark of Avecia Limited.

84321L2C Made in U.S.A.

Manufactured by Avecia Inc.

Wilmington, DE 19850 © 2002, Avecia Inc.

For more information. visit our website at moo, lipsupad.www



ACCEPTED

OCT - 2 2002

Linder the Federal Insecticide, Fungicide, and Redenticide Act as amended, for the pesticide, registered under EPA Reg. No. 72674