

(Center Panel)



Active Ingredient: Poly(iminoimidocarbony-	
liminoimidocarbonyliminohexamethylene	
hydrochloride) .....	20%
Inert Ingredients .....	80%
TOTAL.....	100%

**WARNING: KEEP OUT OF REACH OF CHILDREN.**  
 See side panel for additional precautionary statements.

**ACCEPTED**  
 JAN 14 2004

EPA Reg. No. 72674-22  
 EPA Est. No. 4091-TN-3

Net Contents: 56 oz. (1.72 Liters)

Under the Federal Insecticide, Fungicide, and  
 Rodenticide Act, this product has been  
 registered by EPA under the  
 FIFRA Act. EPA Reg. No. 72674-22

(Left Panel)

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING**

**HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. AVOID CONTACT WITH SKIN OR CLOTHING. AVOID BREATHING VAPOR OR MIST. CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY. DO NOT GET IN EYES. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. REMOVE CONTAMINATED CLOTHING AND WASH CLOTHING BEFORE REUSE. WEAR GOGGLES OR FACE SHIELD WHEN HANDLING CONCENTRATE. MAY CAUSE ALLERGIC SKIN REACTION.**

Some states do not allow limitations on how long an implied warrant lasts, so the above limitations may not apply to you. IN NO EVENT SHALL AVECIA BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, and no person is authorized to alter the terms of Avecia's warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. For warranty assistance, write Business Manager, BAQUACIL, Wilmington, DE 19850. This warranty gives you specific legal rights and you may have other rights which vary from state to state.

**FIRST AID**

**IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF SWALLOWED**

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**IF INHALED**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

**MEDICAL EMERGENCY INFORMATION CENTER**  
1-800-286-7850. Have the product container or label with you when calling a poison control center of doctor, or going for treatment.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

**NOTICE TO BUYER AND USER - LIMITED WARRANTY FROM AVECIA INC. - Avecia Inc.**

("Avecia") warrants that this product conforms to the chemical description on the label, and that it is reasonably fit for the purposes stated on the label when used in accordance with Avecia's instructions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions. Avecia will replace the product or refund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED

BAQUACIL is a registered trademark of Avecia Limited.  
85000L3K

Made in U.S.A.

Manufactured by Avecia Inc.,  
Wilmington, Delaware 19850

© 2003, Avecia Inc.

For more information,  
visit our website at

[www.baquacilultra.com](http://www.baquacilultra.com)

MEMBER



NATIONAL SPA & POOL INSTITUTE

## (Right Panel)

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner other than for which it was intended. BAQUACIL ULTRA is effective for residential and public swimming pools and spas.

**Converting From Chlorine**

If you are using chlorine in your pool, it is important to eliminate the chlorine from the pool since BAQUACIL ULTRA Swimming Pool Sanitizer and Fungicide ("BAQUACIL ULTRA Sanitizer") is incompatible with chlorinating chemicals. Follow these simple steps:

1. Make sure your water is properly balanced. Take a sample of your pool water to your Authorized BAQUACIL Dealer for a complete water analysis. Adjust as necessary following your dealer's recommendations.
2. Use a chlorine test kit to check for the level of free and combined chlorine in your pool.
3. A. If your pool water is clear, add BAQUACIL Chlorine Neutralizer per label directions. Filter overnight.  
B. If your pool water is cloudy or algae is present, add one gallon of BAQUACIL Shock and Oxidizer per 10,000 gallons of pool water. Filter overnight.
4. The next morning, check with your chlorine test kit for free and combined chlorine. If free chlorine is detected, repeat steps indicated above.

**Freshly Filled, Dechlorinated or BAQUACIL Pools**  
To get started properly with BAQUACIL ULTRA Sanitizer, follow these steps:

1. Backwash or chemically clean your pool's filter with BAQUACIL Filter Cleaner. Check the pool's pH adjusting to a range between 7.2 - 7.8 if necessary.
2. Add BAQUACIL ULTRA System Start-Up following label directions.
3. Add BAQUACIL ULTRA Sanitizer at a rate of 56 oz. per 10,000 gallons of pool water to obtain an initial reading of 50 ppm. Filter overnight.
4. After 24 hours, use BAQUACIL ULTRA Test Strips to check the pool's pH and BAQUACIL ULTRA Sanitizer reading and adjust if necessary.

**Normal Pool Maintenance**

To properly maintain your pool with BAQUACIL ULTRA Sanitizer during the swimming season, follow these steps on a weekly basis:

1. Once a week, check the BAQUACIL ULTRA Sanitizer concentration, pH and total alkalinity in your pool.
2. Maintain your BAQUACIL ULTRA Sanitizer concentration between 30 and 50 ppm. To insure proper sanitization and protection, the level should never be allowed to drop below 30 ppm. To raise the BAQUACIL ULTRA Sanitizer concentration 10 ppm, add 14 oz. per 10,000 gallons of pool water. Review the weekly maintenance dosage chart found in your BAQUACIL ULTRA Pool Care Guide.
3. Every week, add one pouch of BAQUACIL ULTRA Oxidizer Increaser Tablets per 10,000 gallons of pool water.

**Treating Spas on the BAQUACIL Ultra Sanitizer and Fungicide Automated Dosing System****Start-up**

1. Connect container to appropriate feed line for the BAQUACIL Ultra Sanitizer and Fungicide Automated Dosing System.
2. The BAQUACIL Ultra Sanitizer and Fungicide Automated Dosing System will deliver an initial dose of BAQUACIL Ultra Sanitizer and Fungicide to the spa water to obtain an initial reading of 50 ppm.
3. After approximately 24 hours, take a water sample to your Authorized BAQUACIL Ultra Dealer for complete water analysis.

**Normal Spa Maintenance**

1. Once a week, check the BAQUACIL Ultra Sanitizer and Fungicide concentration, using BaquaSpa Test Strips.
2. To insure proper sanitization and protection, maintain your BAQUACIL Ultra Sanitizer and Fungicide concentration level between 30 and 50 ppm.
3. Once a month, take a water sample to your Authorized BAQUACIL Ultra Dealer for complete water analysis.

**PROBLEM SOLVING AND SUPPLEMENTAL POOL INFORMATION**

Please remember that BAQUACIL ULTRA Sanitizer and chlorine-based chemicals are not compatible. If you accidentally add chlorine to your swimming pool, refer to the BAQUACIL ULTRA Pool Care Guide for troubleshooting techniques.

Do not use BAQUACIL ULTRA Sanitizer in unpainted plaster pools previously exposed to metals that may cause staining (see BAQUACIL ULTRA Pool Care Guide for specific information). Do not use in free standing spas or hot tubs. BAQUACIL ULTRA Sanitizer is not compatible with many detergents and some algicides (such as those based on copper). Always check with your Authorized Dealer for compatibility before adding a product that isn't labeled BAQUACIL or BAQUACIL ULTRA. If algae, cloudiness or pool problems develop consult your Authorized BAQUACIL Dealer.

**STORAGE AND DISPOSAL****Pesticide Disposal**

Keep container closed when not in use. Store in original container in an area inaccessible to children.

**Protect From Freezing**

In case of a leak or spill, soak up with absorbent, such as sand, earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with local pollution regulations.

To dispose of excess product, securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL**

Do not reuse container. To dispose of empty container, rinse thoroughly before discarding in trash.

For information on spills, call 1-800-424-2466.

