



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

72674-37

Date of Issuance:

April 7, 2004

Term of Issuance: Conditional

Name of Pesticide Product: Pool Breeze
Pool Care System Chlorinating
Sticks

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Avecia Biocides
1405 Foulk Road
P.O. Box 15457
Wilmington, DE. 19850-5457

Note: Changes in labeling differing in substance from that accepted in connection with this registration shall be submitted to the Antimicrobials Division prior to the use of the label in commerce. In any correspondence on this product, reference shall be made to the registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit two copies of the revised final printed label for the record changing the EPA File symbol 72674-GT to EPA Registration Number 72674-37.
3. Under the Environmental Hazards, delete all but the first sentence in accordance with Pesticide Registration Notice 95-1 since your packaged products are less than 50 pounds.
4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Emily H. Mitchell
Emily H. Mitchell
Acting Product Manager 32

Date:

4-7-04



chlorinating sticks

Active Ingredient
 Trichloro-s-triazinetriazine 90.3
 Inert Ingredients 9.7
 Total 100.0
 Available Chlorine 90.3

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

See precautionary statements and
 First Aid information on back panel.

10 Sticks
 This package is filled by weight.
 Stick count is approximate.

Net Wt. 5 lbs.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

FOR SWIMMING POOL DISINFECTANT
 When used as directed, this product is effective as a swimming pool water disinfecting agent. The dosage necessary for your pool will change considerably depending upon those factors that burden the disinfection system. Some of the factors that will vary the required dosages are water temperature, bather load, exposure to windblown debris, thunder or rain storms and length of filtration cycle.

FOR START UP OF NEWLY FILLED POOL
 Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test strip. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test strip reading. To initially achieve 1-3 ppm available chlorine, add 1.25 oz. product per 1,000 gallons of water. Add 3/4 oz. product per 1,000 gallons of water daily or as needed to maintain that level.

REENTRY
 Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine due to risk of bodily injury.

DIRECTIONS FOR USE:
 Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. Add Pool Breeze® pool care system Stabilizer to establish a minimum level of 30-40 ppm to reduce degradative effects of sunlight upon the chlorine residual. Check for metals. Before using this product, add Pool Breeze® pool care system Metal Removing Agent to prevent staining of pool surface due to metals. When using other products as outlined in the directions for this product, always follow directions on those products.

With pump running, place one (1) skimmer stick per 10,000 gallons pool water every week into a suitable feeder or directly into a stick skimmer basket. Repeat additions until a residual of 1-3 ppm chlorine is established as determined by the use of a test strip. Regular use of a test strip is necessary to determine when it is necessary to add another dose of this product to maintain a residual of 1-3 ppm available chlorine in the pool water. After use of this product it is recommended that a preventative algae treatment be added on a weekly basis.

HOW TO CALCULATE POOL CAPACITY
 Use measurements in feet only.
 Rectangular—length x width x average depth x 7.5 = total gallons
 Circular—diameter x diameter x average depth x 5.9 = total gallons
 Oval with straight sides—full width x full length x average depth x 6.7 = total gallons
 Irregular—consult pool builder

ACCEPTED
 WITH COMMENTS
 In Ethical Letter Dated
 APR - 7 2004

72674-37

283

FOR SUPERCHLORINATION

The pool water should be superchlorinated or shocked every seven days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test strip.

Add a sufficient amount of an appropriate shock product directly to the surface of circulating water to raise the available chlorine level to 6-6 ppm (mg/L), based on test strip readings. If the combined chlorine reading is not below 0.5 ppm (mg/L), repeat the shock treatment described above. For example, the addition of 10 oz. of sodium dichloro-s-triazetrione per 10,000 gallons of water (7.5 grams per 1,000 liter) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat the shock treatment described above.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine due to risk of bodily injury.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
<p>MEDICAL EMERGENCY INFORMATION CENTER 1-800-286-7850</p>	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	
<p>NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

CORROSIVE: CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. MAY BE FATAL IF INHALED OR ABSORBED THROUGH SKIN.

Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. ~~Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.~~

EMERGENCY HANDLING: In case of contamination or decomposition do not reseat container. If possible, isolate container in open well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Store in a dry, cool and well-ventilated area. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed. Oxidizing material. Keep away from flames, sparks and all sources of heat. Avoid contact with organic material.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR INFORMATION ON SPILLS CALL 1-800-424-2466.

delete all but first sentence

NOTICE TO BUYER AND USER — LIMITED WARRANTY FROM AVECIA INC. — Avecia Inc. ("Avecia") warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with Avecia's directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Avecia, and you as buyer or user assume the risk of any such use. Avecia will replace the product or refund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED WARRANTIES UNDER APPLICABLE STATE LAWS SHALL LIKEWISE BE LIMITED TO A PERIOD OF ONE YEAR.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. IN NO EVENT SHALL AVECIA BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and no person is authorized to alter the terms of Avecia's warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

For warranty assistance, write Business Manager, Pool Breeze, Wilmington, DE 19850 or contact your authorized dealer. This warranty gives you specific legal rights, and you may have other rights which vary from state to state. YOUR AUTHORIZED DEALER GIVES NO WARRANTY IN ADDITION TO AVECIA'S WARRANTY AND DISCLAIMS ALL OTHER WARRANTIES INCLUDING THOSE OF FITNESS OR MERCHANTABILITY.

Pool Breeze® is a registered trademark of Avecia Limited.

Sold by Avecia Inc.
Wilmington, DE 19850
EPA REG. NO. 72674-
EPA Est. No. 69470-WV-2
CH 2009-0295
Made in U.S.A.
88430L3H



ACCEPTED
with COMMENTS
In EPA Letter dated:
APR - 7 2004

72674-37

383