

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue, NW
Washington, D.C. 20004

EPA Reg. Number

Date of Issuance.

72674-42

APR 20 2004

Term of Issuance:

Conditional

Name of Pesticide Product:

Pool Breeze Pool Care System Chlorinating Granules

NOTICE OF PESTICIDE:

Reregistration
X Registration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Avecia Inc.

1405 Foulk Road

Wilmington, DE 19803

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 72674-42."
 - b. Place the "First Aid" Statement on the front panel of the label.


If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:	Date:
Emily H. Mitchell, Acting Product Manager	64/20/64



POOL breeze pool care system



ACCEPTED with COMMENTS EPA Letter Dated:

APR 2 0 2004

Under the Federal Insecticide, Fungicide, and I. Mienticide Act as amended for the postucide, registered under EPA Reg. No.

72674-42

O WE OR USE: It is a violation of Federal Law to use this product in a manner in, its labeling. Read entire label and use strictly in accordance with precautionary state ments an.

FOR SWIMMING POOL DISINFECTANT:

When used as directed, this product is effective as a swemming used water disinfecting agent. The desage necessary for your pool will change considerably depending user those factors that burden the disinfection system. Some of the factors that will vary the required desages are water temperature bather load, exposure to windplown debns, thunder or rain storms and length of literation cycle.

DIRECTIONS FOR USE: Ensure all pool equipment is working properly. Backwash the latter system following manufacturers directions. Adjust pill to between 7.2.7.6. Add stabilizer to establish a nonimum thevel of 30-40 pm to reduce degradative effects of sunfight upon the colorine resulta Check for metals. Before using this product, add Pool Breeze's pool care system Metal Removing Agent to prevent staining of pool surface due to metals. When using other products as outlined in the directions for this product, always follow directions on those products.

With pump running, broadcast 4 ounces of this product per 16,099 gallons directly into the water in the deep end of the pool as an initial treatment. Repeat ladditions until a resolvable 1:3 ppm chooses is established as determined by the use of a test strip. To prevent damage to pool surface use a pool brush to disperse granules that may have settled to the bottom of the pool. NEVER ALLOW UNDISSOLVED PRODUCT TO REST IN CONTACT WITH BLEACHABLE POOL SUPPAGES. Regular use of a lest storp is necessary to determine when it is necessary to add another dose of this product of maintain a residual of 1-3 ppm available chlorine in the pool water. After use of this product if it is recommended that a preventative aligns testing the product part to 800 gallons of water. After use of this product if it is recommended that a preventative aligns testing men the added on a weekly passe.

REENTRY:

Reentry into treated swimming gools is prohibited above levels of 3 ppm of chorne due to rick of haddy interns.

FOR SUPERCHLORINATION: Broadcast one pound of this product per 19,000 gallons directly into the water in the deep end of the pool. To prevent damage to pool surface use a pool brosh to dispersa any granules that may have settled to the bottom of your pool NEVER ALLOW UNDINSOLVED PEOD UCT TO REST IN CONTACT WITH BLEACHABLE POOL SURFACES in water temperatures less that 70% of as an alternate application procedure pre-dissolve this product prior to applying everyly to the deep end of the pool. Dissolve this product outdoors in a clean plastic burket string with a campilastic burket start product. NEVER add more than 1 pound of this product to 3 gallons of cool water. NEVER add water to product. NEVER add more than 1 pound of this product to 3 gallons of cool water. Do not mix with other products when pre-dissolvents.

FOR SWIMMING POOL ALGAE;

When used as directed, this product falls algae and will not your pool of unsightly algae spots. This product is ideal for use in vinyl lined, fiberglass or colored plaster surface pools.

DIRECTIONS FOR USE: Ensure all pool equipment is working properly Backwash the filter system following manufacturers directions. Adjust gift to between 72-7.6 Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface. When using other products as outlined in the directions for this product, follow directions on those products. Before using this product, brush all surface-clinging aligae paying special attention to pool steps, ladder steps and around slommer and kights. At night, or when pool is not in use, broadcast this product precty into the deep end of the pool with pump punning. Use two pounds per 10,000 gallons for medium to heavy aligae growth and one pound per 10,000 gallons for hight aligae growth. To prevent possible damage to



gool surface, use a pool brush to disperse any granules that may have settled to the bottom of the cool Brush any remaining algae and clean backwash filter II algae is still visible, repeat treatment FOR WINTERIZING POOL:

To avoid costly soring problems (aloae, stains, cloudy water, buth chloring demand) properly prepare your pool for the winter using this product. This product exidizes arganic wastes, provides long lasting chlorine protection, helps keep pool surfaces clean, and helps protect water during the off season months

DIRECTIONS FOR USE:

NOTE: FOR WHITE PLASTER POOLS, broadcast this product directly into the pool water FOR VINYL FIBERGLASS, PAINTED AND COLORED PLASTER POOLS, PRE-DISSOLVE THE

RECOMMENDED DOSE. Dissolve this product outdoors, in a clean plastic bucket stirring with a clean plastic of wooden spoon. Add this product to water, NEVER add water to product. NEVER add more than 1 pound of this product to 3 gallons of cool water Do not mix with other products when predissolvino

Before treating the pool, chemically balance the water and adjust pH to 7.4-7.6. Brush and vacuum the 3001 Backwash the filter and clean skimmer, pump baskets, and filter.

Sorrinkle the powder or pour the pre-dissolved treatment dose (see NOTE above) into the water around the edges of the pool tise one bound of this product per 10,000 gallons of water

Circulate water for several hours, then apply a winterizing algae treatment following appropriate directions. Cut off pump. Drain equipment or add a swimming pool artifreeze to equipment to prevent freeze damage. Install pool cover A second freatment of the product in mesh covered or non-covered pools may be required prior to water freezing (mid-winter). If second treatment is required, re-dissolve treatment (see NOTE above) and pour along edges of the pool.

FOR SPAIAND HOT THE DISINFECTANT: When used as directed, this product is effective as a spa and hot tub water disinfecting agent

DIRECTION FOR USE: Ensure all spa and hot tub equipment is working property. Backwast/clean the fater system following manufacturer's directions. Adjust pH level to between 7.2-7.6. When using other products as outlined in the directions for this product, always follow directions on those prod-

MAINTENANCE DOSES: With pump on, add 1/2 teaspoon of this product per 100 gallons of water (or 5 teaseoons per 1,000 gailons) as an initial treatment. Repeat at 15 to 20 minute intervals until a residrial of 3-5 nom of available chloring is established as determined by test strip. A test strip must be used regularly to determine the frequency of additional doses of this product needed to maintain the chlonne residual of 3-5 ppm.

SUPERCHLORINATION: Use one teaspoon of this product per 100 gallons of water (or 1/4 cup per 1,000 callions). Superchiorination may be needed on a nightly basis in a heavily used soa of as infrequently as once a week in a moderately used SDa.

PRECAUTIONARY STAYEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: CAUSES IRREVERSIBLE EYE DAMAGE, MAY BE FATAL IF INHALED, HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.

Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear googles, lace sheld, or safety placess. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before rause.

FIRST AID	
IF IN EYES	Notice eye open and innse blowly and genity with water for 15-20 minutes Nembra contact leases, it present after the lists 5 minutes then continue index eye eye Call a poson control center or doctor for bearingst advice
IF INHALED	Move person to fresh as I projek is not breaking, cas 811 or an axibilismos then give a shifted respectively. Preferably by mouth-to-mouth, is nessible to 28 a genus control called or doctor for further leaturest govice.
if OM SKIN OA CLOTHING	Take off contamenated clothing Rists skins immediately with plenty of water for 15-20 minutes Call a poscoli control center or doctor for trailment advice
SE SMALLDMED	Call poisen control center or doctor infraetalisty for treatment service I the person sip a gleat of water it able to swallow On any stoke overtrally subsets loof to do so by the people Control Center or doctor On one of anything by mouth to an unconscious person
ME	DICAL EMERGENCY INFORMATION CENTER 1-860-286-7850
1	tive the product continue or label with you when calling a poison control senter or doctor, or going for tragement
Proba	MOTE TO PRITEIUM WE USE OF MAY COMMISSIONED IN THE USE OF SERVICE BEING BETTER SHOULD BE THE SERVICE BE

PHYSICAL DR CHEMICAL HAZARDS

STRONG DXIDIZING AGENT: Use only clean dry utensils. Max only into water. Concernination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may starf a chemical reaction with generation of heat liberation of hazardous pases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause hire or explosion.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Poliution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For quidance, contact your State Water Board or Regional Office of the EPA.

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfile area

STORAGE AND DISPOSAL: Do not contaminate water, tood or lead by storage or disposal. Store in a dry, cool and well-ventilated area. Avoid shoisture getting into container. Keep off well floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed

STORAGE AND NAMBERIG: Oxidizing Material. Xeep away from flames, sparks, and all sources of heat. Avoid consect with prosmic material.

PESTICIDE DISPOSAL: Pesticide wastes are acustary hazardous. Improper disposal of excess pesticide, spray mindure or insate it a violation of Federal law. If these wastes cannot be disposad of by use according to label instructions, contact yeur State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the meanres EPA Regional Office for guidance.

CONTINUE. UISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill of incineration, or it allowed by state and local authorhes, by burning II burned, stay out of smoke

FOR INFORMATION ON SPILLS, CALL 1-800-424-2456 NOTICE TO BUYER AND USER — LIMITED WARRANTY FROM AVECIA INC. — Avecia Inc. (Avecia). warrants that this product conforms to the chemical description on the label and that it is reasonably lit for the purposes stated on the label when used in accordance with Avecia's directions under notmal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Avecia, and you as buyer or user assume the risk of any such use. Avecia will replace the groduct of refund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED WARRANTIES UNDER APPLICABLE STATE LAWS SHALL LIKEWISE BE LIMITED TO A PERIOD OF DMF YEAR.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. IN NO EVENT SHALL AVECIA BE LIABLE FOR ANY SPECIAL INCIDENTAL OR CONSEQUENTIAL DAMAGES INCLUDING LOST PROFITS ON ANY THEORY WHATS GEVER INCLUD-ING NEGLIGENCE, and no person is authorized to alter the ferms of Avecia's warranty. Some states do not allow the exclusion or smitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you.

For warranty assistance, write Business Manager, Pool Breeze, Wilmington, DE 19850 or contact your authorized dealer. This warranty gives you specific legal rights, and you may have other rights which vary from state to state, YOUR AUTHORIZED DEALER GIVES NO WARRANTY IN ADDITION TO AVECIA'S WARRANTY AND DISCLAIMS ALL OTHER WARRANTIES INCLUDING THOSE OF FITNESS. OR MERCHANTARII ITY

Pool Breeze is a registered trademark of Avecia Limited Sold by Avera Inc. Wilmington DE 19850 EPA REG. NO. 72674-EPA Est No 69470-WV-2 Made in U.S.A. 88400L4A





with COMMENTS EPA Letter Dated:

APR 2 0 2004

Under the Federal Insecticide, Pungicide, and Apparaicide Act as amended, for the pesticide, registered under EPA Reg. No. LH-HENETT