



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

April 18, 2007

Ms. Felicia L. Sellers
SciReg, Inc.
12733 Director's Loop
Woodbridge, VA 22192

Subject: Notification for Updating Minor Label Changes
TAP
EPA Reg. No. 72787-1
Your Application Dated November 29, 2006

Dear Ms. Sellers

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated November 29, 2006 for the products mentioned above. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The labels submitted with the application have been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/5

SciReg, Inc.
Science and Regulatory Consultants

November 29, 2006

Mr. Richard Gebken
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Dr.
Arlington, VA 22202

Re: TAP (Reg. No. 72787-1)

- Notification to add label text consistent with PR Notice 98-10


Dear Mr. Gebken:

On behalf of our client, Cellulose Technologies Group, Inc., please find a notification consistent with PR Notice 98-10 for the above-identified product. This notification is being submitted to add the items identified below:

- US Patent No. 6,578,782
- Manufactured by Cellulose Technologies Group, Inc.
- The web address and toll free phone number
- Address: 18332 Hideaway Rd.
Charlotte, NC 28278-8610
- The Energy Star graphic
- PC barcode
- Insulation industry standard information (i.e., Coverage Chart, Class 1 Building Material Statement, and Attic Card)
- Establishment numbers

Two copies of the revised label, one of which is highlighted to show the changes, are included. If you have any questions regarding these materials, please call.

Sincerely,



Felicia L. Sellers
Regulatory Specialist

Enclosures



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number 3/5

Application for Pesticide - Section I

1. Company/Product Number 72787-1	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) TAP	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Cellulose Technologies Group, Inc. 18332 Hideaway Rd. Charlotte, NC 28278-8610 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

NOTIFICATION

APR 18 2007

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. Per Container	If "Yes" Package wgt	Nb. Per Container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On label. <input type="checkbox"/> On label accompanying product.	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Felicia L. Sellers	Title Agent (SciReg, Inc.)	Telephone No. (Include Area Code) (703) 494-6500
Certification I certify that the statements which I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 		3. Title Agent (SciReg, Inc.)
4. Typed Name Felicia L. Sellers		5. Date 11/29/06

PEST CONTROL INSULATION
T.A.P.
Pest Control Insulation

Pest Control Insulation
T.A.P.
 US Patent No. 6,578,782 • EPA REG. NO. 72787-1
 Manufactured by Celulose Technology Group, Inc.

Thermal, Acoustical, and Pest Control Insulation
 3 - Insulations - in - 1 with DustTrapper™ • Contains No Asbestos, Glass Fibers or Formaldehyde
MADE FROM NATURAL WOOD FIBER

- ACTIVE INGREDIENT:**
- Orthoboric acid..... 11.1%
 - Other Ingredients..... 88.9%
 - Total..... 100.0%
- Helps protect your home environment from annoying insects
 - Contains 87% recycled natural fiber
 - The most effective insulator you can put in your walls and attic
 - Helps keep you warm in winter & cool in summer
 - Permanently guards against flame spread
 - Highly resistant to air infiltration
 - Helps deaden sound as an acoustical barrier
 - This clean-blowing insulation contains DustTrapper™

FOR USE IN NEW CONSTRUCTION AND RETROFIT APPLICATIONS
 ATTICS • FLOORS • WALLS • CRAWLSPACES • OVERLAY FIBER GLASS OR OTHER INSULATIONS
 HOMES • APARTMENTS & CONDOMINIUMS • OFFICES & INDUSTRIAL BUILDINGS
 HOTELS & MOTELS • HOSPITALS & NURSING HOMES • RESTAURANTS • SCHOOLS
KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes
- Call a poison control center or doctor for treatment advice

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or when going for treatment

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

DURING INSTALLATION WEAR A PROTECTIVE RESPIRATOR TO PREVENT INHALATION TO AVOID EXCESSIVE EYE AND SKIN CONTACT, WEAR PROTECTIVE GLOVES AND DUST GOGGLES

READY-TO-USE T.A.P.™ Thermal, Acoustical, and Pest Control Insulation is a ready-to-use insect control insulation. This product is toxic to listed insects and is intended to prevent their infestations in those building voids (attic, wall, between-floors, crawlspace) where the product is applied. Its toxic effect begins only after insect contact with the product.

KILLS: Cockroaches, Termites (including Formosan Termites), Ants, Silverfish, Earwigs, Crickets, Sawbugs, Darkling Beetles, Millipedes, Centipedes, and Booklice

This insulation contains material toxic to these insects and is intended to prevent new infestations in walls and attics where the product is applied. Control of insects is limited to contact with insulation.

DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling. "R" means resistance to heat flow. The higher the R-value the greater the insulating power. To get the marked R-value, it is essential that this insulation be installed properly. Insulation applicators installing this material should be familiar with and carefully follow installation instructions from the manufacturer. Instructions do not come with this package.

NOT RECOMMENDED AS SOLE PROTECTION AGAINST TERMITES. Use of this product does not substitute for pre- and/or post-construction mechanical alteration, soil treatment or foundation treatment. For active termite infestations, you should consult a licensed pest control operator.

TO HELP AVOID FIRE: Keep insulation at least three inches away from the trims of recessed light fixtures. Do not place insulation over such fixtures so as to entrap heat. Also keep insulation away from exhaust flues of furnaces, water heaters, space heaters or other heat-producing devices. To be sure that insulation is kept away from light fixtures and flues, use a barrier to permanently maintain clearance around these items. Do not install where temperatures may exceed 180°F. Check with local building or fire officials for guidance on installation and barrier requirements.

REQUEST TO INSTALLER: Remove bag label and give it to consumer and/or affix in building at completion of job.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: call your local solid waste agency at 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

www.TAPinsulation.com 1-866-BUG-PCIS

18332 Hideaway Rd • Charlotte, NC 28278-8610



EPA REG. NO. 72787-1
 US PATENT NO. 6,578,782

CLASS 1 BUILDING MATERIAL
 This product complies with CPSC Standards 16 CFR 1209 & 1404, & FTC Standard 16 CFR 460, tested in accordance with ASTM C-739, E-84 & MIL-STD-810D for fungi resistance

(Cut out & Staple in Attic)

ATTIC CARD
 STATEMENT OF COMPLIANCE FOR LOOSE-FILL INSULATION

Job Location: _____

This is to certify that this insulation has been installed in accordance with TAP's coverage chart to provide an R-value of _____ using _____ bags of insulation to cover _____ square feet of area.

Date: _____

Applicator/Contractor Name: _____

PEST CONTROL INSULATION
T.A.P.
www.TAPinsulation.com

PEST CONTROL INSULATION
T.A.P.
www.TAPinsulation.com

T.A.P.™ COVERAGE CHART

R-VALUE	INSULATED COVERAGE (THICKNESS)	PER 1000 SF	BAGS	WEIGHT
1.1	3.0	80.3	12.0	185.4*
1.3	3.5	70.7	14.2	0.42
1.5	4.0	63.3	20.7	0.64
1.7	4.5	56.4	29.1	0.85
1.9	5.0	50.0	39.5	1.15
2.1	5.5	44.4	52.8	1.55
2.3	6.0	39.5	70.7	2.10
2.5	6.5	35.3	94.4	2.85
2.7	7.0	31.7	125.0	3.90
2.9	7.5	28.6	163.3	5.15
3.1	8.0	25.8	210.0	6.90
3.3	8.5	23.3	266.7	9.15
3.5	9.0	21.1	333.3	12.00
3.7	9.5	19.2	410.0	15.45
3.9	10.0	17.6	500.0	20.70
4.1	10.5	16.2	603.3	27.90
4.3	11.0	15.0	720.0	36.00


*Weight includes 10% moisture content.




- BLOOMER, WI 54724**
 EPA EST. NO. 72787-WI-001
- HICKORY, KY 42051**
 EPA EST. NO. 72840-KY-001
- WHEELERVILLE, IA 48892**
 EPA EST. NO. 72854-IA-001
- CHAMBERSBURG, PA 17201**
 EPA EST. NO. 72844-PA-001
- CORNELIA, GA 30531**
 EPA EST. NO. 72744-GA-001
- MONROE, LA 71202**
 EPA EST. NO. 72755-LA-001
- HOUSTON, TX 77241**
 EPA EST. NO. 72642-TX-001

NOTIFICATION
APR 18 2007




Pest Control Insulation
 www.TAPinsulation.com


Pest Control Insulation
T.A.P.
 US Patent No. 6,578,782 • EPA REG. NO 72787-1
 Manufactured by Cellulose Technologies Group, Inc.
Thermal, Acoustical, and Pest Control Insulation
 3 - insulations - in - 1 with DustTrapper™ • Contains No Asbestos, Glass Fibers or Formaldehyde
 MADE FROM NATURAL WOOD FIBER

- ACTIVE INGREDIENT:**
- Orthoctic acid..... 11.1%
 - Other Ingredients..... 88.9%
 - Total.....100.0%
- Helps protect your home environment from annoying insects
 - Contains 87% recycled natural fiber
 - The most effective insulator you can put in your walls and attic
 - Helps keep you warm in winter & cool in summer
 - Permanently guards against flame spread
 - Highly resistant to air infiltration
 - Helps deaden sound as an acoustical barrier
 - This clean-blowing insulation contains DustTrapper™

FOR USE IN NEW CONSTRUCTION AND RETROFIT APPLICATIONS

ATTICS • FLOORS • WALLS • CRAWLSPACES • OVERLAY FIBER GLASS OR OTHER INSULATIONS
 HOMES • APARTMENTS & CONDOMINIUMS • OFFICES & INDUSTRIAL BUILDINGS
 HOTELS & MOTELS • HOSPITALS & NURSING HOMES • RESTAURANTS • SCHOOLS
 KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or when going for treatment.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

DURING INSTALLATION WEAR A PROTECTIVE RESPIRATOR TO PREVENT INHALATION. TO AVOID EXCESSIVE EYE AND SKIN CONTACT, WEAR PROTECTIVE GLOVES AND DUST GOGGLES.

READY-TO-USE T-A-P™ Thermal, Acoustical, and Pest Control Insulation is a ready-to-use insect control insulation. This product is *toxic to listed insects and is intended to prevent their infestations in those building voids (attic, wall, between-floors, crawlspace) where the product is applied.* Its toxic effect begins only after insect contact with the product.

KILLS. Cockroaches, Termites (including Formosan Termites), Ants, Silverfish, Earwigs, Crickets, Sowbugs, Darkling Beetles, Millipedes, Centipedes, and Booklice.
 This insulation contains material toxic to these insects and is intended to prevent new infestations in walls and attics where the product is applied. Control of insects is limited to contact with insulation.

DIRECTIONS FOR USE
 It is a violation of Federal law to apply this product in a manner inconsistent with its labeling. "R" means resistance to heat flow. The higher the R-value the greater the insulating power. To get the marked R-value, it is essential that this insulation be installed properly. Insulation applicators installing this material should be familiar with and carefully follow installation instructions from the manufacturer. Instructions do not come with this package.

NOT RECOMMENDED AS SOLE PROTECTION AGAINST TERMITES. Use of this product does not substitute for pre- and/or post-construction mechanical alteration, soil treatment or foundation treatment. For active termite infestations, you should consult a licensed pest control operator.


TO HELP AVOID FIRE: Keep insulation at least three inches away from the sides of recessed light fixtures. Do not place insulation over such fixtures so as to entrap heat. Also keep insulation away from exhaust flues of furnaces, water heaters, space heaters or other heat-producing devices. To be sure that insulation is kept away from light fixtures and flues, use a barrier to permanently maintain clearance around these items. Do not install where temperatures may exceed 180°F. Check with local building or fire officials for guidance on installation and barrier requirements.

REQUEST TO INSTALLER: Remove bag label and give it to consumer and/or affix in building at completion of job
STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

www.TAPinsulation.com 1-866-BUG-PCIS


18332 Hideaway Rd. • Charlotte, NC 28278-8610


T.A.P.
 THERMAL • ACOUSTICAL • PEST CONTROL
 INSULATION
 www.TAPinsulation.com

T.A.P. COVERAGE CHART

ATTIC	R-VALUE	INSTALLATION COVERAGE	80GS PER 1000 SF	WEIGHT (LBS/SF)
1.1	3.0	48.5	1.20	0.38
1.3	4.5	70.7	1.43	0.45
1.9	5.1	48.3	2.07	0.51
2.4	6.5	38.3	2.61	0.78
2.9	7.0	35.3	2.83	0.85
3.6	8.1	30.5	3.17	0.78
4.2	9.5	29.2	4.19	1.01
4.9	10.8	27.0	4.33	1.31

The listed R-values are based on the application of T.A.P. Insulation in a standard 12" deep cavity. Actual R-values may vary depending on application. Always follow the manufacturer's directions.



- BLOOMER, WI 54724
 HICKORY, KY 42051
 WYBEENEVILLE, MI 48892
 CHAMBERSBURG, PA 17201
 CORNELIA, GA 30531
 MONROE, LA 71202
 HOUSTON, TX 77241

 EPA EST. NO. 72787-WI-001
 EPA EST. NO. 73840-KY-001
 EPA EST. NO. 73854-MI-001
 EPA EST. NO. 73854-PA-001
 EPA EST. NO. 73854-GA-001
 EPA EST. NO. 73755-LA-001
 EPA EST. NO. 73642-TX-001


EPA REG. NO. 72787-1
 US PATENT NO. 6,578,782

CLASS 1 BUILDING MATERIAL
 This product complies with CPSC Standards 16 CFR 1209 & 1404, & FTC Standard 16 CFR 460; Tested in accordance with ASTM C-739, E-84 & MIL-STD-810D for fungi resistance

(Cut out & Staple in Attic)

ATTIC CARD
 STATEMENT OF COMPLIANCE FOR LOOSE FILL INSULATION

Job Location: _____
 This is to certify that the insulation has been installed in accordance with TAP's coverage chart to provide an R-Value of _____ using _____ bags of insulation to cover _____ square feet of area
 Date: _____
 Applicator/Contractor's Name: _____


T.A.P.
 THERMAL • ACOUSTICAL • PEST CONTROL
 INSULATION
 www.TAPinsulation.com