



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

72790-1

Date of Issuance:

NOV 9 1999

Term of Issuance:

Conditional

Name of Pesticide Product:

Pin Nip 2EC

NOTICE OF PESTICIDE:
 x Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Data Plex S.A. de C.V.
Avenida Rio Amazonas Casa 3-N
Colonia la Sultana II
Antiguo Cuzcatlan, La Libertad
El Salvador, Central America

Attention: Dana S. Lateulere

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

a. Revise the EPA Registration Number to read, "EPA Reg. No. "72790-1".

Signature of Approving Official:

(Signature)

Date:

NOV 9, 1999

- b. As indicated in a letter to you dated October 26, 1999, at the First Aid statements must appear separately from Precautionary Statements Section. These statements must be in close proximity to the Precautionary Block, but must be separated from the Precautionary Statement.
 - c. Under the First Aid section, If Inhaled: change the word victime to read victim.
3. Submit two copies of the revised final printed label before you release your product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Cynthia Giles-Parker
Product Manager (22)
Fungicide Branch
Registration Division (7505C)

Enclosures

PIN NIP 2 EC

Emulsifiable Concentrate - Potato Sprout Inhibitor

One gallon of product will treat 2,000 cwt. of potatoes.

ACTIVE INGREDIENT:	BY WT.
Chlorpropham* (Isopropyl N-(3-chlorophenyl) carbamate)	23.8%
OTHER INGREDIENTS:	76.2%
TOTAL	100.0%

* Contains 2 pounds active ingredient per gallon.

Keep Out of Reach of Children

CAUTION

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

Causes eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. This product may cause allergic skin reaction. Remove contaminated clothing and wash clothing before reuse.

Applicators and other handlers must wear chemical resistant gloves. Following application, workers (e.g. baggers) must wear chemical resistant gloves while potatoes are wet.

First Aid

If Swallowed: If conscious, drink large quantities of water, then induce vomiting by administering an emetic such as ipecac syrup. If an emetic is not available, vomiting should be induced by placing a finger far back in the throat. Administer additional water. Take immediately to a hospital or physician. If unconscious or in convulsions, take immediately to a hospital. DO NOT attempt to induce vomiting or give anything by mouth to an unconscious or convulsing person.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

If in Eyes: Hold eyelids open and flush with a gentle stream of water for 15 minutes. Get medical attention.

If on Skin: Wash with plenty of soap and water. If irritation persists, get medical attention.

Physical or Chemical Hazards

Flammable. Keep away from heat and open flame.

Environmental Hazards

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Emergency Information

For spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.



FLAMMABLE LIQUID

Net Contents _____

Manufactured For:
Dataplex, S.A. de C.V.
Avenida Rio Amazonas Casa 3-N
Colonia la Sultana II
Antiguo Cuzcatlan, La Libertad
El Salvador, Central America

ACCEPTED
with COMMENTS
In EPA Letter Dated:
NOV 9 1999

EPA Reg. No. 72790-R
EPA Est. No. _____
Made in El Salvador
Revision 1

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

72790-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

4/4

STORAGE AND DISPOSAL

PROHIBITIONS: Keep container closed. Do not contaminate water, food, or feed by storage or disposal.
STORAGE: Avoid storage below freezing temperatures. Prolonged storage may cause crystal formation. Warming contents and agitation will restore material to usable condition, but do not heat above 120°F. Vent caps when using indirect heat such as a warm water bath, and do not use direct heat or flame.
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. **Metal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

APPLICATION

This product is used for treating potatoes to inhibit sprouting after storage and washing. This product will prevent wound periderm formation of potatoes, therefore, it should be used only after bruises and cuts have healed (normally a minimum of two weeks).


DO NOT APPLY IN THE FIELD.

IMPORTANT NOTE: Potatoes may deteriorate or otherwise be damaged by bacteria, fungi, insects, old age effects such as internal sprouting, environmental factors (such as humidity, temperature and airflow), and other causes which are unrelated to the application of this product, and which may occur whether or not this product is applied to the potatoes.

DO NOT USE ON SEED POTATOES. This product will inhibit the sprouting of seed potatoes. The inhibition of sprouting at recommended rates is usually effective for up to a year. The time period of effective sprout inhibition may vary depending on many conditions beyond the control of the manufacturer and/or seller, including, but not limited to, timing and method of application, variety and condition of stored crop, and mixtures or treatments with other chemicals. Wash equipment thoroughly with soap and water before using with seed potatoes.

EQUIPMENT: This product is usually applied as a 1% emulsion spray on the drying table, or similar station, after the potatoes have been washed. Automatic proportioners or injection systems that apply an equivalent rate of active ingredient may also be used.

Equipment should be set to spray evenly across the rolls moving the potatoes. Rolling or tumbling action improves coverage compared to flat conveyor belts. Thorough coverage of the potato by this emulsion will provide the best sprout inhibition.



APPLICATION: For dilute spray, prepare a 1% emulsion by adding 1 gallon of this product to 24 gallons of water. Agitate enough to form a uniform emulsion. For best results, agitate or recirculate emulsion while in use.

Apply at a rate of 1 quart of 1% emulsion per 20 bags of potatoes (100 pounds per bag). For proportioner/injector applications, use sufficient water for thorough coverage while maintaining the application rate of 1 gallon product per 2000 cwt. potatoes.

CONDITIONS OF SALE

Dataplex warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to manufacturer, and buyer assumes the risk for any such use.