

72790-1

5-1-2009

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Amy Plato Roberts
Agent for Dataplex S.A. de C.V.
C/O Technology Sciences Group Inc
1150 18th, NW Suite 1000
Washington, DC 20036

MAY 1 2009

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant,

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated March 17, 2009 for:

EPA Registration 72790-1 PIN NIP 2 EC

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 72790-1	2. EPA Product Manager Tony Kish	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) PIN NIP 2 EC	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) Dataplex S.A. de C.V. Boulevard Pynsa No. 3, Ciudad Industrial Merliot Antiguo Cuzcatlan, La Libertad, El Salvador <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>MAY 01 2009</u> Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION to updated container disposal statement per PRN 2007-4. See attached cover letter dated March 17, 2009 for details. Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 5 gallons, 30 gallons		5. Location of Label Directions <input checked="" type="checkbox"/> on container label	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Amy Plato Roberts / aroberts@tsgusa.com	Title Regulatory Consultant	Telephone No. (Include Area Code) (202) 828-8964
<p align="center">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>		6. Date Application Received (Stamped)
2. Signature 		
3. Title Regulatory Consultant		
4. Typed Name Amy Plato Roberts / aroberts@tsgusa.com		5. Date March 17, 2009



WASHINGTON
1150 18th Street, N.W.
Suite 1000
Washington, D.C. 20036
Telephone 202 223-4392
Fax 202 872-0745

Tony Kish, PM 22
Fungicides Branch
Registration Division (7505P)
Office of Pesticide Programs, EPA
One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

March 17, 2009

**RE: PIN NIP® 2 EC
EPA Reg. No. 72790-1**

NOTIFICATION to update container disposal statement per PRN 2007-4

SACRAMENTO
712 Fifth Street
Suite A
Davis, CA 95616
Telephone 530 757-1298
Fax 530 757-1299


Dear Mr. Kish:

Enclosed with this letter you will find the following in support of a notification to update the container disposal statement per PRN 2007-4 for the above referenced product:

- 1) Notification form;
- 2) One (1) copy of the label with all changes highlighted in redline.

No other changes have been made at this time. If you have any questions or comments, please do not hesitate to contact me directly.

CANADA
275 Slater Street
Suite 900
Ottawa, Ontario
K1P 5H9
Telephone 613 247-6285
Fax 613 236-3754

Sincerely,

Amy Plato Roberts
Regulatory Consultant for Dataplex S.A. de C.V.
Direct dial (202) 828-8964; Email: aroberts@tsgusa.com

4/6

PIN NIP 2 EC

Emulsifiable Concentrate - Potato Sprout Inhibitor

One gallon of product will treat 2,000 cwt. of potatoes.

**New Cold Water Formulation; Emulsifies immediately in water as cold as 35°F;
Improved emulsification; Superb emulsification.**

ACTIVE INGREDIENT:	BY WT.
Chlorpropham* (Isopropyl N-(3-chlorophenyl) carbamate)	23.8%
OTHER INGREDIENTS:	76.2%
TOTAL	100.0%

* Contains 2 pounds active ingredient per gallon.

Keep Out of Reach of Children

NOTIFICATION

CAUTION

MAY 01 2009

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION

Causes eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. This product may cause allergic skin reaction. Remove contaminated clothing and wash clothing before reuse. Applicators and other handlers must wear chemical resistant gloves. Following application, workers (e.g. baggers) must wear chemical resistant gloves while potatoes are wet.

Physical or Chemical Hazards

Flammable. Keep away from heat and open flame.

Environmental Hazards

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

First Aid

If Swallowed: Immediately call a poison control center or doctor. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Move victim to fresh air. If not breathing, call 911 then give artificial respiration, preferably mouth to mouth. Call a poison control center or doctor for treatment advice.

If in Eyes: Hold eyelids open and flush with a gentle stream of water for 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

If on Skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Wash with plenty of soap and water. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact (CHEMTREC, 1-800-424-9300) (PERS, 1-800-633-8253) for emergency medical treatment, spill, leak, or fire information.



FLAMMABLE LIQUID

Net Contents (5 gallons) (30 gallons)

Manufactured For:
Dataplex, S.A. de C.V
Boulevard Pynsa No. 3
Ciudad Industrial Merliot
Antiguo Cuscatlan, La Libertad
El Salvador, Central America

EPA Reg. No. 72790-1
EPA Est. No. XXXXX-XXX-XXX
Made in (El Salvador) (Scotland)
Revision (6) dated March 17, 2009

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Keep container closed. Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Avoid storage below freezing temperatures. Prolonged storage may cause crystal formation. Warming contents and agitation will restore material to usable condition, but do not heat above 120°F. Vent caps when using indirect heat such as a warm water bath, and do not use direct heat or flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

(≤5 gallon containers) "Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allows by state and local authorities, by burning. If burned, stay out of smoke.

(>5 gallon containers) Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allows by state and local authorities, by burning. If burned, stay out of smoke.

APPLICATION

This product is used for treating potatoes to inhibit sprouting after storage and washing. This product will prevent wound periderm formation of potatoes, therefore, it should be used only after bruises and cuts have healed (normally a minimum of two weeks).


DO NOT APPLY IN THE FIELD.

IMPORTANT NOTE: Potatoes may deteriorate or otherwise be damaged by bacteria, fungi, insects, old age effects such as internal sprouting, environmental factors (such as humidity, temperature and airflow), and other causes which are unrelated to the application of this product, and which may occur whether or not this product is applied to the potatoes.

DO NOT USE ON SEED POTATOES. This product will inhibit the sprouting of seed potatoes. The inhibition of sprouting at recommended rates is usually effective for up to a year. The time period of effective sprout inhibition may vary depending on many conditions beyond the control of the manufacturer and/or seller, including, but not limited to, timing and method of application, variety and condition of stored crop, and mixtures or treatments with other chemicals. Wash equipment thoroughly with soap and water before using with seed potatoes.

EQUIPMENT: This product is usually applied as a 1% emulsion spray on the drying table, or similar station, after the potatoes have been washed. Automatic proportioners or injection systems that apply an equivalent rate of active ingredient may also be used. Equipment should be set to spray evenly across the rolls moving the potatoes. Rolling or tumbling action improves coverage compared to flat conveyor belts. Thorough coverage of the potato by this emulsion will provide the best sprout inhibition.

APPLICATION: For dilute spray, prepare a 1% emulsion by adding 1 gallon of this product to 24 gallons of water. Agitate enough to form a uniform emulsion. For best results, agitate or recirculate emulsion while in use. Apply at a rate of 1 quart of 1% emulsion per 20 bags of potatoes (100 pounds per bag). For proportioner/injector applications, use sufficient water for thorough coverage while maintaining the application



rate of 1 gallon product per 2000 cwt. potatoes.

6/6

CONDITIONS OF SALE

Dataplex warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to manufacturer, and buyer assumes the risk for any such use.

NOTIFICATION

MAY 01 2009