



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Antimicrobials Division (7510P) 1200 Pennsylvania Avenue NW Washington, D.C. 20460

NOTICE OF PESTICIDE:

x Registration Reregistration

(under FIFRA, as amended)

EPA Reg.

Date of

Issuance:

72854-3

JUL 2 4 2009

. . . .

Term of Issuance:

Conditional

Name of Pesticide Product:

AgION Bacteriostatic
Water Filter

Name and Address of Registrant (include ZIP Code):

Erin Tesch

Technology Sciences Group

c/o for AgION Technologies, Inc.

1150 18th Street, NW

Suite # 1000

Washington DC, 20036

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(a) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Revise the "EPA Registration Number to read, EPA Reg. No. 72854-3".

Signature of Approving Official:

Marshall Swindel

Product Manager Team-33

Regulatory Management Branch I Antimicrobials Division (7510P) Date:

JUL 2 4 2009

Page 2 EPA Reg. No. 72854-3

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Submit one (1) copy of your final printed labeling prior to release of this product for shipment. If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,

Marshall Swindell

Product Manager Team-33

Regulatory Management Branch I Antimicrobials Division (7510P)

Enclosure: (Stamped Label)

Q5520AM

AgION Bacteriostatic Water Filter

CHLORINE TASTE AND ODOR AND BACTERIOSTATIC EFFECTS

ACTIVE INGREDIENT

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INSTALL IN COLD WATER APPLICATIONS ONLY. THIS PRODUCT IS DESIGNED TO REMOVE OBJECTIONABLE TASTES, ODORS, AND COLOR FROM MUNICIPALLY TREATED TAP WATER.

This unit has a capacity up to 2000 gallons or 12 months. Maximum flow 0.50 GPM (1.9 LPM)
Maximum pressure 125 PSIG (8.6 bar)
Maximum temperature 100 F (38 C)
Minimum temperature 35 F (2 C)

NOTE: DO NOT USE WITH WATER THAT IS MICROBIOLOGICALLY UNSAFE OR OF UNKNOWN QUALITY WITHOUT ADEQUATE DISINFECTION BEFORE OR AFTER UNIT. THE TERM BACTERIOSTATIC INDICATES THAT THE SYSTEM LIMITS THE PASSAGE OR GROWTH OF BACTERIA THAT MAY ALREADY EXIST IN THE INCOMING WATER. IT DOES NOT MEAN THAT THE WATER LEAVING THE SYSTEM IS SAFER TO DRINK THAN THE WATER ENTERING THE SYSTEM. CAUTION: KEEP OUT OF REACH OF CHILDREN.

FOR HEAD INSTALLATION, THREAD AND CONNECT FITTINGS:

- A SHUT OFF WATER SUPPLY.
- B NOTE THE FLOW DIRECTION ON HEAD.
- C FOR QUICK CONNECT FITTINGS PUSH SCRATCH FREE TUBE END INTO FITTING UNTIL IT BOTTOMS. FOR THREADS, INSTALL TEFLON TAPED FITTINGS AND TIGHTEN FIRMLY.
- D TURN ON WATER AND CHECK FOR LEAKS. IF LEAKS OCCUR, REPEAT STEP C. IF LEAKS PERSIST, DISCONTINUE USE AND CALL YOUR SUPPORTING DEALER.

NOTE: INSTALL IN COMPLIANCE WITH LOCAL AND STATE REGULATIONS

FOR CARTRIDGE REPLACEMENT INTO TWIST TAP™ FILTER HEAD MODELS QNVH B, C, OR J WITH AUTOMATIC SHUT OFF.

DELETE STEP 1.

- 1 SHUT OFF WATER SUPPLY.
- 2 UNSCREW OLD CARTRIDGE FROM HEAD.
- 3 SCREW IN NEW CARTRIDGE UNTIL LIGHTLY SEATED, DO NOT OVERTIGHTEN.
- 4 TURN ON WATER.
- 5 CHECK FOR LEAKS. IF LEAKS OCCUR, REPEAT STEPS 1,2,3,4,5. IF LEAKS PERSIST DISCONTINUE USE AND CALL YOUR

SUPPORTING DEALER.
6 FLUSH 5 GALLONS OF WATER THROUGH FILTER BEFORE USE.

7 INSTALL AND DISPOSE
OF IN COMPLIANCE
WITH LOCAL AND
STATE
REGULATIONS.

System Tested and Certified by NSF International against NSF/ANSI STD 42 for the reduction of Chlorine, Taste and Odor and Bacteriostatic Effects.

DISPOSAL: Wrap used filter in paper and dispose in trash.

MADE IN U.S.A

©1999, MANUFACTURED BY
OMNIPURE FILTER COMPANY
CALDWELL, IDAHO U.S.A.
TEL 12084542597
OMNIPURE IS A REGISTERED TRADEMARK OF OMNIPURE FILTER
COMPANY, See warranty at www.omnipure.com

EPA Reg. No. 72854-xx EPA Est. No. XXXXX

