

72959-2

8-24-2006

47

Print Form

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other - NOTIFICATION

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 72959-2	2. EPA Product Manager	3. Proposed Classification <input type="checkbox"/> None <input checked="" type="checkbox"/> Restricted
4. Company/Product (Name) FUMITOXIN® PELLETS	PM#	
5. Name and Address of Applicant (Include ZIP Code) D&D HOLDINGS, INC. 153 TRIANGLE DRIVE WEYERS CAVE, VA 24486 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION AUG 24 2006
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.) **NOTIFICATION OF ADDING A MEDICAL EMERGENCY TELEPHONE NUMBER TO PRODUCT LABELING PER PR NOTICE 98-10.**

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> Text <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name SUSAN NICHOLS	Title EXEC. SECRETARY	Telephone No. (Include Area Code) 540-234-9281
2. Signature <i>Susan Nichols</i>		3. Title EXEC. SECRETARY
4. Typed Name SUSAN NICHOLS		5. Date 8/7/06
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped) 9/9/06



2/7

7 August 2006

NOTIFICATION

AUG 24 2006

The notification dated 7 August 2006 for Fumitoxin® Pellets, EPA Reg. No. 72959-2, is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Susan H. Nichols
DEGESCH America, Inc.

37

NOTIFICATION

AUG 24 2006

APPLICATOR'S MANUAL

For

Fumitoxin[®]

Tablets and Pellets

THIS PRODUCT MUST BE ACCOMPANIED BY AN APPROVED LABEL AND APPLICATOR'S MANUAL. READ AND UNDERSTAND THE ENTIRE LABELING AND APPLICATOR'S MANUAL. ALL PARTS OF THE LABELING AND APPLICATOR'S MANUAL ARE EQUALLY IMPORTANT FOR SAFE AND EFFECTIVE USE OF THESE PRODUCTS. CONSULT WITH YOUR STATE LEAD PESTICIDE REGULATORY AGENCY TO DETERMINE REGULATORY STATUS, REQUIREMENTS, AND RESTRICTIONS FOR FUMIGATION USE IN THAT STATE. CALL 252-237-7923/1-800-548-2778 IF YOU HAVE ANY QUESTIONS OR DO NOT UNDERSTAND ANY PART OF THIS LABELING.

RESTRICTED USE PESTICIDE DUE TO HIGH ACUTE INHALATION TOXICITY OF PHOSPHINE GAS

For retail sale to Dealers and Certified Applicators only.

For use by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification. Refer to the directions in this applicator manual for requirements of the physical presence of a Certified Applicator.

FOR USE AGAINST INSECTS WHICH INFEST STORED
COMMODITIES AND CONTROL OF BURROWING PESTS

Active Ingredient:	Aluminum Phosphide.....	55.0%
Inert Ingredients:	45.0%
Total		100.0%



**KEEP OUT OF REACH OF CHILDREN
DANGER - POISON - PELIGRO**



PRECAUCION AL USUARIO: Si usted no les ingles, no use este productor hasta que la etiqueta se le haya sido explicado ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

Manufactured for:



1808 Firestone Parkway
 Wilson, NC 27893 USA
 Telephone: 252-237-7923/1-800-548-2778
 Fax: 252-237-3259
 Internet: www.pestcon.com
 Email: info@pestcon.com
 EPA Est. Number: 005857-NC-001
 EPA Reg. No: 72959-1-5857 Fumitoxin Tablets
 72959-2-5857 Fumitoxin Pellets

1. FIRST AID

Symptoms of exposure to this product are headaches, dizziness, nausea, difficult breathing, vomiting and diarrhea. In all cases of overexposure get medical attention immediately. Take victim to a doctor or emergency treatment facility.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.
- Keep warm and make sure person can breathe freely.
- Call a poison control center or doctor for further treatment advice.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person drink one or two glasses of water and induce vomiting by touching back of throat with finger, or if available administer syrup of ipecac.
- Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- Brush or shake material off clothes and shoes in a well-ventilated area. Allow clothes to aerate in a ventilated area prior to laundering.
- Do not leave contaminated clothing in occupied and / or confined areas such as automobiles, vans, motel rooms, etc.
- Wash contaminated skin thoroughly with soap and water.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER	
Ha doctor HU (252) 235-	center, nc, es.

2. NOTE TO PHYSICIAN

PESTCON aluminum phosphide fumigants react with moisture from the air, water, acids and many other liquids to release phosphine gas. Mild inhalation exposure causes malaise (indefinite feeling of sickness), ringing of ears, fatigue, nausea, and pressure in the chest, which is relieved by removal to fresh air. Moderate poisoning causes weakness, vomiting, pain just above the stomach, chest pain, diarrhea and dyspnea (difficulty in breathing). Symptoms of severe poisoning may occur within a few hours to several days, resulting in pulmonary edema (fluid in lungs) and may lead to dizziness, cyanosis (blue or purple skin color), unconsciousness, and death.

In sufficient quantity, phosphine affects the liver, kidneys, lungs, nervous system and circulatory system. Inhalation can cause lung edema (fluid in lungs) and hyperemia (excess of blood in a body part), small perivascular brain hemorrhages and brain edema (fluid in brain). Ingestion can cause lung and brain symptoms but damage to the viscera (body cavity organs) is more common. Phosphine poisoning may result in (1) pulmonary edema, (2) liver elevated serum GOT, LDH and alkaline phosphatase, reduced prothrombin, hemorrhage and jaundice (yellow skin color) and (3) kidney hematuria (blood in urine) and anuria (abnormal or lack of urination). Pathology is characteristic of hypoxia (oxygen deficiency in body tissue). Frequent exposure to concentrations above permissible levels over a period of days or weeks may cause poisoning. Treatment is symptomatic.

The following measures are suggested for use by the physician in accordance with his own judgment:

5/7

able for pesticide storage for inspection. Further instructions and recommendations may be obtained, if required, from **PESTCON SYSTEMS, INC.** If a spill has occurred which is only a few minutes old, collect the tablets and pellets and place them back into the original flasks, if they are intact, and stopper tightly. Place the collected tablets and pellets in a sound metal container if the original flasks are damaged. Caution: these flasks may flash upon opening at some later time.

If the age of the spill is unknown or if the tablets and pellets have been contaminated with soil, debris, water, etc., gather up the spillage and place it into small open buckets having a capacity no larger than about 1 gallon. Do not add more than about one flask of spilled material, 1 to 1.5 kg (2 to 3 lbs.), to the bucket. If on-site, wet deactivation is not feasible, these open containers should be transported in open vehicles to a suitable area. Wet deactivation may then be carried out as described in 29.2. Alternatively, small amounts of spillage from 4 to 5 flasks (4 to 8 kg, 9 to 18 lbs.) may be spread out in an open area away from inhabited buildings to be deactivated by atmospheric moisture.

29.2 Directions for Deactivation by the Wet Method

If the contaminated material is not to be held until completely reacted by exposure to atmospheric moisture, deactivate the product by the "Wet Method" as follows:

Deactivating solution is prepared by adding low sudsing detergent or surface-active agent to water in a drum or other suitable container. A 2% solution or 4 cups in 30 gallons is suggested. The container should be filled with deactivating solution to within a few inches of the top.

The tablets or pellets should be poured slowly into the deactivating solution and stirred so as to thoroughly wet all of the **FUMITOXIN**. This should be done in the open air. **FUMITOXIN** tablets or pellets should be mixed into no less than about 15 gallons of water-detergent solution for each case of material. Wear appropriate respiratory protection during wet deactivation.

Allow the mixture to stand, with occasional stirring, for about 36 hours. The resultant slurry will then be safe for disposal. Dispose of the slurry of deactivated material, with or without preliminary decanting, at a sanitary landfill or other suitable site approved by local authorities. Where permissible, this slurry may be poured into a storm sewer or out onto the ground.

Caution: If worker protection standards will be exceeded during wet deactivation of unexposed or incompletely exposed **FUMITOXIN**, NIOSH/MSHA approved respiratory protection must be worn. Wear a full-face gas mask - phosphine canister combination if exposed to levels between 0.3 ppm to 15 ppm or a Self-Contained Breathing Apparatus (SCBA) if exposure is unknown or above 15 ppm. Never place tablets, pellets, or dust in a closed container such as a dumpster, sealed drum, plastic bag, etc., as flammable concentrations and a flash of phosphine gas are likely to develop.

FOR ASSISTANCE, CONTACT:

PESTCON SYSTEMS, INC.
1808 FIRESTONE PARKWAY
WILSON, NC 27893
PHONE: (252) 237-7923/1-800-548-2778
FAX: 252-237-3259
INTERNET: www.pestcon.com

or

For Human Use: 1-800-308-4855
For All Other Use: 1-800-493-0000

CLASSIFIED BY UNDERWRITERS LABORATORIES, INC., AS TO FIRE HAZARD ONLY WHEN USED SPECIFICALLY AS DIRECTED IN THE MANUFACTURER'S INSTRUCTIONS. **FUMITOXIN®** TABLETS AND PELLETS ARE NON COMBUSTIBLE, BUT EXPOSURE TO MOIST AIR OR WATER RELEASES FLAMMABLE AND TOXIC PHOSPHINE (HYDROGEN PHOSPHIDE) GAS. SPONTANEOUS IGNITION MAY RESULT IF CONTACTED BY WATER, ACIDS, OR CHEMICALS.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: FUMITODIN® tablets or dust can be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Do not eat, drink, or smoke while using. FUMITODIN® tablets or dust may be harmful if inhaled. Do not breathe dust or fumes. Do not get on clothing. Do not get on skin. Do not get in eyes. Do not eat, drink, or smoke while using. FUMITODIN® tablets or dust may be harmful if inhaled. Do not breathe dust or fumes. Do not get on clothing. Do not get on skin. Do not get in eyes. Do not eat, drink, or smoke while using.

Warning: FUMITODIN® tablets or dust may be harmful if inhaled. Do not breathe dust or fumes. Do not get on clothing. Do not get on skin. Do not get in eyes. Do not eat, drink, or smoke while using. FUMITODIN® tablets or dust may be harmful if inhaled. Do not breathe dust or fumes. Do not get on clothing. Do not get on skin. Do not get in eyes. Do not eat, drink, or smoke while using.

Caution: FUMITODIN® tablets or dust may be harmful if inhaled. Do not breathe dust or fumes. Do not get on clothing. Do not get on skin. Do not get in eyes. Do not eat, drink, or smoke while using. FUMITODIN® tablets or dust may be harmful if inhaled. Do not breathe dust or fumes. Do not get on clothing. Do not get on skin. Do not get in eyes. Do not eat, drink, or smoke while using.

Aluminum phosphide tablets react with moisture from the air, water, acids and many other liquids to release phosphine gas. Phosphine gas is highly flammable and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide.

Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide.

Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide. Phosphine gas is highly toxic and reacts with oxygen to form phosphine oxide.

DIRECTIONS FOR USE: This product is for use in the control of stored grain pests. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. THIS PRODUCT IS FOR USE AGAINST INSECTS WHICH INFEST STORED COMMERCIAL AND CONTROL OF BURROWING PESTS.

General Information: PESTICON FUMITODIN® is a fumigant which, when applied according to label instructions is activated by atmospheric humidity. FUMITODIN® has been tested effective against many stored product insects and their pre-adult stages - that is eggs, larvae, pupae, and adults. For details on the insects and stages of insects controlled by FUMITODIN®, refer to the FUMITODIN® label.

Refer to the Applicator's Manual for detailed precautions, recommendations and directions for use.

THIS PRODUCT MUST BE ACCOMPANIED WITH AN APPROVED FUMIGATION MANUAL. READ AND UNDERSTAND THE LABELING. CONSULT WITH YOUR STATE LEAD PEST CONTROL REGULATORY AGENCY TO DETERMINE REGULATORY STATUS, REQUIREMENTS, AND RESTRICTIONS FOR FUMIGATION USE IN YOUR STATE. CALL PESTICON SYSTEMS, INC. IF YOU HAVE ANY QUESTIONS OR DO NOT UNDERSTAND ANY PART OF THIS LABEL.

RESTRICTED USE PESTICIDE
DUPLICATE RESTRICTIONS APPLY TO ALL FORMS OF FUMIGATION
 For use by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification. Refer to the restrictions in the applicator manual for requirements of the physical presence of a Certified Applicator.

Fumitoin™ TABLETS
ACTIVE INGREDIENT - ALUMINUM PHOSPHIDE 55.4%
INERT INGREDIENTS 44.6%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER/PELIGRO - POISON

Prevention of Toxic Effects: If inhaled, wash nose and mouth with water. If swallowed, drink water. If on skin, wash with soap and water. If in eyes, flush with water for 15 minutes. If inhaled, get to fresh air immediately. If inhaled, get to fresh air immediately.

First Aid: Symptoms of exposure to this product are headache, dizziness, nausea, difficulty breathing, and chest pain. In all cases of overexposure get medical attention immediately. If inhaled, get to fresh air immediately. If inhaled, get to fresh air immediately.

First Aid: Symptoms of exposure to this product are headache, dizziness, nausea, difficulty breathing, and chest pain. In all cases of overexposure get medical attention immediately. If inhaled, get to fresh air immediately. If inhaled, get to fresh air immediately.

First Aid: Symptoms of exposure to this product are headache, dizziness, nausea, difficulty breathing, and chest pain. In all cases of overexposure get medical attention immediately. If inhaled, get to fresh air immediately. If inhaled, get to fresh air immediately.

PESTICON SYSTEMS, INC.
 1808 Pineville Parkway • Wilson, NC 27890 USA • Tel: (919) 237-8231 ext. 444-2778
 Fax: (919) 237-3259 • E-mail: info@pesticon.com • Internet: www.pesticon.com

STORAGE AND DISPOSAL:
 Do not contaminate water, food or feed by storage practices in the same areas used to store these commodities. Store in accordance with the following instructions:

1. Store FUMITODIN® in a dry, well-ventilated area away from heat, under lock and key. Post as a pesticide storage area.
2. Do not store in buildings where humans or domestic animals reside. Keep out of reach of children.
3. FUMITODIN® Tablets are supplied in gas-tight, resealable aluminum flasks. Do not expose the product to atmospheric moisture any longer than is necessary and seal tightly before returning flasks to storage.
4. The shelf life of FUMITODIN® is virtually unlimited as long as the containers are tightly sealed.

Disposal: Do not contaminate water, food or feed by storage or disposal. Improper disposal of excess pesticide is a violation of Federal Law. If needed or partially spent FUMITODIN® is a highly hazardous material. Contact your State Pesticide and Fertilizer Control Agency or the Hazardous Waste Response Unit at the nearest EPA Regional Office for guidance. For specific instructions, see Disposal Instructions and Spill and Leak Procedures in the Applicator's Manual.

Some local and state waste disposal regulations may vary from the following. Disposal procedures should be reviewed with appropriate authorities to ensure compliance with local regulations. Contact your state Pesticide or Environmental Control Agency or Hazardous Waste Specialist at the nearest EPA Regional Office for guidance.

Recycling: Triple rinse flasks and stoppers with water. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Residue may be disposed of in a sanitary landfill, by pouring it out into the ground or by other approved procedures. It is permissible to remove lids and expose empty flasks to atmospheric conditions until removed by state and local authorities and dispose of in a sanitary landfill or other approved site, or by other procedures approved by state and local authorities.

General Precautions and Directions: A spill, other than incidental application or normal handling, may produce high levels of phosphine gas and, therefore, attending personnel must wear self-contained breathing apparatus (SCBA) or its equivalent when the concentration of phosphine gas is unknown. Other NIOSH/MSHA approved respiratory protection may be worn if the concentration of phosphine gas is known. Do not use water in any time to clean up a spill of FUMITODIN®. Water in contact with unreacted FUMITODIN® will greatly accelerate the production of phosphine gas which could result in a toxic and/or fire hazard. Wear gloves or other protective clothing when handling aluminum phosphide.

Return all unreacted aluminum phosphide to cardboard case or other suitable packaging which has been properly marked according to DOT regulations. Return all unreacted aluminum phosphide to cardboard case or other suitable packaging which has been properly marked according to DOT regulations.

Return all unreacted aluminum phosphide to cardboard case or other suitable packaging which has been properly marked according to DOT regulations. Return all unreacted aluminum phosphide to cardboard case or other suitable packaging which has been properly marked according to DOT regulations.

Return all unreacted aluminum phosphide to cardboard case or other suitable packaging which has been properly marked according to DOT regulations. Return all unreacted aluminum phosphide to cardboard case or other suitable packaging which has been properly marked according to DOT regulations.

7/10

7/7



DEGESCH
AMERICA, INC.

153 Triangle Drive
P. O. Box 116
Weyers Cave, Virginia 24486
Telephone: 540/234-9281 / 1-800-330-2525
Telecopier: 540/234-8225
Internet address: www.degeschamerica.com
e-mail: degesch@deggeschamerica.com

7 August 2006

Ms. Joyce M. Edwards
Document Processing Desk (NOTIF)
Notification Review Coordinator
Registration Division (7505P)
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Dr.
Arlington, VA 22202

Re: D&D Holdings, Inc.
EPA Reg. Nos. 72959-1; 72959-2; 72959-3; 72959-4; 72959-5; 72959-6;
72959-7; 72959-8; 72959-9; 72959-10; 72959-11

Dear Ms. Edwards:

We hereby enclose Notification Submissions for the above referenced product registrations. We have added an additional medical emergency contact telephone number. Also enclosed is the required one (1) copy marked container label and Applicator's Manual along with our certification statement.

Please let me know if you have any questions or need additional information.

Sincerely,

DEGESCH AMERICA, INC.

Susan Nichols
Susan Nichols
Executive Secretary

/sn
Enclosures

