United States Environmental Protection		oproved OMB No. 207	Print Form	
	United States		OPP Identifier Number	
Application	n for Pesticide - Se	ction I		
1. Company/Product Number	2. EPA Product Me	anager	3. Proposed Classification	
72959–9			None XX Restricte	
I. Company/Product (Name) PHOSTOXIN® TABLET PREPAC	PM#			
5. Name and Address of Applicant (Include ZIP Code) D&D HOLDINGS, INC. 153 TRIANGLE DRIVE WEYERS CAVE, VA 24486 Check if this is a new address	(b)(i), my producto: to: EPA Reg. No.	t is similar or identical	with FIFRA Section 3(c)(3) in composition and labeling	
	Section - II		· · · · · · · · · · · · · · · · · · ·	
Amondmant Evaluia butani		ad labota in	MOTIFICATION	
Amendment - Explain below.	Agency le	ed labels in repsonse to atter dated	NOTIFICATION	
Resubmission in response to Agency letter dated	"Me Too" Application.		AUG 2 4 2006	
XX Notification - Explain below.	Other - Ex	plain below.		
. Material This Product Will Be Packaged In:	Section - III			
hild-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Con	2. Type of Container	
Yes Yes	Yes Metal			
No No	Next		astic ass	
Certification must	lf "Yes" No. per Package wgt contain		per her (Specify)	
. Location of Net Contents Information 4. Size(s) Retail		5. Location of Label D	irections	
Label Container		On Label	companing product	
Manner in Which Label is Affixed to Product Lithograp Stenciled	ph Oth			
Stèncifed	d Section - IV			
. Contact Point (Complete items directly below for identification of		, if necessery, to proces	s this application.	
ame T	itle EXEC. SECRETARY	Tele	phone No. (Include Area Code)	
SUSAN NICHOLS		J	6. Date Application	
SUSAN NICHOLS Certification I certify that the statements I have made on this form and all I acknowledge that any knowlingly false or misleading stater both under applicable law.	l attachments thereto are tru		e. Received (Stamped)	
SUSAN NICHOLS Certification I certify that the statements I have made on this form and all I acknowledge that any knowlingly false or misleading stater both under applicable law. Signature	l attachments thereto are tru	fine or imprisonment or		
SUSAN NICHOLS Certification I certify that the statements I have made on this form and all I acknowledge that any knowlingtly false or misleading stater both under applicable law. Signature Musan Muchall	l attachments thereto are tru ment may be punishable by f Title	fine or imprisonment or		



7 August 2006

NOTIFICATION

AUF 2 4 2006

The notification dated 7 August 2006 for Phostoxin® Tablet Prepac, EPA Reg. No. 72959-9, is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Susan H. neckols

Susan H. Nichols DEGESCH America, Inc.

APPLICATOR'S MANUAL



TABLET PREPAC AND PREPAC ROPE

THIS PRODUCT MUST BE ACCOMPANIED BY AN APPROVED LABEL AND APPLICATOR'S MANUAL. READ AND UNDERSTAND THE ENTIRE LABELING. ALL PARTS OF THE LABELING ARE EQUALLY IMPORTANT FOR SAFE AND EFFECTIVE USE OF THIS PRODUCT. CONSULT WITH YOUR STATE LEAD PESTICIDE REGULATORY AGENCY TO DETERMINE REGULATORY STATUS, REQUIREMENTS AND RESTRICTIONS FOR FUMIGATION USE IN THAT STATE. CALL 540-234-9281/1-800-330-2525 IF YOU HAVE ANY QUESTIONS OR DO NOT UNDERSTAND ANY PART OF THIS LABELING.


RESTRICTED USE PESTICIDE

DUE TO HIGH ACUTE INHALATION TOXICITY OF PHOSPHINE GAS

For retail sale to Dealers and Certified Applicators only. For use by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Refer to the directions in this Applicator's Manual for requirements of the physical presence of a Certified Applicator.

FOR USE AGAINST INSECTS WHICH INFEST STORED COMMODITIES

Active Ingredient: Aluminum Phosphide	%
Inert Ingredients	%
Total	





PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta se le haya sido explicado ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

D & D HOLDINGS, INC.

P.O. Box 116 • 153 Triangle Drive Weyers Cave, Virginia 24486 USA Telephone: (540)234-9281/1-800-330-2525 • Fax: (540) 234-8225 Internet: <u>www.degeschamerica.com</u> E-mail: degesch@degeschamerica.com EPA Est. No. 40285-VA-01 EPA Reg. Nos. 72959-8 and 72959-9

Form #17948 (R1/04) (P5/05)

1. FIRST AID

Symptoms of exposure to this product are headache, dizziness, nausea, difficult breathing, vomiting and diarrhea. In all cases of overexposure get medical attention immediately. Take victim to a doctor or emergency treatment facility.

If inhaled:

- Move person to fresh air.
- > If person is not breathing, call 911 or an ambulance; then give artificial respiration immediately, by mouth-to-mouth, if possible.
- Keep warm and make sure person can breathe freely.
- > Call a poison control center or doctor for treatment advice.

If swallowed:

- > Call a poison control center or doctor immediately for treatment advice.
- Have a person drink one or two glasses of water and induce vomiting by touching back of throat with finger, or if available, administer syrup of ipecac.
- > Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- Brush or shake material off clothes and shoes in a well-ventilated area. Allow clothes to aerate in a ventilated area prior to laundering.
- Do not leave contaminated clothing in occupied and/or confined areas such as automobiles, vans, motel rooms, etc.
- > Wash contaminated skin thoroughly with soap and water.

If in eyes:

- > Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- > Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- > Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER -

Have the product container, label or applicator smanual, with you when calling a poison control center, doctor, or when going for freatment, **CONTACT 1800-308-4856 FOR ASSISTANCEAWITH** HUMAN OR ANIWAL MEDICAL PEMPERCIENCIES A onsmar also contact Degesch America. Inc. – 540-234-9281/1-800-330-2525 of CHEMTREC. J 800-424-9300 for all other chemical emergencies.

مى مەم مەر دەرى<u>تى بەر تەرىمە مەر</u>كە تۆك

2. NOTE TO PHYSICIAN

Aluminum phosphide fumigants react with moisture from the air, water, acids and many other liquids to release phosphine gas. Mild inhalation exposure causes malaise (indefinite feeling of sickness), ringing of ears, fatigue, nausea, and pressure in the chest which is relieved by removal to fresh air. Moderate poisoning causes weakness, vomiting, pain just above the stomach, chest pain, diarrhea and dyspnea (difficulty in breathing). Symptoms of severe poisoning may occur within a few hours to several days, resulting in pulmonary edema (fluid in lungs) and may lead to dizziness, cyanosis (blue or purple skin color), unconsciousness and death. In sufficient quantity, phosphine affects the liver, kidneys, lungs, nervous system and circulatory system. Inhalation can cause lung edema(fluid in lungs) and hyperemia(excess of bluod in a body part), small perivascular brain hemorrhages and brain edema (fluid ir. 5.c.in).

inhabited buildings to be deactivated by atmospheric moisture. Care should be taken to ensure that the Ropes or Prepacs are not carried away by the wind. If desired, they may be weighted down by several inches of sand or soil or by other suitable means. After deactivation, the spent Prepac Ropes may be gathered for disposal at approved sites. Alternatively, wet deactivation may be carried out as described in the following.

26.2 Directions for Deactivation of Prepac Ropes by the Wet Method

If the contaminated material is not to be held until completely reacted by exposure to atmospheric moisture, deactivate the product by the "Wet Method" as follows:

Deactivating solution is prepared by adding low sudsing detergent or surface-active agent to water in a drum or other suitable container. A 2% solution or 4 cups in 30 gallons is suggested. The container should be filled with deactivating solution to within a few inches of the top.

The Prepac Ropes are added slowly to the deactivating solution and stirred so as to thoroughly wet all of the **PHOSTOXIN**[®]. This should be done in the open air. Do not cover the container at any time. Prepac Ropes may float to the surface, therefore, it is necessary to hold them under water by use of a suitable weight. Caution: Partially spent Ropes may ignite if they are allowed to float to the surface of the water.

Allow the mixture to stand for about 36 hours. The Ropes will have reacted by this time and will then be safe for disposal.

The deactivated Prepac Ropes may then be disposed of at a sanitary landfill or other approved site. Dispose of the detergent solution at an approved site or by other approved procedures. Where permissible, the deactivation solution may be poured out onto the ground or it may be poured into a storm sewer.

Caution: Wear a full-face gas mask – phosphine gas canister combination if exposed to levels between 0.3 ppm to 15 ppm or a Self-Contained Breathing Apparatus (SCBA) if exposure is unknown or above 15 ppm during wet deactivation of incompletely exposed **PHOSTOXIN**[®]. Never place Prepaces or dust in a closed container such as a dumpster, sealed drum, plastic bag, etc., as flammable concentrations and a flash of phosphine gas are likely to develop.

FOR ASSISTANCE CONTACT: DEGESCH AMERICA, INC. 153 Triangle Drive Weyers Cave, VA 24486 USA Telephone: (540)234-9281/1-800-330-2525 Fax: (540)234-8225 Internet: www.degeschamerica.com

For Human of Animal-Medical Emergencies, PROSAR, 1-800-308-4856 For All-Other Chemical Emergencies, CHEMTREC, 1-800-424-9300

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

TARANUS D'HUMANS AND DUMESHU AN MALE DANGER MISSING PHOSENULAR MALE MISSING TO SERVICE PHOSENULAR SHORE OF A SERVICE MORE SERVICE UNDER SERVICE MISSING TO SERVICE PHOSENULAR SERVICE SERVICE AND SERVICE AND SERVICE TO SERVICE AND SERVICE PHOSENULAR SERVICES AND SERVICES TO SERVICE TO SERVICE AND SERVICE PHOSENULAR SERVICES AND SERVICES TO SERVICE TO SERVICE AND SERVICE SERVICES AND SERVICES AND SERVICES AND SERVICES AND SERVICES TO SERVICE AND SERVICE SERVICES AND SERVICES AND SERVICES AND SERVICES AND SERVICES TO SERVICE AND SERVICES AND SERVICES AND SERVICES AND SERVICES AND SERVICES TO SERVICE AND SERVICES AND SERVICES AND SERVICES AND SERVICES AND SERVICES TO SERVICE AND SERVICES AN

PHYSICAL AND CHEMICAL HAZARDS

 PHYSICAL AVD CHEMICAL HAZARDS

 1000
 5000
 5000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 10000
 100000
 1000

NOTE TO PHYSICIAN.

Alternation of the second secon

Adden and Rev (in the control of days) and a periodic control of the control of the lage days of the control of the control

3 · . .

and the second second second second

D.RECTIONS FOR USE

and the second second


Refer to the Applicator's Microsofier meralideta led areault one recommendations and problems for use

_____ ---.....

THS LABEL		
		STORAGE INSTRU
AESTR CTED USE PESTIC DE		11 St. 44
DUE TO HIGH ACUTE INHALATION TOXICITY OF PH		1 1.279
Start in strukturen i die einen start war die einen alle Finne by Cottilled Application personautien auf die Einen Anderstark Maintail führ register Start in Start auf die Anderstark Maintail führ register	den millio di el mostra a su di cala cana da el su successi di si memori di tra su la su presenta inte Ostra a Asiane esta di si	L 22
		 DE384
BHOSTOXIN.	- grifger-	P
	e estador a conclusion de la concentra de	1 · * * + -,
TABLET PREPAC	and the second	Pestic de Disposa
FUEL LE ALLA LA LA MERON MERON RECTURATION ANNO A RELATIONAL.	PROCESSED POOD 5 PAUL AN ARCHIELDS	1 - 1 - 1 - 2 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4
	HOGERRED TO DEC A DATA AL LEDE	urrear a com
n na a feo ant a llonn a fo sphide	n an	1 1 1 1 H
SET 1 - 1 E.T. and and a state of the set	warman and a state of the state	NUMBER OF BEEN
a subigrama o		the child them.
A AS THE REPORT OF REACH OF CHUDREN		1 3 million 4 million
A AN A F STATE AND A STATE AND		ALT CODE 1. COUR
FECAUCION AL USUARICH BETT TO THE FOR THE BETT TO BE FULL BETT	a 1997 B. A. Start and Start and Start	이는 소설에서 일부되면
TO THE USER IN CONTINUES IN CONTINUES IN THE SECOND AND AND AND AND AND AND AND AND AND A	a maga ang aga ang aga ang ang ang ang ang	
IFST AID		Container Dispos
in the second design of the se	a An all Cases of the third such as the one are the one the	Lindsenn men
(a) An experimental second se second second se second second sec second second sec	and the state of t	To de la Mase.
finh gied	and a second	All and the set of the
2 θε πρηγούτατα είτας Το παρτήρια το θε το τροποιού του το του του μαιτ οφρατατομικοποίου ματ <mark>οφρατατομικοποιού του το</mark>		1
	· · · · · · · · · · · · · · · · · · ·	SPILL AND LEAK
lou o esta lou parte a carta persona esta o de realizar entre en s ebuce, na factor de la defensión de la defensión Contractor entre entre como a carta a realizar entre entre entre entre sette de la defensión de la defensión de Contractor entre		Generel Precautio
and form		elen sonnan.
1	and the second second second	eculva entiamon tr
ekseu@rech w ne crolent Volgoen do stownis ang induide yaniúng by in u o najneje hore o volnom Torigen otroch v stor met subscher e dus perstil , sie	v stradar braken in bergenaar in b	Provin Climotive
i pri skin prio prining i i i i i i i i i i i i i i i i i		
in an an and that is a function of an and en ges in a well ver distance we		During redai
1 protection in the second parage prior to "Surgide" in the second parage prior to "Surgide" in the second parage prior to the		et status etc.
ter i seure d'anna an anna anna anna anna anna anna		nen agos paeta -
Letes.		faist unit
e cour long i lo lo logeridy with weren jon full- kuim hutes.		tersourini e terri
atter ins first & mindres. min configue cys. 1. Francisco atter	addina and a start and a start and a start and a start	Molec No. Futto
HOT LINE ME HER		l
when going for meaning . CONTACT 1-500-808-4546 Stor 2		
A A A A A A A A A A A A A A A A A A A	dept Demonsh A de	1
	:01 1 0 0 101 0 0 0 0 0 0 0 0 0 0 0 0 0	GARBANTY SE
		10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
D & D HOLDINGS, INC.		112.74 - 34
Bive investments of the standard sector and		-
A contract of the Basel Contract 2B Standard	53.1 & 3- H025	ł
ter et l'un filie l'échie de Le deuxes à	Brill Cherler (Bruch	
EP1 _ the _		

÷

4



STOPAGE AND D SPOSAL

2. 2.2. An experimentation of the second state of the second st

STORAGE INSTRUCTIONS.

- T Sing PHOSTOWING CONTRACT STREET STOTE CLUB OF THE STREET STREE STREET STRE
- (B) Directive replyings which runk control and considering and constrained on the constraint of the
- C DEGESCH PHOSTOXINT (4.3) (4.3) (5.4) (3.1) (3.1) (5.4)

Pestic de Disposa

De la centre sitemetra i l'estava i si ana presi

Wenderbeitenderten site als PHOSTO/INT version erste nicht die site erste site erste die State die erste site erste nicht bezuitenderte erste site erste site erste site erste erste site führt erste State erste werde und werde werdeutstetzte erste erste FFA Reutes Onderte erste erste erste site in die site erste Bonnet erste FFA Reutes Onderte erste erste erste site erste site erste e Erste erst

Burge dozin develo wysław zaskonacji antowa w Worm wini koncernienie i w Milinianie i na obietnie zaskonacji na obietnie zaskonacji zas Na zaskonacji z

Container Disposalt

Diszlegyele en toka mina olimpinisko orazona Prostovin in orazona inalia. Internativa en statu uza en elemente en elemente norazona elemente elemente elemente elemente elemente elemente Bezero no suko ziolo akean akean elemente elemente elemente elemente.

SPILE AND LEAK PROCEDURES General Precautions and Directions

Age intervention of the network o

WAPRANTY Site of the second of the second se



153 Triangle Drive P. O. Box 116 Weyers Cave, Virginia 24486 Telephone: 540/234-9281 / 1-800-330-2525 Telecopier: 540/234-8225 Internet address: www.degeschamerica.com e-mail: degesch@degeschamerica.com

7 August 2006

Ms. Joyce M. Edwards Document Processing Desk (NOTIF) Notification Review Coordinator **Registration Division (7505P) U.S.** Environmental Protection Agency One Potomac Yard 2777 S. Crystal Dr. Arlington, VA 22202

Re: D&D Holdings, Inc. EPA Reg. Nos. 72959-1; 72959-2; 72959-3; 72959-4; 72959-5; 72959-6; 72959-7; 72959-8; 72959-9; 72959-10; 72959-11

Dear Ms. Edwards:

We hereby enclose Notification Submissions for the above referenced product registrations. We have added an additional medical emergency contact telephone number. Also enclosed is the required one (1) copy marked container label and Applicator's Manual along with our certification statement.


Please let me know if you have any questions or need additional information.

Sincerely,

DECESCH AMERICA, INC.

usan Hickola

lusan Nichois **Executive Secretary**



/sn Enclosures