10/05/2006


Page 176

7-14-2006

Axen® 30

Disinfectant, Fungicide & Virucide\*

[Disinfects and Deodorizes]
[Restaurants] • [Hospitals] • [Schools] • [Homes] •
[Offices]



Manufactured by ETI H2O A Division of Innovative Medical Services 1725 Gillespie Way EI Cajon, CA 92020 EPA REG. No. 72977-3 EPA EST. No. 72977-CA-001 **Active Ingredient** 

 Silvert
 0.003%

 Citric Acid
 4.840%

 Other Ingredients
 95.157%

 Total
 100.000%

† Electrolytically generated Silver ions KEEP OUT OF REACH OF CHILDREN

#### **DIRECTIONS FOR USE**

# It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray** is a colorless, odorless broad spectrum antimicrobial disinfectant and deodorizer. Proven to kill bacteria, fungus and viruses\*, **AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray** should be used on non-porous environmental hard surfaces in [homes], [hospitals], [nursing] [homes], [medical and dental clinics], [laboratories], [ambulance and patient transfer vehicles], [funeral homes], [hotels], [restaurants], [schools], [day care facilities], [offices], [veterinary clinics], [animal shelters], [kennels], [exercise facilities], [beauty and barber shops], [subways], [trains], [airplanes], [ships], [busses] and [other public transportation vehicles], [locker rooms], [kitchens] and [restrooms].

**AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray** has been formulated to disinfect hard, non-porous environmental surfaces (painted, glazed tile, plastic, metal, glass, glazed porcelain) and objects including [walls], [floors], [counters], [sinks], [exterior toilet surfaces], [cabinets], [tubs], [showers], [doorknobs], [lights switch covers], [telephones], [appliances], [stove tops], [bed frames], [wheelchairs], [over-bed tables], [examination tables] and [waste containers], [tables], and [chairs].

[This product] can be used in can be used in [homes], [schools], [nurseries], [daycare centers], [playrooms], [playground and/or recreational facilities], [washrooms], [kitchens], [restrooms and/or bathrooms], [school buses].

Use to disinfect the following hard, non-porous surfaces: [children's toys], [toys] [toy box(s)], [diaper pail(s)], [diaper changing table(s)], [bathroom and/or kitchen counter(s)], [desk(s)], [play table(s)], [computer keyboard], [telephone] [doorknob(s)], [jungle gym(s)], [playhouse(s)], [child car seat], [stroller(s)], [crib(s)], [playpen(s)], [activity center(s)], [tanning beds]:

# [FAST], [EASY], [EFFECTIVE] General Information

AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray successfully killed the following organisms under AOAC protocols (In order to ensure that all organisms listed are killed, you must use the contact times as directed in the Application Instructions):

Organism	Kill Time
‡Pseudomonas aeruginosa 1	30 seconds
‡Staphylococcus aureus 1	30 seconds
‡Salmonella choleraesuis 1	30 seconds
‡Listeria monocytogenes 1	30 seconds
Vancomycin resistant Enterococcus faecium 1	2 minutes
Methicillin resistant Staphylococcus aureus 1	2 minutes
Escherichia coli 0157:H7 1	2 minutes
Trichophyton mentagrophytes (Athlete's Foot Fungus)	10 minutes
‡*HIV type 1- Strain HTLV IIIB 1	30 seconds
*Herpes Simplex Type 1 VR-733 F(1) Strain <sup>2</sup>	1 minute
*Influenza A VR-544, Hong Kong strain <sup>2</sup>	10 minutes
*Rhinovirus R37 VR-1147, Strain 151-12	10 minutes
*Polio Type 2, VR-1002, Lansing Strain <sup>2</sup>	10 minutes

[1 Evaluated in the presence of 5% organic soil.]

[2 Evaluated in the presence of 1% organic soil]

ACCEPTED

DCT 5 2006

Under the Federal Insecticide, Fungicide, and

3510.00 under 10.72977-3

[Fungicidal Activity: AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray is effective against Trichophyton mentagrophytes, the Athlete's foot fungus. Use in locker rooms, dressing rooms, shower and bath areas, and exercise facilities.]

[Deodorizes: AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray reduces annoying odors caused by bacteria. Use to control odors in hospitals, nursing homes, public restrooms, animal kennels and barn stalls. In private homes, use in the kitchen, bathroom, sink rooms and basements.]

#### **APPLICATION INSTRUCTIONS**

Pre-clean surfaces prior to using this product.

#### General Disinfection:

For general disinfection and control of the bacteria Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, Listeria monocytogenes, Vancomycin Resistant Enterococcus faecium (VRE), Methicillin Resistant Staphylococcus aureus (MRSA) and Escherichia coli 0157:H7 the surface must be completely wet with AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray for 2 minutes. The surface may then be wiped dry with a clean towel. When used as directed, AXEN® 30™ Disinfectant, Fungicidal & Virucidal Spray provides protection from Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella choleraesuis up to 24 hours after initial application.

#### **Fungus Control:**

For effective control of the fungus *Trichophyton mentagraphytes*, the surface must be completely wet with **AXEN® 30 Disinfectant**, **FungicIdal & Virucidal Spray** for 10 minutes. The surface may then be wiped dry with a clean towel. Re-apply when cleaning or when new growth appears.

#### \*Viral Control:

To kill Herpes Simplex Type 1 F(1) Strain Influenza A Virus, Hong Kong strain, Rhinovirus R37 Strain 151-1, Polio Virus Type 2 Lansing Strain the surface must be completely wet with **AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray** for 10 minutes. The surface may then be wiped dry with a clean towel

Kills HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV): Instructions for Cleaning and Decontamination Against HIV on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids: Personal Protection: When handling items soiled with blood or body fluids, use appropriate barrier protection such as latex gloves, gowns, masks or eye coverings. Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: Apply AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray to area to be treated. The surface must be completely wet with AXEN® 30 Disinfectant, Fungicidal & Virucidal Spray for 30 seconds. The surface may then be wiped dry with a clean towel. This contact time will not control all organisms listed on this label. Refer to application instructions for other organisms. Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

KEY: The following language will be printed on the label of products intended to be sold to health facilities:

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the human body, either into or in contact with the bloodstream, or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not normally penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

OCT 5 2006

Under the Federal Insecticide, Fungicide, and the committee, for the committee, for the committee of the com

STORAGE AND DISPOSAL		
Storage:	Do not contaminate water, food or feed by storage or disposal.	
Disposal:	Do not reuse container. Rinse thoroughly before discarding in trash or recycling.	

## IN CASE OF EMERGENCY

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTREC 1-800-424-9300 for emergency medical treatment information.

L.CCEPTED

5 2006 OCT

Under the Federal Insecticide, Fungicide, and substituted, for the substitute funder the 72977-3

## Additional language for front or back panel

Kills Staphylococcus aureus in 30 seconds‡

Kills Salmonella choleraesuis in 30 seconds‡

Kills Listeria monocytogenes in 30 seconds<sup>‡</sup>

Kills Pseudomonas aeruginosa in 30 seconds‡

Kills germs in 30 seconds<sup>‡</sup>

Kills common household germs

Kills common household germs including Salmonella, Staphylococcus,

Listeria, and E. coli.

Kills [Salmonella], [Staphylococcus], [Listeria], and [E. coli].

Kills - Bacteria, Fungus and Virus\*

[Kills] [Eliminates] MRSA

[Kills] [Eliminates] Methicillin Resistant Staph

[Kills] [Eliminates] Methicillin Resistant Staphylococcus aureus

[Kills] [Eliminates] VRE

[Kills] [Eliminates] Vanocomycin-resistant Enterococcus

[Kills] [Eliminates] Vancomycin resistant Enterococcus faecium

[Kills] [Eliminates] HIV

(Kills) (Eliminates) Herpes Simplex Virus

[Kills] [Eliminates] Influenza A Virus

[Kills] [Eliminates] Rhinovirus

[Kills] [Eliminates] Polio Virus Type

Silver Formula

No dulling residue

Disinfects without bleaching

No harsh chemical smell

**Odorless** 

Disinfects household surfaces

No Mixing Required

Powered by [Axenohl®] [SDC 2400] [Axenohl Alternate brand name]

For daily use

Patented formula

Use for a [fresh] [home] [environment] [kitchen]

Commercial Line

Industrial Line

Hospital Line

Consumer Line

Retail Line

Odoban® [Commercial] (use restricted to the trademark owner)


#### KEY:

\*= Refer to viruses

‡= Refer to organisms controlled with 30 second kill time

### Alternate language for the front or back panel

[Formulated for] [Hospitality Environment] [Institutional] [Childcare Environments] [Medical & Nursing Environment]



OCT 5 2

Under the Federal Insecticide, Fungicide, and innominate, Act, as amended, for the

Tritoide registered under Prilitog No. 709 17-3

# Optional graphics for back of label (graphics are larger here than they will appear on the label)

