

**DEVINE®
BIOLOGICAL HERBICIDE**

Active Ingredient:

Live Chlamydo spores of *Phytophthora palmivora* MWV 3.2 x 10⁸ per pint
(6.7 x 10⁵ live Chlamydo spores per ml).....0.8% w/w

Other Ingredients99.2% w/w
Total 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Refer to supplemental labeling (inside booklet) for storage/disposal statements, additional precautionary statements, crops, rates, Personal Protective Equipment (PPE) and general directions.


AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. Refer to supplemental labeling under "Agricultural Use Requirements", in the Directions for Use section for information about the standard.

KEEP REFRIGERATED - DO NOT FREEZE

Valent BioSciences Corporation
870 Technology Way, Suite 100
Libertyville, IL 60048

EPA Reg. No. 73049-9
EPA Establishment No. 70571-MN-01



For use in Florida only. Do not use in Clay, Gulf, Liberty or Gadsden counties.

Net Contents:

2/4

DEVINE®

ENCLOSURE

Active Ingredient:

Live Chlamydospores of *Phytophthora palmivora* MWV 3.2×10^8 per pint
(6.7×10^5 live Chlamydospores per ml).....0.8% w/w

Other Ingredients99.2% w/w
Total 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

KEEP REFRIGERATED - DO NOT FREEZE

Valent BioSciences Corporation
870 Technology Way, Suite 100
Libertyville, IL 60048

EPA Reg. No. 73049-9
EPA Establishment No. 70571-MN-01

For use in Florida only. Do not use in Clay, Gulf, Liberty or Gadsden counties.

Devine is a mycoherbicide for the control of *Morrenia odorata*, strangler vine or milkweed vine, in citrus. This fungus will initiate a root infection in milkweed vine plants that starts to kill the vine in six to ten weeks following application, depending on the size and maturity of the vine. Populations of the vine generally continue to decrease over the period of a year after treatment. Complete control may not be achieved in the first year of treatment. Devine will not harm citrus trees.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS

CAUTION

PERSONAL PROTECTIVE EQUIPMENT

Mixer/loaders and applicators must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Water resistant gloves

Use detergent and hot water for cleaning PPE. Keep and wash PPE separately from other laundry.

<p>User safety Recommendations</p> <p>Users should:</p> <ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
--

ENVIRONMENTAL HAZARDS

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protections Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protections Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Long sleeve shirt and long pants
- Waterproof gloves
- Shoes plus socks

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Keep refrigerated, do not freeze. Failure to refrigerate causes rapid product deterioration and bottle leakage. Return unopened, still refrigerated, out-of-date product to your supplier immediately upon expiration for disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty containers. Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.