73049-19

4/8/2004

pe 1 7 3

VECTOBAC CG[®] BIOLOGICAL LARVICIDE GRANULES


Potency: 200 International Toxic Units (ITU) per mg (Equivalent to 0.091 billion ITU per pound)

The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

Valent BioSciences Corporation 870 Technology Way, Suite 100 Libertyville, IL 60048



EPA Reg. No. 73049-19 EPA Est. No. 33762-IA-1

Net Contents:

FIRST AID	
If in eyes	

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-315-9819 (24 hours) for emergency medical treatment and/or transport emergency information. For all other information, call 1-800-323-9597.

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Mixers/loaders and applicators not in enclosed cabs or aircraft must wear a dust/mist respirator meeting NIOSH standards of at least N-95, R-95 or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

ENVIRONMENTAL HAZARD

Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles intended for human consumption.

DIRECTIONS FOR USE

(

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate potable water, food or feed by storage or disposal.

Storage: Store in a cool, dry place.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

APPLICATION DIRECTIONS

VectoBac CG is an insecticide for use against mosquito larvae.

Mosquitoes

<u>Habitat</u>

Suggested Range Rate*

3 73

2.5 - 10 lbs/acre

(Such as the following examples): Irrigation ditches, roadside ditches, flood water, standing ponds, woodland pools, snow melt pools, pastures, livestock watering ponds and troughs, catch basins, storm water retention areas, tidal water, salt marshes and rice fields.

In addition, standing water containing mosquito larvae, in fields growing alfalfa, almonds, asparagus, corn, cotton, dates, grapes, peaches and walnuts may be treated at the recommended rates.

*Use 10-20 lbs./acre when late 3rd and early 4th instar larvae predominate, mosquito populations are high, water is heavily polluted, (sewage lagoons, animal waste lagoons), and/or algae are abundant.

Apply uniformly by aerial or ground conventional equipment.

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determine the potential for spray drift. The applicator and the treatment coordinator are responsible for considering all of these factors when making decisions.

A 7 to 14 day interval between applications should be employed.

NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

°2001