. VECTOLEX CG

Biological Larvicide

(MASTER LABEL)

## **ACTIVE INGREDIENT:**

Bacillus sphaericus Serotype H5a5b, strain 2362 Technical Powder	
(670 /BsITU/mg)	7.5%
OTHER INGREDIENTS	92.5%
TOTAL	100.0%

Potency: This product contains 50 BsITU/mg or 0.023 Billion BsITU/lb Expiration Date: (Two years from date of manufacture).


The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

# KEEP OUT OF REACH OF CHILDREN CAUTION

Valent BioSciences Corporation 870 Technology Way, Suite 100 Libertyville, IL 60048

EPA Reg. No. 73049-20 EPA Est. 33762-1A-1

Lot No.



FIRST AID				
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>			
!	Call a poison control center for treatment advice.			
If on skin or clothing	Take off contaminated clothing.			
	<ul> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> </ul>			
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
HOT LINE NUMBER				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-315-9819 (24 hours) for emergency medical treatment and or transport emergency information. For all other information, call 1-800-323-9597.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Mixers/loaders and applicators not in enclosed cabs or aircraft, must wear a dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitizations.

## **ENVIRONMENTAL HAZARDS**

Do not contaminate water when disposing of equipment wash waters or rinsate. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not contaminate water when disposing of equipment wash waters.

PESTICIDE STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

For Water Soluble Pouches, dispose of empty outer foil bag in trash.

#### DIRECTIONS FOR USE - VECTOLEX CG

#### APPLICATION DIRECTIONS

## **MOSQUITO CONTROL**

I. For control of mosquito larvae species\* in the following non-crop sites:

<u>Habitat</u>	Rate Range
Wastewater: Sewage effluent, sewage lagoons, oxidation ponds, septic ditches animal waste lagoons, impounded wastewater associated with fruit and vegetable processing.	5-20 lbs/acre**
Storm water/Drainage Systems: Storm sewers, catch basins, drainage ditches, retention, detention, and seepage ponds.	5-20 lbs/acre**
Storm drains, catch basins, retention, detention, and seepage ponds.	1 pouch/50 sq. ft.(1)
Marine/Coastal Areas:	

Salt marshes, mangroves, estuaries.

5-20 lbs/acre\*\*

#### Water Bodies:

Natural and manmade aquatic sites such as lakes, ponds, rivers, canals, streams, and livestock watering ponds and troughs.

5-20 lbs/acre\*\*

#### Dormant Rice Fields:

Impounded water in dormant rice fields. (For application only during the interval between harvest and preparation of the field for the next cropping cycle.) 5-20 lbs/acre\*\*

## Waste Tires:

Tires stockpiled in dumps, landfills, recycling plants, and other similar sites.

20-80 lbs/acre<sup>(2)</sup>

(1) Treat on basis of surface area of potential mosquito breeding sites by placing one (1) Vectolex Soluble Pouch for up to 50 square feet of treatment area. Re-apply as needed after 1 to 4 weeks.

(2) .5-2 lbs/1000 sq. ft.

II. For the control of mosquito larvae species\* in agricultural/ crop sites where mosquito breeding occurs.

## Habitats:

Rice, pastures/hay fields, orchards, citrus groves, irrigated crops.

5-20 lbs/acre\*\*

Apply uniformly by aerial or conventional ground equipment. Reapply as needed after 1-4 weeks.

\*Mosquito species effectively controlled by VectoLex CG:

Culex spp.

Aecles vexans

Ochlerotatus melanimon (Aedes melanimon)
Ochlerotatus stimulans (Aedes stimulans)
Ochlerotatus nigromaculis (Aedes nigromaculis)

Psorophora columbiae

Psorophora ferox

Ochlerotatus triseriatus (Aedes triseriatus) Ochlerotatus sollicitans (Aedes sollicitans)

Anopheles quadrimaculatus Coquillettidia perturbans \*\* Use higher rates (10 to 20 lbs/acre) in areas where extended residual control is necessary, or in habitats having deep water or dense surface cover.

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and weather related factors determine the potential for spray drift. The applicator and the treatment coordinator are responsible for considering all these factors when making decisions,

## NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

©2004

Sub Label A

For

Alternate Brand Name

Vectolex Water Soluble Pouch (WSP)

## VECTOLEX WSP Water Soluble Pouches Biological Larvicide

## **ACTIVE INGREDIENT:**

Bacillus sphaericus Serotype H5a5b, strain 2362 Technical Powder	
(670 /Bs[TU/mg)	7.5%
OTHER INGREDIENTS	92.5%
TOTAL	100.0%

Potency: This product contains 50 BsITU/mg or 0.023 Billion BsITU/lb Expiration Date: (Two years from date of manufacture).

The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

# KEEP OUT OF REACH OF CHILDREN CAUTION

Valent BioSciences Corporation 870 Technology Way, Suite 100 Libertyville, IL 60048

EPA Reg. No. 73049-20 EPA Est. 33762-1A-1

Lot No.

FIRST AID				
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>			
	<ul> <li>Call a poison control center for treatment advice.</li> </ul>			
If on skin or clothing	Take off contaminated clothing.			
	<ul> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> </ul>			
	• Call a poison control center or doctor for treatment advice.			
	HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-315-9819 (24 hours) for emergency medical treatment and or transport emergency information. For all other information, call 1-800-323-9597.

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## **CAUTION**

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

## **ENVIRONMENTAL HAZARDS**

Do not contaminate water when disposing of equipment wash waters or rinsate. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not contaminate water when disposing of equipment wash waters.

PESTICIDE STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

For Water Soluble Pouches, dispose of empty outer foil bag in trash.

## DIRECTIONS FOR USE – VECTOLEX WATER SOLUBLE POUCHES (WSP)

Once the foil bag containing Water Soluble Pouches is opened, use pouches within one day.

## APPLICATION DIRECTIONS

## **MOSQUITO CONTROL**

VectoLex WSP is a selective microbial insecticide for use against mosquito larvae in a variety of habitats. VectoLex WSP can be applied to areas that contain fish, other aquatic life, and plants. VectoLex WSP can be applied to areas used by or in contact with humans, pets, horses, livestock, birds, or wildlife.

I.	For	control	ot	mosquito	larvae species*	in t	he	fol	lowing	non	-crop	sites:
----	-----	---------	----	----------	-----------------	------	----	-----	--------	-----	-------	--------

Habitat Rate Range

## Drainage/Drainage Systems:

Storm drains, catch basins, retention, detention, and seepage ponds.

1 pouch/50 sq. ft (1)

## Treatment Areas (For Use In) (1):

Ponds Lagoons Birdbaths Fountains

Water gardens

Flowerpots and planters

Vectol ex CG - Residential 41.18.2004 Page 9 of 16

Hollow trees and tree holes

Urns

Rain barrels

Livestock watering troughs/ponds/tanks

Irrigation ditches

Roadside ditches

Floodwater

Standing water

Storm water retention areas

Catch basins

Snowmelt pools

Abandoned swimming pools

Unused swimming pools or spas

Flooded basements

Pool covers

Gutters and drains

Wheelbarrows

Garbage cans and covers

Discarded tires

Any location where water accumulates and remains standing for periods of time, except treated, finished drinking water for human consumption.

(1) Treat on basis of surface area of potential mosquito breeding sites by placing one (1) VectoLex Soluble Pouch for up to 50 square feet of treatment area. Re-apply as needed after 1 to 4 weeks.

Longer periods of mosquito population suppression may result where sufficient numbers of nontarget aquatic invertebrate parasites and predators are present since these are not affected by the product and contribute to mosquito population reduction.

\*Mosquito species effectively controlled by VectoLex WSP, including many of those known to carry/transmit West Nile virus:

Culex spp.

Aedes vexans

Ochlerotatus melanimon

(Aedes melanimon)

Ochlerotatus stimulans

(Aedes stimulans)

Ochlerotatus nigromaculis

(Aedes nigromaculis)

Psorophora columbiae

Psorophora ferox

Ochlerotatus triseriatus

(Aedes triseriatus)

Ochlerotatus sollicitans

(Aedes sollicitans)

Anopheles quadrimaculatus

Coquillettidia perturbans

#### NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

C2004

Sub Label B

For

Residential Use Applications

Vectolex CG

### Sublabel B: Residential Use

## **VECTOLEX CG**

## Biological Larvicide

## **ACTIVE INGREDIENT:**

Bacillus sphaericus Serotype H5a5b, strain 2362 Technical Powder	
(670 /BsITU/mg)	7.5%
OTHER INGREDIENTS	92.5%
TOTAL	100.0%

Potency: This product contains 50 BsITU/mg or 0.023 Billion BsITU/lb

The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

# KEEP OUT OF REACH OF CHILDREN CAUTION

Valent BioSciences Corporation 870 Technology Way, Suite 100 Libertyville, IL 60048

EPA Reg. No. 73049-20 EPA Est. 33762-1A-1

Lot No.

FIRST AID				
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> </ul>			
	<ul> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>			
	<ul> <li>Call a poison control center for treatment advice.</li> </ul>			
If on skin or clothing	Take off contaminated clothing.			
	<ul> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> </ul>			
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
	HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-315-9819 (24 hours) for emergency medical treatment and or transport emergency information. For all other information, call 1-800-323-9597.

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

## **ENVIRONMENTAL HAZARDS**

Do not contaminate water when disposing of equipment wash waters or rinsate. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### DIRECTIONS FOR USE - VECTOLEX CG

## APPLICATION DIRECTIONS

## **MOSQUITO CONTROL**

VectoLex CG is a selective microbial insecticide for use against mosquito larvae in a variety of habitats. VectoLex CG can be applied to areas that contain fish, other aquatic life, and plants. VectoLex CG can be applied to areas used by or in contact with humans, pets, horses, livestock, birds, or wildlife.

For control of mosquito larvae species\* in the following sites:

Mosquitoes

Treatment Areas (For Use In):

Ponds

Lagoons

Water gardens

Birdbaths

**Fountains** 

Flowerpots and planters

Hollow trees and tree holes

Ums

Rain barrels

Livestock watering troughs/ponds/tanks

Irrigation ditches

Roadside ditches

Floodwater

Standing water

Storm water retention areas

Catch basins

Snowmelt pools

Abandoned swimming pools

Unused swimming pools or spas

Flooded basements

Pool covers

Gutters and drains

Wheelbarrows

Garbage cans and covers

Discarded tires

Any location where water accumulates and remains standing for periods of time, except treated, finished drinking water for human consumption. Re-apply as needed after 1 to 4 weeks.

How to Apply

Directions for Bulk Granule:

Treats up to 2,178 square feet

Specific Directions:

Sprinkle 1 pound to cover 2,178 square feet.

(Sprinkle ½ pound per 1,089 square feet)

(Sprinkle  $\frac{1}{4}$  pound per 544 square feet) ( $\frac{1}{4}$  pound =  $\frac{1}{2}$  cup = 4 ounces = 8 tablespoons)

(Sprinkle 1/8 pound per 272 square feet) (1/8 pound =  $\frac{1}{4}$  cup = 2 ounces = 4 tablespoons)

Uniformly apply VectoLex CG with a 1 - 4 week interval between applications. Longer periods of mosquito population suppression may result where sufficient numbers of non-target aquatic invertebrate parasites and predators are present since these are not affected by the product and contribute to mosquito population reduction.

\*Mosquito species effectively controlled by VectoLex CG, including many of those known to carry/transmit West Nile virus:

Culex spp.

Aedes vexans

Ochlerotatus melanimon

(Aedes melanimon)

Ochlerotatus stimulans

(Aedes stimulans)

Ochlerotatus nigromaculis

(Aedes nigromaculis)

Psorophora columbiae

Psorophora ferox

Ochlerotatus triseriatus

(Aedes triseriatus)

Ochlerotatus sollicitans

(Aedes sollicitans)

Anopheles quadrimaculatus

Coquillettidia perturbans

## NOTICE TO USER

Seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with accompanying directions.

©2004

## Optional Label Claims

- B iological Mosquito Control
- Mosquito B iolarvicide Granule
- Hig hly selective microbial larvicide
- Targ ets mosquitoes in their breeding habitats
- Reduce the number of adult mosquitoes developing
- W hen ingested by mosquito larvae, VectoLex prevents larvae from becoming (developing into) breeding, biting adults.
- W hen ingested by mosquito larvae, VectoLex prevents the development of adults.
- Kills mosquito larvae upon ing estion.
- Kills mosquito larvae upon ing estion of Bsp toxins.
- Kills mosquito larvae upon ing estion by destroying the insect digestive tract.
- Kills developing mosquitoes (mosquito larvae) including those which may (are known to) transmit (carry) West Nile virus and other mosquito-borne diseases.
- Kills developing mosquitoes (mosquito larvae) including those which may (are known to) transmit (carry) West Nile virus, encephalitis, and equine encephalitis.
- Kills developing mosquitoes (mosquito larvae) including those which may (can) (are known to) transmit (carry) heartworm disease to dogs and cats.
- Apply in water where mosquitoes may breed; see label for specific use sites
- Easy to use
- (Quickly ) Controls exposed mosquito larvae in (within) 24 hours
- Up to 4 weeks between applications
- B iodegradable components