

# 09/29/2009

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Nasser Assaf, Ph.D. Valent BioSciences Corporation. 870 Technology Way Libertyville, IL 60048

SEP 2 9,2009

Dear Dr. Assaf:

Subject: Application for Pesticide Notification (PRN 98-10)

Comply with Agency pyrethroid labeling letter dated June 4, 2009 and Revise per Pesticide Registration Notice 2007-4 (Container Disposal)

UltraTec Dust Insecticide EPA Reg. No. 73049-71

Your submission dated July 29, 2009

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 29, 2009 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Sincerely,

Dana R. Pelitt

Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

Please read instructions on reverse	United States  Environmental Protection Agency Washington, DC 20460			Perrov 2MB No. 2070-0 Registration Amendment ✓ Other		on	OSO, Approval expires 2-28-1				
		Applicati	on for f	esticio	de - Sec	ction	1				
1. Company/Product Number 73049-71			2. EPA Product Ma			-		3. Pr	Proposed Classification		
4. Company/Product (Name)			<u> </u>	Richard Gebken			1	None Restricted			
	Oust Insecticio				13			<u> </u>			
<ol> <li>Name and Address of Applicant (Include ZIP Code)</li> <li>Valent BioSciences Corporation</li> <li>870 Technology Way</li> <li>Libertyville, IL 60048</li> </ol>			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.								
Check if this is a n	ew address			Produ	ct Name						
			Sect	tion - I							
Amendment - Explain below Resubmission in response t  Notification - Explain below		Final printed labels in repsonse to Agency letter dated "Me Too" Application.  Other - Explain below.									
xplanation: Use additional pag Label Notification - No Fee; e-mail: See Self Certifications statements o Changes include: -Environmental Hazard and Gen- -Revise Storage & Disposal State -No other changes have been ma	Nasser.Assaf@v n cover letter. eral labeling requ ements in Compl	valent.com; F  uirement per A  iance with PR	ax: (925) 81 Agency's lett Notice 200 se clearly ma	7-5160 er of June 7-4, arked.							
. Material This Product Will Be Pa	okaged In	<del></del>	Sect	ion - II	<u> </u>						
hild-Resistant Packaging Unit	<del></del>			Water Soluble Packaging  Yes  ✓ No  If "Yes" No. per			2. Type of Container  Metal Plastic Glass Paper				
Certification must	Packaging wgt.	container	Package	e wgt	containe	er	o	ther (S	pecify)		
Lebel Container 4. Size(s) Re			5. Location of Label Direction on label			Directio	ns				
. Manner in Which Label is Affixed	to Product	J Lithon	graph glued graph		Othe	er					
		0.0110		on - IV	,			<u> </u>			
. Contact Point (Complete items of	directly below fo	or identification	on of individ	dual to be	contacted,	, if nece	essary, to proce	sg this	applicatioုင်.)		
ame Nasser A. Assaf, Ph.D			Title Company Manager, ESD Company Manager, ESD			•	one No. (Include Area Code) (847) 068-4788				
I certify that the statements I I acknowledge that any know both under applicable law:	have made on dingliy false or r	Certifica this form and nisleading sta	ation I all attachn	nents the	reto are tru	e, accu	rate and coිකිතුම	e Téc	6. Date Application Received (Stamped)		
Signature NBASSAC			3. Title  Regulatory Manager, ESD				( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( ( (				
Typed Name Nasser A. Assaf, Ph.D			5. Date July 29, 2009								



**ENVIRONMENTAL SCIENCES DIVISION** 

July 29, 2009

Document Processing Desk (NOTIF-Pyrethroid) Registration Division Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

ATTN:

Richard Gebken

Product Manager 13 Insecticide Branch

SUBJECT:

APPLICATION FOR PESTICIDE LABEL NOTIFICATION - No PRIA Service Fee Required

Submission of Revised Labeling Per:

- June 4, 2009 Environmental Hazard and General labeling for

Pyrethroid Non-agricultural Outdoor Products

- PR-Notice 2007-4, Container Disposal

UltraTec Dust Insecticide; EPA Reg. No. 73049-71

#### Dear Mr. Gebken:

This application for label notification for the above subject product is being submitted to comply with the Agency's letter of June 4, 2009 Environmental Hazard and General labeling for Pyrethroid Non-agricultural Outdoor Products Notification; and PR Notice 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment Revision of Container Disposal among other minor changes which are clearly marked.

UltraTec Dust Insecticide; EPA Reg. No. 73049-71; is Pyrethroid product for household use, indoor/outdoor use, dust formulation.

Due to the limited space on EPA Form 8570-1, Section II, the self certification statements are as follows:

Agency's letter of June 4, 2009 Environmental Hazard and General labeling for Pyrethroid Non-agricultural Outdoor Products Notification

Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a vibration of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 2 and 14 of FIFRA.



PR Notice 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal Notification of label change per PR-Notice 2007-4. This notification is consistent with the quidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140. 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Two (2) copies of revised draft labeling with changes clearly marked are enclosed. Additions are noted in underlined italics. Deletions are shown struck through.

If you need additional information or have any questions regarding this submission, please do not hesitate to contact me at (847) 968-4844 or e-mail to: Nasser.assaf@valent.com.

Sincerely,

NAASSAG

Nasser A. Assaf, Ph.D. Regulatory Manager, ESD

**Enclosures** 

: VBC Regulatory File

NOTIFICATION

SEP 29 2009

## UltraTec® Dust Insecticide

- •For Indoor/Outdoor Residential Use Only
- · | For Household Use
- ·Household Ornamental & Vegetable Garden Insect Control
- ·Controls Ants, Fire Ants, Fleas, Ticks, Termites (Localized Control Only) and More
- ·Kills Organophosphate & Carbamate Resistant and Non-Resistant Cockroach Strains
- Odorless
- ·Long-Lasting Residual Action
- •Kills Insects for up to 8 Months
- •Kills Carpenter Ants invading treated wall voids for up to 1 year (12 months)
- Does Not Clump or Absorb Moisture
- ·Water-Proof Dust
- •Water-proof Does Not Absorb Moisture
- ·Use on Roses, Flowers, and Ornamentals
- •1 Lb. Treats up to 45 Fire Ant Mounds
- ·Easy to Use
- ·Convenient
- ·Kills Fire Ants on Contact No Watering-in Required
- ·Kills the Queen
- •Ready-to-Use Dry Treatment of Fire Ant Mounds
- ·Kills the Mound
- ·Works Fast]

#### **ACTIVE INGREDIENT:**

 Deltamethrin
 0.05 %

 OTHER INGREDIENTS:
 99.95 %

 100.00 %

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-71

EPA EST. NO.

### KEEP OUT OF REACH OF CHILDREN

## **CAUTION**

	FIRST AID
If on Skin or Clothing:	•Take off contaminated clothing. •Rinse skin immediately with plenty of water for 15-20 minutes. •Call a poison control center or doctor for treatment advice.
If in Eyes:	•Hold eye open and rinse slowly and gently with water for 15-20 minutes. •Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. •Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
	et container or label with you when calling a poison control center or doctor, or going for treatment. In case of containers or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained 1-315-9819.

See Side/Back Panel For Additional Precautions and First Aid

**NET CONTENTS:** 

# PRECAUTIONARY STATEMENTS Hazards To Humans And Domestic Animals

#### CAUTION

May be harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

#### **Environmental Hazards**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment washwater. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Appling this product in calm weather when rain in not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranties before using this product.

UltraTec Dust is a ready-to-use insecticide dust which exhibits effective knockdown and long-lasting control against the pests listed when used according to label directions.

UltraTec Dust can be used for long-lasting pest control in and around homes and their immediate surroundings. Permitted areas of use include but are not limited to:

· animal quarters

houses

· apartments

· mobile homes and recreational vehicles

· household greenhouses

• ornamentals

· vegetables

This product is intended for applications with a hand duster or from the shaker can, with a paint brush or by other suitable means, to hiding and runway areas and other places where insects are found.

Application is prohibited directly into sewers drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aguatic habitat can occur. Do not allow the product to enter any drain during or after application.

#### INDOOR USE

In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air. To avoid the possibility of staining, do not use on carpets, upholstery and other fabrics. Do not apply as a broadcast application indoors.

To apply insecticide directly into cracks and crevices, use a bulbous duster, or other suitable equipment. Apply lightly and uniformly to infested area. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall void; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets; refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawl spaces. The amount to be applied will vary with the site but usually be in the range of 2-3 grams of product per square yard (or 0.5 lbs per 1000 square feet).

Ants, Boxelder Bugs, Cockroaches, (Including Both Resistant and Non-resistant Strains), Crickets, Fleas, Firebrats and Silverfish: Apply UltraTec Dust thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For Ants, apply to ant trails, around doors and windows and other places where ants enter premises.

Termites, Carpenter Ants and Carpenter Bees: Apply to voids or channels in damaged wooden members of a structure; to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation; and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. This dust can be applied in attics and crawl spaces to prevent entry of drywood and Formosan termites at a rate of 0.5 lb. per 1000 square feet of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to ensure that colony has been killed.

The purpose of such applications of UltraTec Dust is to kill workers or winged forms of subterranean termites, which may be present in the treated channels at the time of treatment. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement. For active termite infestations, get a professional inspection.

Wall Void Treatments: [To control carpenter ants in wall voids for up to one year [12 months],] apply dust into wall voids through existing openings or by drilling a small hole. Insert end of puffer tip into opening and squeeze container [Insert tip of hand-duster into opening and squeeze] to apply approximately 0.2 grams (0.07 lbs/100 sq. ft.) of dust per wall void [see markings on side of container]. Reseal hole after treatment. Nests in wall voids can be located by listening for insect activity against the wall.

Centipedes, Ground Beetles, Millipedes, Scorpions, Spiders and Sowbugs: Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas where these pests may enter or crawl.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings.

73049-71

#### Master Label - Marked

July 2009

Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest, entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in and reseal. For Ground Wasps, dust entrance and surrounding areas. For best results, check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat nest if necessary. Do not use this product to treat overhead nests.

Webbing Clothes Moths: Use UltraTec Dust as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.

Carpet Beetles (Black, Furniture, Common and Varied): Dust where these insects are found, for example: under edges of floor coverings, behind baseboards, under rugs and furniture, and in closets. Do not apply directly to carpeting.

Bedbugs: Apply to crack and crevices where evidence of bedbugs occurs. This includes bed frames, box springs, inside empty dressers and clothes closets, and carpet edges, high and low wall moldings, and wall paper edges. Do NOT use this product on mattresses, pillows, bed linens, or clothes. Remove all clothes and other articles from dressers or clothes closets before applications. Not recommended for use as sole protection against bedbugs, If evidence of bedbugs is found in/on mattresses use products approved for this use.

#### STORED PRODUCT PESTS:

To aid in the control of the exposed stages of:

cadelles

merchant grain beetles

cheese mites

red flour beetles

cigarette beetles

rice weevils

confused flour beetles

rusty grain beetles

dark meal worms

saw-toothed grain beetles

drugstore beetles grain mites

spider beetles

granary weevils

tobacco moths vellow meal worms

lesser grain borers

In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Remove or cover exposed food.

Clean up waste materials, dust, dirt, and other debris. Thoroughly treat floors, walls and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. DO NOT apply directly on food, utensils or other areas where food is stored.

#### **OUTDOOR USE**

Do not water the treated area to the point of run-off. Do not make applications during rain.

#### ORNAMENTAL PLANT PESTS

For the control of:

aphids

leafrollers

beet armyworms

orange tortrix

blister beetles

periodical cicada

boxelder bugs

plant bugs rose chafer

certain leafminers (Boxwood, Holly, rose midges

Oak, Spruce Needle)

rose slugs

elm leaf beetle

tent caterpillars

flea beetles Japanese beetles thrips weevils

leafhoppers

SHRUBS AND ORNAMENTALS: Apply when insects or their damage first appear and repeat at weekly intervals if necessary. Apply 8 ounces per 1000 square feet; or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

ROSES, PETUNIAS, CHRYSANTHEMUMS, GERANIUMS, CARNATIONS AND OTHER RELATED FLOWERS: To control many leaf and flower chewing insects, apply as soon as the insect appears and repeat at 7 day intervals or as long as insects continue to appear. Apply & thin layer of duct on both upper and lower sides of leaves, stems and flowers.

PERIMETER TREATMENT: Use UltraTec Dust as a residual treatment for control of Ants, Bees, Centipedes, Cockroachec, Crickets, Firebrats, Fleas, Ground Beetles, Millipedes, Scorpions, Silverfish, Slugs, Sowbugs, Spiders, Ticks and Wasps. Make a residual treatment ground windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly and uniformly to the foundation and crawl spaces where pests are active and may find entrance.

Fleas and Ticks in Rodent Burrows: To Control Fleas and Ticks in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense.

HOME VEGETABLE GARDENS: Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate available duster. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering

Artichoke, Globe  Bulb Vegetables –	Aphids, armyworm, cabbage looper, cribrate weevil, leafminers, lygus but (plant bug), pale striped flea beetles, plume moth, probas bug  Cutworms, stink bugs,	Do not apply more then recommend amount [0.14 lb. ai/A(active ingredient/acre)] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest.  Do not apply more than	2.13	5	0.028 lb	X packages /100ft <sup>2</sup>
garlic, leeks, onions, shallots	thrips	recommend amount [0.112 lb ai/A] in one growing season. Allow 5 days between applications. Do not apply within one day of harvest.			0.028 10	/100 <del>n</del> <sup>2</sup>
Corn, Sweet	Aphids, armyworms, chinch bugs, click beetle, corn earworm, corn rootworm (adult), cutworms, European corn borer, flea beetles, grasshoppers, Japanese beetle (adult), June beetle (adult), Masked chafer (adult), southern corn borer, south- western corn borer, stalk borer, stink bugs, webworms	Do not apply more than recommend amount [0.45 lb ai/A] one growing season. Do not apply within24 hours of harvest.	2.13	16	0.028 lb	X packages /100ft <sup>2</sup>
Corn, Pop	Aphids, armyworms, chinch bugs, click beetle, corn earworm, corn rootworm (adult), cutworms, European corn borer, flea beetles, grasshoppers, Japanese beetle (adult), June beetle (adult), Masked chafer (adult), southern corn borer, south- western corn borer, stalk borer, stink bugs, webworms	Do not apply more than recommend amount [0.095 lb ai/A] in one growing season. Allow 21 days between applications.	1.68	4	0.022 lb	X packages /100ft <sup>2</sup>
Cucurbit Vegetables – cantaloupes, chayote, Chinese waxgourd, citron melon, cucumber, gherkin, gourds, Momordica species (balsom apple, balsom pear, bitter melon, Chinese cucumber), muskmelon, pumpkin, squash, watermelon	Armyworm, cabbage looper, Colorado potato beetle, corn earworm, cucumber beetles, cutworms, diamondback moth(larvae), flea beetles, grasshoppers, green peach aphid, leafhoppers, leafminers, melonworm, pickleworm, stink bugs, tarnished plant bug, tobacco budworm, tomato pinworm, vegetable weevil (adult), western plant bug,	Do not apply more than recommend amount [0.168 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest.	2.13	6		X packages

	whitefly (adult)					
Fruiting Vegetables – eggplant, groundcherry, pepinos, peppers, tomatillo, tomato	Aphids, armyworm, cabbage looper, Colorado potato beetle, cucumber beetle, cutworms, diamondback moth, European corn borer, flea beetles, imported cabbageworm, leafminers, pepper weevil, stink bugs, tarnished plant bug, thrips, tomato fruitworm(corn earworm), tomato pinworm, variegated cutworm, whitefly	Do not apply more than recommend amount [0.168 lb. ai/A] in one growing season. Allow 5 days between applications. Do not apply within 1 day of harvest.	2.13	6	0.028 lb	X packages /100ft <sup>2</sup>
Root Vegetables - carrot, celeriac, chervil(turnip- rooted), chicory, edible burdock, garden beet, ginseng, horseradish, parsley (turnip-rooted), parsnip, radish, oriental radish, rutabaga, salsify, black salsify, spanish salsify, skirret, turnip	Armyworm, cabbage looper, Colorado potato beetle, cutworms, European corn borer, flea beetles, green peach aphid, leafhoppers, lygus bug (plant bug), pea aphid, Tarnished plant bug	Do not apply more than recommend amount [0.14 ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. Other than radishes, applications may not be made to root vegetables whose tops or leaves are to be harvested for human consumption.	2.13	5	0.028 lb	X packages /100ft <sup>2</sup>
Tuberous & Corm Vegetables - potato, sweet potato, arracacha, arrowroot, chinese artichoke, jerusalem artichoke, edible Canna, bitter and sweet cassava, chayote (root), chufa, dasheen, ginger, leren tanier, tumeric, yarn bean, true yam	Armyworm, cabbage looper, Colorado potato beetle, cutworms, European corn borer, flea beetles, green peach aphid, leafhoppers, lygus bug (plant bug), pea aphid, Tarnished plant bug	Do not apply more than recommend amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. Applications may not be made to tuberous or corm vegetables whose tops or leaves are to be harvested for human consumption	2.13	5	0.028 lb	X packages /100ft <sup>2</sup> )

#### USE DIRECTIONS FOR FIRE ANT TREATMENT

Imported Fire Ant Mound Treatment: Apply UltraTec Dust with a shaker can. Thoroughly apply dust to adequately cover that and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. DO NOT DISTURB THE MOUND PRIOR TO APPLICATION. If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

[Alternate directions - Evenly sprinkle one tablespoon (approximately 10 grams) of UltraTec Dust over the top of each mound. Do not water in ordinate disturb the mound. Apply when temperatures are between 65 and 80°F. Allow 3 to 4 days for maximum control, then repeat is necessary. Do not use food utensils, such as a teaspoon or measuring cups, for food after use with pesticides.]

#### STORAGE AND DISPOSAL

Storage: Store product in original container in a cool, dry, locked place out of the reach of children.

Disposal: Nonrefillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency [or 1-877-315-9819] 1-800 CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

# 1910

#### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2008

UltraTec is a registered trademark of Valent BioSciences Corporation.

Valent BioSciences Corporation Environmental Science Division 870 Technology Way Libertyville, IL 60048 List No. 7304971

02-0329/R2

|Alternate Front Panel Bullets:

- ·Long-Lasting
- ·For Use on Ornamentals
- ·Controls Many Different Insect Pests
- •To Control Imported Fire Ants on Lawns and Other Residential Areas
- \*8 Oz. Treats over 20 Fire Ant Mounds
- •2 Lbs. Treats over 80 Fire Ant Mounds
- ·Fast, Effective Kill of Fire Ants
- ·Fast, Effective Kill of Stinging Ants
- ·Contains Deltamethrin
- ·Contains UltraTec®]

[ ] Denotes alternate text in addition to any subset of the directions for use.