

SBP-1382[®] AQUEOUS PRESSURIZED SPRAY INSECTICIDE 0.25% HORNET AND WASP SPRAY WITH JET STREAM

- JET STREAM UP TO 12 FOOT RANGE
- CAN BE USED IN EDIBLE PRODUCT AREAS OF OFFICIAL ESTABLISHMENTS OPERATING UNDER THE MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS
- CAN BE USED IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

ACTIVE INGREDIENT:

Resmethrin¹ 0.25 %

OTHER INGREDIENTS: 99.75 %
100.00 %

¹ Valent BioSciences Corporation's SBP-1382[®] brand of resmethrin insecticide.

ACCEPTED
JUL 17 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 73049-108

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada amplimente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-108

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of <i>Medical</i> emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819.	

See Side Panel For Precautionary Statements

NET CONTENTS:

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, cover all food processing surfaces and utensils during treatment, or thoroughly wash before use. Remove pets, birds and cover fish aquariums before spraying. Prevent re-entry of dogs and cats into treated area until spray deposits are dry.

Environmental Hazards

This pesticide is highly toxic to fish. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Physical And Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54.5°C) may cause bursting. Do not use on electrical equipment or surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to reuse this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray

Remove or cover food before treatment. Cover all food processing surfaces before treatment or thoroughly clean before using. In food processing plants apply only when plants are not in operation.

FOR INDOOR USE: In food areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also for use in buses, automobiles, and food areas of trucks, boxcars and ship cargo holds. Also for use indoors in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

INDOORS

TO KILL CRAWLING INSECTS: *Cockroaches, Earwigs, Grain Mites, Sowbugs, Silverfish, Spiders, Scorpions, and Centipedes:* Spray thoroughly and frequently into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, door frames, bookcases, and storage areas. **SPRAY DIRECTLY ON INSECTS** where possible.

TO KILL Wasps, Hornets, Yellow Jackets, Bees: Application should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings.

OUTDOORS

TO CONTROL NUISANCE PESTS

Ants: Spray trails, nest and points of entry. Spray on ants where possible.

Spiders: Direct short bursts of spray on spiders.

Scorpions: Direct short bursts of spray on scorpions.

Wasps, Hornets, Yellow Jackets, Bees: Same as directed for indoor use. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around the nest openings. Contact as many insects as possible.

TO KILL Tent Caterpillars: Application should be made when caterpillars are young and tents are first noticed. For best results apply in the late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents, and totally saturate on all sides.

STORAGE & DISPOSAL

Storage: Store in a cool, dry area away from children and pets.

Disposal: Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2002

SBP-1382 is a registered trademark of Valent BioSciences Corporation.

Valent BioSciences Corporation
Environmental Science Division
870 Technology Way
Libertyville, IL 60048
List No. 73049108

02-0222/R1