

SBP-1382®/BIOALLETHRIN®/PIPERONYL BUTOXIDE INSECTICIDE AQUEOUS PRESSURIZED SPRAY 0.35%+0.10%+0.40%

- A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS IN AND AROUND HOUSEHOLDS, GREENHOUSES, BUILDINGS, VEHICLES, BOATS, KENNELS AND STABLES.
- FLYING INSECTS: HOUSE FLIES, MOSQUITOES, GNATS (MIDGES), DEER FLIES, STABLE FLIES, FLYING MOTHS (MILLERS), FRUIT FLIES, WASPS, HORNETS, YELLOW JACKETS, BEES
- CRAWLING INSECTS: COCKROACHES, BEDBUGS, TICKS, ANTS, CRICKETS, SILVERFISH, BOXELDER BUGS, WATERBUGS, EARWIGS, SPIDERS, SOWBUGS, CENTIPEDES, MILLIPEDES, GRAIN MITES, GRAIN INSECTS, FLEAS
- CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS.

ACTIVE INGREDIENTS:

Resmethrin ¹	0.35 %
Bioallethrin	0.10 %
Piperonyl Butoxide	0.40 %
OTHER INGREDIENTS:	<u>99.15 %</u>
	100.00 %

¹ Valent BioSciences Corporation's SBP-1382 brand of resmethrin insecticide.

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73040-151

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of <i>Medical</i> emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819	

See Side Panel For Additional Precautionary Statements

SHAKE WELL BEFORE USING

ACCEPTED

NET WEIGHT:

SEP 3 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 73049-151

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION

Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquariums before spraying. Prevent re-entry of dogs and cats into treated area until spray deposits are dry. Do not use on edible crops. Do not remain in treated areas. Ventilate the area when treatment is complete.

Environmental Hazards

This pesticide is highly toxic to fish. Do not apply directly to water. Drift from treated areas may be hazardous to fish in adjacent aquatic sites.

Physical and Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F (54.5°C) may cause bursting. Do not use on electrical equipment or on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils.

For use in areas of food handling establishments in and around premises of commercial, industrial, office, residential, public, institutional and storage buildings, hotels, motels, homes, preschools, nurseries, day camps, seed houses, packaging and processing plants, milk handling areas of milk, cheese and ice cream plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, trucks, boxcars, and to ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

Shake well before using. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS: For use in households, commercial and institutional buildings, greenhouses and lathhouses, campers, mobile homes, vehicles and boats, as listed above.

INDOORS

TO KILL FLYING INSECTS: *House Flies, Mosquitoes, Gnats (Midges), Deer Flies, Stable Flies, Flying Moths (Müllers), Fruit Flies*- Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

TO KILL Wasps, Hornets, Yellow Jackets, Bees: Make applications in late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible.

TO KILL CRAWLING INSECTS: *Fleas, Cockroaches, Waterbugs, Crickets, Silverfish, Earwigs, Spiders, Sowbugs, Centipedes, Millipedes, Grain Mites and Grain Insects (adults and accessible stages of Confused Flour Beetles, Red Flour Beetles, Sawtoothed Grain Beetles, Shiny Spider Beetles, Carpet Beetles, Grain Weevils, Angoumois Grain Moths, Indian Meal Moths)* - Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible.

GRAIN INSECTS: For control of *Grain Mites and Grain Insects (adults and accessible stages of Confused Flour Beetles, Red Flour Beetles, Sawtoothed Grain Beetles, Shiny Spider Beetles, Carpet Beetles, Grain Weevils, Angoumois Grain Moths, Indian Meal Moths)*, remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. Clean and thoroughly spray shelves and drawers so as to contact all pests, and cover with shelf paper after allowing shelves to dry. Wash any utensils that are contacted with spray before using.

TO KILL Spiders: (Including Black Widow and Brown Recluse): Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL Ants (including Fire Ants): Spray doors, around window frames, ant trails and hills.

TO KILL Bedbugs: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards, and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds and seams. For persistent infestations, consult professional applicator.

TO KILL Fleas and Ticks IN DOG AND CAT PREMISES: Thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Treat these areas at the rate of 2 seconds per linear foot at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses and kennels. Thoroughly spray floors, cracks, crevices and bedding. Hit as many insects directly as possible. For best result, dogs and cats should also be treated with an appropriate insecticide.

OUTDOORS

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

TO KILL House Flies, Mosquitoes, Gnats (Midges), Deer Flies, Stable Flies, Flying Moths (Millers), Fruit Flies- Spray resting areas to reduce annoyance from these pests. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes, and grassy areas. Spray these areas with a slow sweeping motion at the rate of 1 to 3 seconds per cubic yard of space, while moving away from the treated areas. Treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area.

Wasps, Hornets, Yellow Jackets, Bees: Same as directed above for indoor use. Make applications late in the evening when insects are at rest. Aim spray at nest openings in the ground, and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible.

Ants - Spray doors, around window frames, ant trails and hills.

Fleas- Thoroughly spray animal bedding and other resting areas until the surface is slightly moist. Treat these areas at the rate of 2 seconds per linear foot at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses and kennels. Thoroughly spray floors, cracks, crevices and bedding. Hit as many insects directly as possible. For best result, dogs and cats should also be treated with an appropriate insecticide.

Fire Ants: Kills and reduces annoyance for short periods of time. To reduce annoyance from these ants and keep them from entering homes, spray patios, barbecue areas, driveways, entryways, door sills, window sills, other entrance areas, foundations of buildings, ant trails, mounds, around pools and areas where the ants are noticed. Spray until the area is wet, contacting as many insects as possible. This treatment will not kill the colonies but will reduce the immediate population for up to four hours. Avoid contacting plants, shrubbery and large areas of lawns.

Crickets, Silverfish, Earwigs, Spiders, Sowbugs, Centipedes, Millipedes, and Scorpions: Spray thoroughly into hiding places such as cracks, crevices, moist areas and other insect harborage areas. Spray directly on insects where possible.

STORAGE AND DISPOSAL

Storage: Keep in locked storage area.

Disposal: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.


CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2002

SBP-1382 and Biallethrin are registered trademarks of Valent BioSciences Corporation.



Valent BioSciences Corporation
Environmental Science Division
870 Technology Way, Suite 100
Libertyville, IL 60048
List No. 73049151

02-0238/R1

