Under the Federal Insecticid Pungicide, and Rodenticide



# **ULTRATEC® DS 205 INSECTICIDE**

- For Household And Domestic Use Only
- Not For Use On Plants Grown For Sale Or Other Commercial Use
- [Water-Based Formula
- Killing Action
- Kills Carbamate And Organophosphate Resistant Cockroaches
- Kills Ants & Roaches On Contact
- Kills Carpenter Ants
- Controls Scorpions, Spiders & Ticks
- Fast Knockdown Formula
- Long-Lasting Control
- For Indoor/Outdoor Use
- Kills Fleas-Roaches-Ants-Spiders
- Kills On Contact
- Broad Spectrum Insect Control
- No Unpleasant Odor
- Won't Stain Carpets And Floors
- Protects Against German Cockroaches And Houseflies For Up To 12 Weeks (3 Months)
- Keeps On Killing German Cockroaches And Houseflies For Up To 12 Weeks (3 Months)]

### **ACTIVE INGREDIENTS:**

| S-Bioallethrin      | . 0.05%  |
|---------------------|----------|
| Deltamethrin        | . 0.02%  |
| OTHER INGREDIENTS*: | . 99.93% |
|                     | 100.00%  |

<sup>\*</sup>Contains petroleum distillate.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-177

EPA EST. NO.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautions

### FIRST AID

Immediately call a poison control center or doctor.

- Do not induce vomiting unless told to do so by the poison control center or doctor.
- · Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

### **HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of Medical emergencies or health and safety inquiries or In case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819.

### **NOTE TO PHYSICIAN**

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

**NET CONTENTS:** 

# Environmental Science

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

### CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

### **Environmental Hazards**

This product is toxic to fish. Do not apply directly to water. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

### Physical And Chemical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

UltraTec DS 205 works in two ways:

- 1) it kills bugs fast on contact; and
- 2) its residual action keeps on killing *German Cockroaches* and *Housefiles* for up to 12 weeks (3 months) after you spray. Contact kill gives you immediate results when spraying insects directly.

SHAKE WELL BEFORE EACH USE. Hold container upright. Do not spray up into air. Apply to surfaces only. Remove protective cap and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press button down and spray as directed. Test product in an inconspicuous area before applying. Spray until surface is slightly wet, but not to the point of run-off. Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

Remove pets, birds and cover fish aquariums before spraying. Prevent re-entry of dogs and cats into treated area until spray deposits are dry.

UltraTec DS 205 insecticide is intended for use in and around residential structures and their immediate surroundings. Permitted areas of use include: apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas.

### INDOORS:

Cockroaches (Including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains), Ants, Book Lice, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[Roaches: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly.]

**Ants:** Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

**Carpenter Ants:** For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

**Ticks** and **Fleas** ON SURFACES: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. **Adult Fleas** and **Larvae** contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

**Spiders:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

**Centipedes, Ground Beetles, Pilibugs, Sowbugs, Scorpions** and **Ticks:** Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[Silverfish, Crickets, Spiders, Earwigs: Apply around doors and windows, baseboards, storage areas, pipes and other areas infested by these pests or spray pests directly. Spray surfaces until wet.]

PANTRY PESTS - Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

**Webbing Clothes Moths:** Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

### **OUTDOORS:**

Remove all exposed food and cooking utensils. Cover all food handling surfaces and/or wash thoroughly after treatment and before use. Do not use on edible crops.

Point nozzle away from face. Hold can on a slight downward angle, approximately 12 - 15 inches from surface to be sprayed. For best results, spray when air is calm. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to *Ants, Clover Mites, Crickets* and *Sowbugs (Pillbugs)*. Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish. Hold can 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic are, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Ants: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris until surface is wet. Repeat as necessary but not more than once per week.

[Ants: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Lone Star Ticks, Dog Ticks, Crickets, Fleas and Earwigs: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets and Bees: Spray nests and bees directly. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: *Houseflies, Gnats, Mosquitoes* and *Small Flying Moths*: Use only on outdoor surfaces. Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

FOR THE CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray, as well as *Whiteflies, Aphids, Armyworms, Lace Bugs, Mealy Bugs, Exposed Thrips, Pavement Ants, Spiders, Spider* and *Red Mites, Clover Mites* and *Leafminers*.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentía palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

484

02-0644/R3

# STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Protect from freezing.] [Do not freeze.] [Do not transport or store below 32°F.]

**Disposal:** Do Not Puncture or Incinerate! *If empty:* Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.] *If partly filled:* Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2005

UltraTec and Esbiol are registered trademarks of Valent BioSciences Corporation.

### Additional Alternate Front Panel Bullets:

- [Contains UltraTec Insecticide And Esbiol® Insecticide
- Contains Deltamethrin And S-Bioallethrin
- Water-Based
- Kills Hidden Bugs
- Kills Bugs You See And Even The Ones You Don't See
- Highly Effective Against Ants, Bees, Carpenter Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Mole Crickets, Moths, Pilibugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks And Many Other Crawling Insects in And Around Homes, Recreational Vehicles, Cabins, Tents And Other Recreational Structures
- No Oily Residue
- No Greasy Residue Non-Staining
- Keeps On Killing
- Contains No CFC's Or Other Ozone Depleting Substances. Federal Regulations Prohibit CFC Propellants in Aerosols.
- Guard Your Home With UltraTec]
- [ ] Indicate alternate text in addition to any subset of the directions for use.

Valent BioSciences Corporation Environmental Science Division 870 Technology Way Libertyville, IL 60048

Environmental Science