

73049-182

4/30/2001

Page 1 of 4

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

**EPA**

United States  
Environmental Protection Agency  
Washington, DC 20460

☐ Registration  
☐ Amendment  
☒ Other:

OPP Identifier Number

XXXXXX

**Application for Pesticide - Section I**

1. Company/Product Number  
432-846 → 73049-182

2. EPA Product Manager  
George LaRocca

3. Proposed Classification

4. Company/Product (Name)  
**D 200 Insecticide**

PM #13

☒ None ☐ Restricted

5. Name and Address of Applicant (Include ZIP Code)

**Aventis Environmental Science**  
**95 Chestnut Ridge Road**  
**Montvale, NJ 07645**

**PLEASE SEND ALL CORRESPONDENCE TO**  
**"CONTACT POINT" LISTED BELOW**

☐ Check if this is a new address

6. **Expedited Review.** In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to:

EPA Reg. No. \_\_\_\_\_

Product Name \_\_\_\_\_

**Section - II**☐ Amendment - Explain below.☐ Resubmission in response to Agency letter dated \_\_\_\_\_☒ Notification - Explain below.☐ Final printed labels in response to Agency letter dated \_\_\_\_\_☐ "Me Too" Application☐ Other - Explain below**NOTIFICATION****APR 30 2001**

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.) This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations in 40 CFR 152.46. No other changes have been made to the labeling or the confidential statement of formula of the product. I understand that it is a violation of 18 U.S.C. Sec. 1002 to willfully make any false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under 12 and 14 of FIFRA. **Addition of Alternate Wording (see attached transmittal letter)**

**Section - III**

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging

☐ Yes\*☒ No

Unit Packaging

☐ Yes☒ No

Water Soluble Packaging

☐ Yes☒ No

2. Type of Container

☐ Metal☒ Plastic☐ Glass☐ Paper☐ Other (Specify)

**\*Certification must  
be submitted**

If "Yes"  
Unit Packaging wgt.No. per  
containerIf "Yes"  
Package wgt.No. per  
container

3. Location of Net Contents Information

☒ Label☐ Container

4. Size(s) Retail Container

5. Location of Label Directions

☒ On Label☐ On labeling accompanying product

6. Manner in Which Label is Affixed to Product

☐ Lithograph☒ Paper glued☐ Stenciled☐ Other \_\_\_\_\_**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name

Carol A. Oddi

Title

Manager, Registrations

Telephone No. (Include Area Code)

(201) 307-3372

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature

3. Title

Manager, Registrations

4. Typed Name

Carol A. Oddi

5. Date

April 23, 2001

6. Date Application  
Received  
(Stamped)

2 8 4



## D 200 INSECTICIDE

- \* For Household and Domestic Use Only
- \* Contains DeltaGard® Insecticide
- \* Contains Deltamethrin
- \* Water-Based Formula
- \* Water-Based
- \* Killing Action and Residual Control
- \* Long-Lasting Formula
- \* For Indoor/Outdoor Use
- \* Kills Fleas-Roaches-Ants-Spiders
- \* Kills On Contact
- \* Kills Hidden Bugs
- \* Kills Bugs You See and Even the Ones You Don't See
- \* Broad Spectrum Insect Control
- \* Highly Effective Against Ants, Bees, Carpenter Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and Many Other Crawling Insects In and Around Homes, Recreational Vehicles, Cabins, Tents and other Recreational Structures
- \* No Oily Residue - No Unpleasant Odor
- \* No Greasy Residue - Non-Staining
- \* Won't Stain Carpets and Floors
- \* Protects For up To 4 Weeks
- \* Keeps on Killing for up to 4 Weeks
- \* Keeps on Killing
- \* Contains No CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.
- \* Use D 200 and you will have "Delta Blow" to your home invading bugs.
- \* Guard your home with DeltaGard®
- \* Kills For Up To 4 Weeks

Not for use on plants grown for sale or other commercial use

### ACTIVE INGREDIENT:

Deltamethrin	0.02%
OTHER INGREDIENTS:	99.98%
	100.00%

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 432-846

EPA EST NO.

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See Side Panel for Additional Precautions

IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 1-800-334-7577.

## PRECAUTIONARY STATEMENTS

### Hazards To Humans & Domestic Animals

#### CAUTION

Remove pets, birds and cover fish aquariums before spraying.

### Environmental Hazards

This product is toxic to fish. Do not apply directly to water. This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

### Physical or Chemical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[D 200 has residual action which keeps on killing for up to 4 weeks after you spray.]

SHAKE WELL BEFORE EACH USE. Hold container upright. Do not spray up into air. Apply to surfaces only. [Remove protective cap and direct spray away from face.] [Twist and snap off tab before spraying. Direct spray away from face.] Hold can [12-15 inches] [2/3 - 4/5/6 feet] from surface being sprayed. Press button down and spray as directed. Spray surface until slightly wet.

D 200 will not stain surfaces or fabrics where water alone causes no damage.

D 200 insecticide is intended for use in and around residential structures and their immediate surroundings. Permitted areas of use include: apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandahs.

### INDOORS:

COCKROACHES (INCLUDING ADULT AND IMMATURE STAGES OF BOTH NON-RESISTANT AND ORGANOPHOSPHATE AND CARBAMATE RESISTANT STRAINS), ANTS, BOOKLICE, BOXELDER BUGS, CENTIPEDES, CRICKETS, DERMESTIDS, FIREBRATS, FLEAS, PALMETTO BUGS, SILVERFISH, SOWBUGS, TICKS AND WATERBUGS: Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks

and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[ROACHES: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly.]

ANTS: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

CARPENTER ANTS: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

TICKS AND FLEAS ON SURFACES: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Test first for staining on an inconspicuous piece prior to use.

SPIDERS: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

CENTIPEDES, GROUND BEETLES, PILLBUGS, SOWBUGS, SCORPIONS AND TICKS: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[SILVERFISH, CRICKETS, SPIDERS: Apply to areas infested by these pests (around doors and windows, along baseboards, in storage areas and other locations where pests are found) or spray pests directly. Spray surfaces until wet.]

#### PANTRY PESTS -

GRAIN BEETLES (RUSTY, MERCHANT AND SAW-TOOTHED), FLOUR BEETLES (RED AND CONFUSED), CHOCOLATE MOTHS, CIGARETTE BEETLES, CLOVER MITES, CLUSTER FLIES, DRUGSTORE BEETLES, ELMLEAF BEETLES, RICE WEEVILS, LESSER GRAIN BORERS, SPIDER BEETLES AND TOBACCO MOTHS: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

CARPET BEETLES (BLACK, FURNITURE AND VARIED): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insect are found.

WEBBING CLOTHES MOTHS: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

#### OUTDOORS:

Point nozzle away from face. Approximately [12 - 15 inches] [2/3 - 4/5/6 feet] from surface to be sprayed. For best results, spray when air is calm. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to ants, clover mites, crickets and sowbugs (pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, door frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: *Ants, Cockroaches (including Asian cockroaches), Centipedes, Crickets, Mole Crickets and Silverfish.* Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

ANTS: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris until surface is slightly wet. Repeat as necessary but not more than once per week.

[ANTS: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

FIRE ANTS: To quiet active ants on the surface, sweep surface with spray from a distance of 18 inches. For best results, apply in cool weather or in early morning or late evening hours. Treat new mounds as they appear.

LONE STAR TICKS, DOG TICKS, CRICKETS, FLEAS AND EARWIGS: Apply thoroughly to infestation in bushes, grass or weeds.

WASPS, HORNETS AND BEES: Spray nests and bees directly. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: *Houseflies, Gnats, Mosquitoes and Small Flying Moths:* Use only on outdoor surfaces. Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese beetles* hit by spray, as well as *Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.*

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against *Whiteflies, Aphids, Spider* and *Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites* and *Army Worms*. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F.

# STORAGE AND DISPOSAL

**Storage:** Do not store near heat or open flame. Store in a cool, dry area away from children.

**Container Disposal:** Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture. Can may be disposed of with other recyclables where local law permits.

Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

# IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Aventis Environmental Science USA LP. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** AVENTIS ENVIRONMENTAL SCIENCE USA LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Aventis Environmental Science USA LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Aventis Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AVENTIS ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Aventis Environmental Science USA LP, 2000

DeltaGard and GoldCrest are registered trademarks of the Aventis Group.

# GoldCrest® Products

**Aventis Environmental Science USA LP**  
95 Chestnut Ridge Road  
Montvale, New Jersey 07645

[Indicates alternate text.]