



9/29/2009

10f9

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Nasser Assaf, Ph.D.
Valent BioSciences Corporation.
870 Technology Way
Libertyville, IL 60048

SEP 29 2009

Dear Dr. Assaf:

Subject: Application for Pesticide Notification (PRN 98-10)
Comply with Agency pyrethroid labeling letter dated June 4, 2009,
Revise per Pesticide Registration Notice 2007-4 (Container Disposal),
and update Warranty Statement
UltraTec D200 Insecticide
EPA Reg. No. 73049-182
Your submission dated July 29, 2009

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 29, 2009 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. When preparing the actual printed labels, please be aware that there is a typographical error on your label in one of the newly added precautions. Specifically, under the heading OUTDOORS revise "except for the following permitting uses" to read "except for the following permitted uses".

Sincerely,

Dana R. Pelitt

for Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 73049-182	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) UltraTec D 200 Insecticide	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Valent BioSciences Corporation 870 Technology Way Libertyville, IL 60048 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Label Notification - No Fee; e-mail: Nasser.Assaf@valent.com; Fax: (925) 817-5160

See Self Certifications statements on cover letter.

Changes include:

- Environmental Hazard and General labeling requirement per Agency's letter of June 4, 2009
- Revise Storage & Disposal Statements in Compliance with PR Notice 2007-4,
- Updated warranty statement in agreement with US EPA OPP Guidance on Warranty Statements (Oct. 17, 2006)
- No other changes have been made to the label other than those clearly marked.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 to 16 ounces		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Nasser A. Assaf, Ph.D	Title Regulatory Manager, ESD	Telephone No. (Include Area Code) (847) 968-4788	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete; I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Manager, ESD		
4. Typed Name Nasser A. Assaf, Ph.D	5. Date July 23, 2009		

30f9



ENVIRONMENTAL SCIENCES DIVISION

870 Technology Way, Suite 100
Libertyville, IL 60048 • 800-323-9597

July 29, 2009

Document Processing Desk (NOTIF-Pyrethroid)
Registration Division
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

ATTN: Richard Gebken
Product Manager 13
Insecticide Branch

SUBJECT: APPLICATION FOR PESTICIDE LABEL NOTIFICATION – No PRIA Service Fee Required
Submission of Revised Labeling Per:

- June 4, 2009 Environmental Hazard and General labeling for
Pyrethroid Non-agricultural Outdoor Products
- PR-Notice 2007-4, Container Disposal
- PR-Notice 98-10, Warranty Statement update

UltraTec D200 Insecticide; EPA Reg. No. 73049-182

Dear Mr. Gebken:

This application for label notification for the above subject product is being submitted to comply with the Agency's letter of June 4, 2009 Environmental Hazard and General labeling for Pyrethroid Non-agricultural Outdoor Products Notification; PR Notice 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment Revision of Container Disposal and US EPA OPP Guidance on Warranty Statements (Oct. 17, 2006) among other minor changes which are clearly marked.

UltraTec D200 Insecticide; EPA Reg. No. 73049-182; is an aerosol pyrethroid product for homeowners, indoor/outdoor use.

Due to the limited space on EPA Form 8570-1, Section II, the self certification statements are as follows:

Agency's letter of June 4, 2009 Environmental Hazard and General labeling for Pyrethroid Non-agricultural Outdoor Products Notification

Notification of label change per June 4, 2009, letter from Environmental Protection Agency. This notification is consistent with the guidance in the June 4, 2009 letter and the requirements of EPA's regulations at 40 CFR part 156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



PR Notice 2007-4, Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal Notification of label change per PR-Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

US EPA OPP Guidance on Warranty Statements (Oct. 17, 2006)

This notification is consistent with the provisions of PR Notice 98-10 and the EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Notification of warranty statements per PR Notice 98-10 II J.

Two (2) copies of revised draft labeling with changes clearly marked are enclosed. Additions are noted in underlined italics. Deletions are shown struck through.

If you need additional information or have any questions regarding this submission, please do not hesitate to contact me at (847) 968-4844 or e-mail to: Nasser.assaf@valent.com.

Sincerely,

MASSAF

Nasser A. Assaf, Ph.D.
Regulatory Manager, ESD

Enclosures

cc: VBC Regulatory File

A collection of 15 small, stylized line drawings of various birds, including shorebirds, waterfowl, and songbirds, arranged in a grid-like fashion.

UltraTec® D 200 INSECTICIDE

- *For Household And Domestic Use Only*
- *Not for use on plants grown for sale or other commercial use*
- *Kills Carbamate And Organophosphate Resistant Cockroaches*
- *Kills Ants & Roaches On Contact*
- *Kills Carpenter Ants*
- *Controls Scorpions, Spiders & Ticks*
- *Water-Based Formula*
- *Killing Action*
- *Long-Lasting Formula*
- *For Indoor/Outdoor Use*
- *Kills Fleas-Roaches-Ants-Spiders*
- *Kills On Contact*
- *Broad Spectrum Insect Control*
- *No Unpleasant Odor*
- *Won't Stain Carpets And Floors*
- *Protects Against German Cockroaches And Houseflies For up To 12 Weeks [3 Months]*
- *Keeps On Killing German Cockroaches And Houseflies For Up To 12 Weeks [3 Months]*
- *Protects for up to 12 Weeks [3 months]***
- *Keeps on Killing for up to 12 Weeks [3 months]***]*

NOTIFICATION

SEP 29 2009

ACTIVE INGREDIENT:

Deltamethrin..... 0.02 %

OTHER INGREDIENTS*: 99.98 %
100.00 %

*Contains petroleum distillate.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-182

EPA EST NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautions

NET CONTENTS:

****Protects Against German Cockroaches And Houseflies For up To 12 Weeks [3 Months]**


OR

****German Cockroaches and Houseflies**

*****Keeps On Killing German Cockroaches And Houseflies For Up To 12 Weeks [3 Months]**

OR

*****German Cockroaches and Houseflies**



leaf 9

FIRST AID	
If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of <i>Medical</i> emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

PRECAUTIONARY STATEMENTS**Hazards To Humans & Domestic Animals****CAUTION**

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Environmental Hazards

This product is toxic to fish and aquatic organisms. Do not apply directly to water. This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Physical and Chemical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

UltraTec D 200 has residual action which keeps on killing *German Cockroaches* and *Houseflies* for up to 12 weeks (3 months) after you spray.

Remove pets, birds and cover fish aquariums before spraying. Prevent re-entry of dogs and cats into treated area until spray deposits are dry.

Test product on an inconspicuous area before applying. Spray until surface is slightly wet, but not to the point of run-off. Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

SHAKE WELL BEFORE EACH USE. Hold container upright. Do not spray up into air. Apply to surfaces only. [Remove protective cap and direct spray away from face.] [Twist and snap off tab before spraying. Direct spray away from face.] Hold can 12-15 inches from surface being sprayed. Press button down and spray as directed.

UltraTec D 200 insecticide is intended for use in and around residential structures and their immediate surroundings. Permitted areas of use include: apartments, atriiums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas.

Application is prohibited directly into sewers drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

INDOORS:

Cockroaches (Including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains), Ants, Booklice, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks

and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[**Roaches**: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly.]

Ants: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks and Fleas ON SURFACES: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Test first for staining on an inconspicuous piece prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[**Silverfish, Crickets, Spiders**: Apply to areas infested by these pests (around doors and windows, along baseboards, in storage areas and other locations where pests are found) or spray pests directly. Spray surfaces until wet.]

PANTRY PESTS -

Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

OUTDOORS:

Remove all exposed food and cooking utensils. Cover all food handling surfaces and/or wash thoroughly after treatment and before use. Do not use on edible crops.

Do not contaminate fish ponds or apply directly to water. Do not water the treated area to the point of run-off. Do not make applications during rain. All outdoor application must be limited to spot or crack-and-crevice treatments only, except for the following permitting uses:

1. Treatment to soil or vegetation around structures;
2. Applications to lawns, turf, and other vegetation;
3. Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and crevice applications, only.

Point nozzle away from face. Hold can on a slight downward angle, approximately 12 - 15 inches from surface to be sprayed. For best results, spray when air is calm. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation by **Ants, Clover Mites, Crickets and Sowbugs (Pillbugs)**. Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets and Silverfish. Hold can 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic area, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Ants: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris until surface is slightly wet. Repeat as necessary but not more than once per week.

[**Ants**: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Lone Star Ticks, Dog Ticks, Crickets, Fleas and Earwigs: Apply thoroughly to infestations in bushes, grass or weeds.

Wasps, Hornets and Bees: Spray nests and bees directly. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Use only on outdoor surfaces. Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles** hit by spray, as well as **Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers**. May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms**. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Protect from freezing.] [Do not freeze.] [Do not transport or store below 32°F.]

Disposal: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.] **If partly filled:** Call your local solid waste agency [or 1-877-315-9819] for disposal instructions.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL.

No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2008

UltraTec is a registered trademark of Valent BioSciences Corporation.

Valent BioSciences Corporation
Environmental Science Division
 870 Technology Way
 Libertyville, IL 60048
 List No. 73049182 02-0647/R3

Additional Alternate Front Panel Bullets

9 of 9

73049-182

Master Label – Marked

July 2009

- *[Contains UltraTec Insecticide*
- *Contains Deltamethrin*
- *Kills Hidden Bugs*
- *Kills Bugs You See And Even The Ones You Don't See*
- *Highly Effective Against Ants, Bees, Carpenter Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and Many Other Crawling Insects In and Around Homes, Recreational Vehicles, Cabins, Tents And Other Recreational Structures*
- *Keeps On Killing*
- *Contains No CFC's Or Other Ozone Depleting Substances. Federal Regulations Prohibit CFC Propellants In Aerosols.*
- *Guard Your Home With UltraTec]*

[] Denote alternate text in addition to any subset of the directions for use.

