
13249-187 5.1.2009





#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Nasser A. Assaf PhD Valent Biosciences Corporation 870 Technology Way Libertyville, IL 60048

MAY 1 2009

Subject: Label Notification(s) for Pesticide Registration Notices 2007-4 and 2008-1 Storage Disposal change and Environmental Hazards Update

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4 and 2008-1 dated April 9, 2009 for:

#### EPA Registration 73049-187 Ultra Tec HPC 3

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 2008-1, and finds that the label change(s) requested falls within the scope of PRN-2007-4 and 2008-1. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by nonnotification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration División (7505P) Office of Pesticide Programs

| Image: Series       Environmental Protection Agency       Amendment         Weshington, DC 20460       Image: Series       Amendment         Application for Pesticide - Section I       Image: Series       Image: Series         1. Company/Product Number       73049-187       Image: Series       Image: Series         4. Company/Product (Name)       UltraTec HPC 3       PM#       Image: Series       Image: Series         5. Name and Address of Applicant (Include ZIP Code)       Valent BioSciences Corporation       6. Expedited Reveiw. In accordance with EIPM Series         870 Technology Way       Series       Series       Image: Series       Series   | Restricted   |  |
|--|--|--|
| 1. Company/Product Number       73049-187       2. EPA Product Manager<br>Richard Gebken       3. Proposed Class         4. Company/Product (Name)       VitraTec HPC 3       13         5. Name and Address of Applicant (Include ZIP Code)<br>Valent BioSciences Corporation<br>870, Technology Way       0. Expedited Reveiw. In accordance with EIEPA Series<br>(b)(i), my product is similar or identical in composition a  | Restricted   |  |
| 73049-187     Richard Gebken       4. Company/Product (Name)     VItraTec HPC 3       5. Name and Address of Applicant (Include ZIP Code)     6. Expedited Reveiw. In accordance with EIEPA accordance | Restricted   |  |
| <ul> <li>4. Company/Product (Name)</li> <li>UltraTec HPC 3</li> <li>5. Name and Address of Applicant (Include ZIP Code)</li> <li>Valent BioSciences Corporation</li> <li>870 Technology Way</li> </ul>   | <br>ion 3(c)(3)  |  |
| <ul> <li>5. Name and Address of Applicant (Include ZIP Code)</li> <li>5. Name and Address of Applicant (Include ZIP Code)</li> <li>6. Expedited Reveiw. In accordance with SIEPA Sin (b)(i), my product is similar or identical in composition a</li> </ul>  | ion 3(c)(3)  |  |
| Libertyville, IL 60048 EPA Reg. No MAY UI 2009   | pplicant (Include ZIP Code)       6. Expedited Reveiw. In accordance with EIEEA Apption 3(c)(3)         Corporation       (b)(i), my product is similar or identical in composition and labeling         y       to: |  |
| Check if this is a new address Product Name  |  |  |
| Section - II   |  |  |
| Amandment - Explain below.       Final printed labels in repsonse to Agency latter dated         Resubmission in response to Agency latter dated       "Me Too" Application.         Notification - Explain below.       Other - Explain below.  |  |  |
| Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of label change relative to PR Notice 2008-1 and PR-Notice 2007-4. This notification is consistent with the guidance in PR Notice 2008-1 and PR-Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.80, 152.46, 156.140, 156.144, 156.146, and 153.156, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2008-1, PR-Notice 2007-4 and the requirements of 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, 156.140, 156.144, 156.144, 156.146, and 153.156 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.<br>Notification of revised disposal instructions per PR Notice 2007-4 and revised Environmental Hazards statements per PR Notice 2008-1   |  |  |
| Section - III  |  |  |
| 1. Material This Product Will Be Packaged In:  |  |  |
| Child-Resistant Packaging     Unit Packaging     Water Soluble Packaging     2. Type of Container       Yes     Yes     Yes     Metal       No     V     No     Volume   |  |  |
| Certification must<br>be submitted     If "Yes"     No. per<br>Unit Packaging wgt.     If "Yes"     No. per<br>Package wgt     No. per<br>container     Glass  |  |  |
| 3. Location of Net Contents Information     4. Size(s) Retail Container     5. Location of Label Directions       Image: State of Container     1 pt to 1.5 gallons     Image: State of Container  |  |  |
| 6. Manner in Which Label is Affixed to Product   |  |  |
| Section - IV   |  |  |
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)  |  |  |
| NameTitleTelephone No. (Include<br>Regulatory Manager, ESDNasser Assaf, Ph.D.Regulatory Manager, ESD(847) 968-48   | -  |  |
| Certification       6. Date Application         I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.       6. Date Application         I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.       6. Date Application  |  |  |
| 2. Signature 3. Title Regulatory Manager, ESD  |  |  |
| 4. Typed Name<br>Nasser Assaf, Ph.D. 5. Date<br>April 9, 2009  |  |  |

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

2/7

# UltraTec® HPC 3

- For Indoor And Outdoor Use
- Ready-To-Use
- Easy-To-Use
- Water-Based
- Kills On Contact
- Kills Fast
- Long-Lasting
- Keeps Killing Carpenter Ants For Up To 1 Months [4 Weeks] When Applied To Non-Porous Surfaces
- Keeps Killing Pharaoh Ants, Crazy Ants And Fire Ants For Up To 1 Week
- Keeps Killing For Up To 12 Months [1 Year, 52 Weeks]\*
- Kills Fleas
- Kills Mosquitoes
- Keeps Killing Flies For Up To 5 Months [20 Weeks]
- Odorless
- Non-Staining
- No Oily [Greasy] Residue
- For Use In And Around Horse Stables
- Keeps Killing Stable Flies For Up To 18 Weeks [4.5 Months, 135 Days]
- For Use On House Plants
- For Use On Ornamental Plants
- Kills Fleas & Ticks
- Kills Home Invading Pests
- Kills Spiders, Centipedes And Scorpions
- Kills Roaches, Ants And Fleas On Contact
- Kills Pantry Pests
- Kills Plant Pests
- Kills Aphids, Mealy Bugs, Lace Bugs, Thrips, Leafminers And Mites
- Kills Spider Mites
- Kills Japanese Beetles
- Also Controls Termites, Carpenter Ants & Carpenter Bees
- Controls Ticks That May Carry Lyme Disease

\* German Cockroaches]

| ACTIVE INGREDIENT:        |               |
|---------------------------|---------------|
| Deltamethrin              |               |
| <b>OTHER INGREDIENTS:</b> | <u>99.97%</u> |
|                           | 100.00%       |

**PRECAUCION AL USUARIO:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO.: 73049-187

## EPA EST. NO.:

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautions

## NOTIFICATION

MAY 01 2009

NET CONTENTS:

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819.

## PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

#### CAUTION

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

#### **Environmental Hazards**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of washwater or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

#### **Physical or Chemical Hazards**

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack & crevice treatment. [Turn sprayer nozzle to "on" position.] Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist but not to the point of runoff. Over application may cause damage. Test in an inconspicuous area before applying.

Do not allow children or pets to contact treated surfaces until spray has dried.

UltraTec HPC's long-lasting action keeps on killing *German Cockroaches* for up to 12 months [1 year] and *Flies* for up to 150 days [20 weeks; 5 months] after you spray. More frequent applications may be necessary on concrete surfaces. Check these areas in 4 weeks and retreat if insect activity continues. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas.

UltraTec HPC is intended to be used in and around residences and their immediate surroundings such as (but not limited to): apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

#### INDOORS

Cockroaches (Including Adult and Immature Stages Of Both Non-Resistant And Organophosphate And Carbamate Resistant Strains), Ants, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[Roaches: Spray in cracks and crevices, around baseboards and other hiding places.]

Ants: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks [(Including Deer Ticks Which May Carry Lyme Disease)] and Fleas on Surfaces: Remove pet bedding and destroy c. : 2:2an thoroughly. Spray pet resting quarters. Adult Fleas and Larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, artics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests

may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

#### [Silverfish, Crickets, Spiders: Apply to areas infested by these pests.]

FLYING INSECTS: *Houseflies, Gnats, Mosquitoes* and *Small Flying Moths:* Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

[FLYING INSECTS: Spray resting areas. Insects coming to rest on treated surfaces will be killed.]

HORSE STABLES: To Control Stable Flies, Horn Flies, Houseflies, Face Flies, Horse Flies, Deer Flies, Mosquitoes and Gnats. Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS - Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

*Webbing Clothes Moths:* Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bedbugs and Lice: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

Also, treat your yard with a product registered for yard application.

#### **OUTDOORS**

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

For outdoor use only as an aid in controlling these insects. Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to *Ants, Clover Mites, Crickets* and *Sowbugs* (*Pillbugs*). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish. Hold can 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic areas, hitting as many insects as possible. Spray to slightly moisten the surface. Spray infested surface of patio or picnic area. Also spray legs of tables and chairs.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

[Ants: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: *Houseflies, Gnats, Mosquitoes* and *Small Flying Moths:* Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

*Termites, Carpenter Ants* and *Carpenter Bees:* (for localized control only) Apply UltraTec HPC to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

For *Termites*, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite

infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: To control *Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Mites* and *Spider Mites* on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, Armyworms, Lace Bugs, Mealy Bugs, Exposed Thrips, Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers.

Not for use on plants grown for sale or other commercial use.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. **DO NOT apply to vegetable plants or other plants used for food.** Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

### STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Protect from freezing.] [Store above 32°F.] [Do not transport or store below 32°F. (0°C)] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking]. Freezing does not adversely affect [this product] [performance].

Container Disposal: If empty: <u>Non-refillable container</u>. Do not reuse <u>or refill</u> this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency [or 1-877-315-9819] for disposal instructions. Never place unused product down any indoor or outdoor drain.

## **IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2009 UltraTec is a registered trademark of Valent BioSciences Corporation.

Valent BioSciences Corporation

*Environmental Science Division* 870 Technology Way Libertyville, IL 60048 List No. 73049187 02-0820/R7

## Additional Alternate Front Panel Bullets:

- [ No Drips No Runs
- Stays Where You Put It
- Does Not Stain Surfaces
- Does Not Stain Fabrics
- No Shaking Required
- No Shake Formula
- No Drip Formula]

[] Indicates alternate text in addition to any subset of the directions for use.