

SYNTHRIN HOUSE AND GARDEN LIQUID 0.25%

- FOR HOUSEHOLD USE ONLY
- EFFECTIVE IN THE CONTROL OF HOUSE FLIES, MOSQUITOES, GNATS, COCKROACHES, EARWIGS, GRAIN MITES, SOWBUGS, SPIDERS, CENTIPEDES, BITING FLIES, FLYING MOTHS AND FLEAS AND ON ORNAMENTAL PLANTS AGAINST APHIDS, EXPOSED THRIPS, WHITE FLIES, LEAFHOPPERS, PLANT BUGS, JAPANESE BEETLES AND MIMOSA WEBWORM LARVAE (ON MIMOSA)

ACTIVE INGREDIENT:

Resmethrin* 0.25 %

OTHER INGREDIENTS: 99.75 %
 100.00 %

*Cis/trans isomers ratio: max. 30% (+/-) cis and min. 70% (+/-) trans.

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(**TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)


EPA REG. NO. 73049-276

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819.	

See Side Panel For Additional Precautions.



NET CONTENTS.

**READ ENTIRE LABEL BEFORE EACH USE
PET USE APPLIES ONLY TO USE ON DOGS & CATS**

**PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals**

CAUTION

Harmful if swallowed. Avoid breathing of vapor. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not remain in treated areas. Prevent re-entry of dogs and cats into treated area until spray deposits are dry.

Do not use on dogs or cats under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Environmental Hazards

This pesticide is extremely toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Remove pets, birds and cover fish aquariums before spraying. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Do not apply to surfaces that may be harmed or stained by water.

Apply using a good sprayer adjusted to deliver a fine mist.

INDOORS

FOR CONTROL OF *House Flies, Mosquitoes and Gnats*: Close all doors and windows. Direct the spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when the treatment is completed.

INDOORS: Kills *Cockroaches, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes*. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes, under refrigerators, baseboards and storage areas. Spray directly on insects where possible.

Ants: Spray trails, nests and points of entry. Spray on *Ants* where possible.

TO KILL *Fleas* ON DOGS, CATS AND PREMISES: Apply directly to animals along back, under forelegs and on other areas except genitalia. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until animal hair is thoroughly saturated. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment if necessary. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Also spray the entire inside surface of dog houses. Thoroughly spray floors, cracks, crevices and bedding. Hit as many insects directly as possible.

OUTDOORS

TO KILL *Mosquitoes, Gnats (Midges), House Flies, Biting Flies and Flying Moths (Millers)*: Follow precautions listed above. Apply the spray 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area.

OUTDOORS: To protect ornamental plants

Apply using a good spray adjusted to deliver a fine mist, spraying plants from 18 to 24 inches.

ORNAMENTALS


Smaller Rhododendrons
Pines
Spruce
Hemlock
Spirea
Dogwood
Palm
Mimosa
Toyan

Mimosa
Viburnum
Euonymus
Oaks Exposed
Maples
Locust
Forsythia
Althea

INSECTS

Webworm Larvae
(on mimosa)
Aphids
Thrips
White Flies
Leafhoppers
Plant Bugs
Japanese Beetles

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Catanester, Rose Camellia, Azalea, Pyrecartha and Carnation may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage.



INDOORS: To protect house plants
Spray infested African violets, philodendron, geraniums, begonias, coleus for control of previously listed pests.

OUTDOORS: To control nuisance pests

Ants: Spray trails, nests and points of entry. Spray on *Ants* where possible.

Wasps: Make applications in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as may insects as possible.

Spiders: Spray directly on *Spiders*.

STORAGE & DISPOSAL

Storage: Store in original container in a cool, dry area away from children and pets.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2002

Synthrin is a registered trademark of Bayer AG.

Valent BioSciences Corporation
Environmental Science Division
870 Technology Way
Libertyville, IL 60048
List No. 73049276

02-0265/R1