



73049-296

# PYRENONE®

## PORCH, PATIO, GARDEN AND ORNAMENTAL SPRAY I

- A FAST ACTING EFFECTIVE WAY TO KILL WASPS AND HORNETS, MOSQUITOES, GNATS, MOTHS AND HOUSE-FLIES; SPIDERS, ANTS AND ROACHES, APHIDS, GYPSY MOTH CATERPILLARS, JAPANESE BEETLES AND 30 OTHER LISTED YARD AND GARDEN INSECTS
- KILLS GYPSY MOTH CATERPILLARS AND JAPANESE BEETLES
- USE OUTDOORS ON FLOWERS, ROSES, TREES AND SHRUBS, ORNAMENTALS AND VEGETABLES, AND AROUND THE PORCH, PATIO AND GARAGE
- PROVIDES EFFECTIVE, FAST ACTING KILLING POWER WITH NO OBJECTIONABLE RESIDUE
- READY-TO-USE, NO MIXING NEEDED
- CAN BE USED ON VEGETABLES TILL DAY OF HARVEST

### ACTIVE INGREDIENTS:

Pyrethrins ..... 0.04%  
 Piperonyl Butoxide\* ..... 0.40%

OTHER INGREDIENTS: ..... 99.56%  
 100.00%

\*Equivalent to min. 0.32% (butylcarbityl) (6-propylpiperonyl) ether and 0.08% related compounds.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO 73049-296

EPA EST. NO.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
 See Side Panel For Additional Precautions

FIRST AID	
<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If Inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on Skin or Clothing:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819.

NET CONTENTS:

Environmental Science

## PRECAUTIONARY STATEMENTS Hazards To Humans

### CAUTION

Harmful if swallowed. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Remove pets from areas being treated. Do not allow pets to re-enter treated areas until spray deposits have dried.

### Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### Physical or Chemical Hazards

Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply to surfaces that may be harmed or stained by water.

**TO OPERATE: SHAKE BEFORE USING.** Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage.

**TO OPERATE: SHAKE BEFORE USING.** Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage.

[**TO OPERATE: SHAKE BEFORE USING.** Remove shipping cap and save. Insert sprayer hose into bottle and tighten securely. Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Remove sprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage.]

### VEGETABLES

Use outdoors throughout the growing season. Apply spray thoroughly on upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied to day of harvest.

**INSECTS CONTROLLED:** *Aphids, Asparagus Beetles, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-Striped Cabbage Worms, Diamondback Caterpillar, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Japanese Beetles, Leafhoppers, Leafleters, Mexican Bean Beetles, Stink Bugs, 12-spotted Cucumber Beetles, Webworms and Whiteflies.*

**CROPS:** Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cucumbers, Eggplant, Kale, Lettuce, Melons, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Squash, Sweet Corn, Tomatoes and Turnips.

### ORNAMENTALS, TREES, SHRUBS AND ROSES

Apply as a fine mist, spraying plants on the upper and lower leaf surfaces.

**INSECTS CONTROLLED:** *Aphids, (red, black and green peach), Bagworms, Thrips, Flea Beetles, Japanese Beetles, Lace Bugs, Leaf Rollers, Leafleters, Mimosa Webworm Larvae, Plant Bugs and Whiteflies.* Repeat treatment weekly, or as needed to control infestations.

### PORCHES, PATIOS AND GARAGES

Spray the surface areas and hit the insects whenever possible.

**Ants:** Spray trails, nests and points of entry. Spray on ants where possible.

**Wasps & Hornets:** Apply in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible.

**Spiders:** Spray directly on spiders and web.

**TO KILL** *Cockroaches, Palmetto Bugs, Earwigs, Sowbugs, Centipedes, Millipedes, Crickets, Silverfish and Clovermites,* spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes, spigots, storage areas, and sheds. Spray directly on insects where possible.

3 8 3

**OUTDOORS:**

TO KILL *Mosquitoes, Gnats (Midges), Houseflies, Biting Flies and Small Flying Moths (Millers)*, apply spray on shrubs, bushes, and grassy areas. Spray these areas with a slow sweeping motion while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. For best results, spray when air is still. Allow spray to dissipate before occupying the treated area.

TO KILL *Gypsy Caterpillars and Adults, Adult Japanese Beetles and Eastern Tent Caterpillars* ON CONTACT: ON TREES AND SHRUBS: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

ON ROSES AND IN FLOWER GARDENS: Treat plants and flowers as soon as insects appear. Spray plants and flowers, making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

**STORAGE & DISPOSAL**

**Storage:** Store in original container away from children and pets. Do not transport or store below 32°F to avoid freezing.

**Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2004

Pyrenone is a registered trademark of Bayer AG.

Environmental Science Division

Valent BioSciences Corporation  
Environmental Science Division  
870 Technology Way  
Libertyville, IL 60048

02-0528/R2