

PYRENONE® PRESSURIZED

- A WATER-BASED PYRENONE® INSECTICIDE
- LOW DOSAGE REQUIRED
- USE IN SCHOOLS, HOSPITALS, INSTITUTIONS, HOTELS, DAIRIES, SUPERMARKETS, RESTAURANTS, DRIVE-INS, MOTELS, DRUGSTORES, FOOD PLANTS, HOMES, APARTMENTS, THEATERS, TRUCKS, KENNELS, AND OFFICE BUILDINGS.

ACTIVE INGREDIENTS:

| | |
|---------------------------------|---------------|
| Pyrethrins | 0.3 % |
| Piperonyl Butoxide* | 1.5 % |
| OTHER INGREDIENTS: | <u>98.2 %</u> |
| | 100.0 % |

*Equivalent to min. 1.2% (butylcarbityl)(6-propylpiperonyl) ether and 0.3% related compounds.

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(**TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)


EPA REG. NO. 73049-297

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

| FIRST AID | |
|--|--|
| If Swallowed: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| If Inhaled: | <ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice. |
| If In Eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| If On Skin Or Clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| HOT LINE NUMBER | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819. | |

See Side Panel For Additional Precautions



NET CONTENTS:

**READ ENTIRE LABEL BEFORE EACH USE
PET USE APPLIES TO USE ONLY ON DOGS OR CATS**

**PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Vacate premises after treatment and ventilate before reoccupying. Remove pets and birds, and cover fish aquariums before spraying. Prevent re-entry of dogs and cats into treated areas until spray deposits have dried.

Do not use on dogs or cats under twelve (12) weeks old. Consult a veterinarian before using this product on medicated, debilitated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application.

Do not apply while food processing is underway. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use.

Do not use on surfaces that may be harmed or stained by water.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Cockroaches, Palmetto Bugs, Waterbugs, Silverfish, Firebrats, Crickets, Pillbugs, Spiders, Centipedes and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

Ants: Spray trails, nests and points of entry. Spray on Ants where possible.

Flies, Mosquitoes, Gnats, Midges, Wasps, Hornets and Flying Moths (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and frames.

To kill **Fleas** and **Brown Dog Ticks** on dogs, cats, and premises: Apply directly to animals along back, under forelegs and on other areas except genitalia. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until animal hair is thoroughly saturated. Do not spray directly in eyes or mouth of animal. Repeat application weekly if necessary.

To reduce reinfestation thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Also spray the entire inside surface of doghouses and kennels, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects directly as possible.

Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment.

Confused Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles and Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in an area away from heat or open flame. Do not store below 32°F.

Disposal: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2003

Pyrenone is a registered trademark of Bayer AG.

Valent BioSciences Corporation
Environmental Science Division
870 Technology Way
Libertyville, IL 60048

List No. 73049297

02-0203/R1