

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG 2 8 2003

Janice K. Sharp, PhD Regulatory Manager, ESD Valent BioSciences Corporation 870 Technology Way Libertyville, IL 60048

Subject:

Amendment - Update First Aid and Disposal Statements

PyraPerm Insect Killer WBA N67 EPA Registration No. 73049-323 Your submission dated May 28, 2003

Dear Dr. Sharp:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, and Rodenticide Act (FIFRA), as amended, is acceptable, subject to the comments listed below.

- 1. Under the "Precautionary Labeling" section of your label, move the following statements to the "Directions for Use" section: "Avoid contamination...surfaces are dry." Delete the statement "Causes skin irritation" and replace with "Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing."
- 2. Delete the word "highly" from the statement "...broad spectrum insecticide highly effective..."
- 3. Add the following statement to the "Directions for Use" section: "Do not apply to institutions (including libraries, sports facilities, etc.,) in the immediate area when occupants are present."
- 4. The results of the acute inhalation study indicate it is in Toxicity Category III. Therefore reinstate the first aid inhalation statement and corresponding language under Precautionary Statements.
- 5. Add the following precaution to the first paragraph under Outdoors "Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops

6. Revise the first sentence under Crawling Insects to read "Hold can two (2) to three (3) feet from surface to be treated and spray in infested surface of patio or picnic area, hitting as many insects as possible. Spray to slightly moisten the surface."

A stamped copy of the label has been enclosed for your records. If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

Enclosure

# PYRAPERM® INSECT KILLER WBA N67

- CONTAINS PYRENONE® AND PERMANONE®
- CONTROLS RESIDENTIAL, INDUSTRIAL AND GARDEN INSECTS
- FOR HOUSEHOLD USE, AND COMMERCIAL/AGRICULTURAL USE IN NON-FOOD/NON-FEED AREAS OF INDUSTRIAL AND INSTITUTIONAL BUILDINGS, THEATERS, GARAGES, HOTELS, MOTELS.
- A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS, CARPENTER ANTS, BEES, CARPET BEETLES, CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS, DEER TICKS, EARWIGS, FIREBRATS, FLEAS, FLOUR BEETLES, GRAIN BEETLES, GROUND BEETLES, MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TICKS, WASPS, AND OTHER LISTED PESTS.

#### **ACTIVE INGREDIENTS:**

Pyrethrins		0.250 %
	**************************************	
		100.000 %

<sup>\*</sup>Equivalent to min. 1.0% (butylcarbityl)(6-propylpiperonyl) ether and 0.25% related compounds.

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la ctiqueta le haya sido explicada amplimente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-323

EPA EST. NO.

### KEEP OUT OF REACH OF CHILDREN

# CAUTION

	FIRST AID
If on skin or clothing:	<ol> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ol>
	HOT LINE NUMBER
	ner or label with you when calling a poison control center or doctor, or going for treatment. In case of health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained 19.

See Side Panel For Use Cautions

**NET CONTENTS:** 

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 28 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

<sup>\*\*</sup>cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

# PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

#### CAUTION

Causes skin irritation. Do not get on skin or clothing. Frequent or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

#### **Environmental Hazards**

This product is toxic to fish. Do not apply directly to any body of water.

# Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housings, junction boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food.

Non-food/non-feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning and bottling).

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use. Do not use on electrical equipment or on surfaces that can be harmed or stained by water.

#### SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

When treating surfaces and fabrics where water alone could stain, spray in an inconspicuous area to test for possible staining or discoloration.

#### INDOORS

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Blackflies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment.

Expose stages of Confused Flour Beetles, Saw-toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mittes: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Dispose of infested stored product food products in the home.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray in joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before use.

TO CONTROL Clothes Moths and Other Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

#### OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for the product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Centipedes, and Silverfish. Spray infested surfaces of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fushia, geraniums, crassula, grape vine. Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible.

## STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. Do not transport or store below 32°F.

Disposal: Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

## IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disctaimer of warranties and limitations of liability. CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE. STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID. OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

**©Valent BioSciences Corporation**, 2002

PyraPerm is a registered trademark of Valent BioSciences Corporation. Permanone and Pyrenone are registered trademarks of the Bayer AG.

Valent BioSciences Corporation Environmental Science Division 870 Technology Way, Suite 100 Libertyville, IL 60048 List No. 73049323