730 49-33) 9-30-2003 // 4
Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060, Approval expires 2-28-95

<b>⇔EPA</b>	Environmental Pr Washington	I States Otection Age n, DC 20460		Registra Amendr Other	tion	OPP Identifier Number	
1. Company/Product Numbe		JACALIOIT TOT I	2. EPA Product Me		3. Pro	posed Classification	
73049-331			George LaRocca			None Restricted	
4. Company/Product (Name) TetraPerm (.151575) Yard & Patio WBA			PM# 13				
5. Name and Address of App Valent BioSciences C 870 Technology Way Libertyville, IL 60048			(b)(i), my product to:	is similar or ident	ical in con	FIFRA Section 3(c)(3) inposition and labeling	
		Sec	tion - II				
Amendment - Explain	ı below.		1 1	ed labels in repsons	e to	NOTIFICATION	
Resubmission in response to Agency letter dated  Notification - Explain below.			Me Too*	Application.		SEP 3 0 2003	
1. Material This Product Will Child-Resistant Packaging Yes No Certification must be submitted  3. Location of Net Contents	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	Sec	Soluble Packaging Yea No s" No. per ge wgt	2. Type of	Metal Plastic Glass Paper Other (S		
r: fi	Container	Lithograph	Oth	er			
	<u> </u>	Paper glued Stenciled					
			tion - IV				
Contact Point (Complete items directly below for identification     Name     Janice K. Sharp, Ph.D.			Title  Regulatory Manager, ESD			Telephone No. (Include Area Code) (847) 968-4844	
·	ments I have made on this ry knowlinglly false or misle					6. Date Application Received (Stamped)	
2. Signature		3. Title	Regulatory Manager, ESD			i one	
4. Typed Name  Janice K. Sharp, Ph.D.		5. Date	September 22, 2003				

## **NOTIFICATION**

SEP 3 0 2003

# **TETRAPERM®**

## (.15-.15-.75) Yard & Patio WBA

- CONTROLS RESIDENTIAL AND ORNAMENTAL GARDEN INSECTS
- FOR HOUSEHOLD USE
- A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS, CARPENTER ANTS, BEES, CARPET BEETLES. CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS), EARWIGS, FIREBRATS, FLEAS, GRAIN BEETLES, MILLIPEDES, MOLE CRICKETS, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBUGS, SPIDERS, TICKS, WASPS, AND MANY OTHER PESTS.
- PROTECTS FOR UP TO [4 WEEKS], [12 WEEKS], [3 MONTHS]
- FAST FOGGING ACTION KILLS ON CONTACT
- PENETRATING FOGGING ACTION KILLS ON CONTACT
- KILLS FLYING & CRAWLING PESTS INCLUDING GNATS, FLIES, ANTS, SPIDERS AND OTHER OUTDOOR INSECTS
- WILL NOT HARM ORNAMENTAL PLANTS
- WATER-BASED FORMULA
- · KILLS AND REPELS MOSQUITOES
- UNSCENTED
- CONTAINS NO CFCs OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.

#### **ACTIVE INGREDIENTS:**

Tetramethrin	0.15	%
Permethrin	0.15	%
Piperonyl Butoxide	0.75	%
OTHER INGREDIENTS:		
	00.00	

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada amplimente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-331

EPA EST. NO.

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

FIRST AID				
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If Inhaled:	<ul> <li>Remove person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>			
	HOT LINE NUMBER			

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of *Medical* emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819.

SEE SIDE PANEL FOR PRECAUTIONS

NET CONTENTS:

3/4

# PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

#### CAUTION

Harmful if absorbed through skin or inhaled. Avoid contact with skin or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling.

#### **Environmental Hazards**

This product is toxic to fish. Do not apply directly to any body of water.

#### Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove contaminated clothing and wash clothing before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying or surface applications. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

#### INDOORS.

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

Ants: Spray trails, nests and points of entry. Spray on Ants where possible.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets.

**Bedbugs:** Spray mattresses, particularly around turks and seams. Allow mattress to dry thoroughly before use. After mattress is dry, cover with mattress cover and sheet. Do not use mattress without cover. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before use.

TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

#### **OUTDOORS:**

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation due to Ants, Clover Mites, Crickets, Earwigs, Millipedes and Sowbugs (Pillbugs). Spray foundation of building where insects are active and may find entrance, up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include ' to that are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost, piles.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Centipedes and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel Ants. Spray ant traffs and hills.

414

Ants, Lone Star Ticks, Crickets, Fleas and Earwigs: Apply thoroughly to infestation in bushes, grass or weeds. For Ants, spray freely around ant trails and hills.

FOR THE CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray, as well as *Whiteflies*, *Aphids*, *exposed Thrips*, *Spiders*, *Red Mites* and *Leafminers*.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, camations, chrysanthemums, dahlias, geraniums, crassula, grape vine Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

#### STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. Do not transport or store below 32°F.

Disposal: Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

#### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability. CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Valent BioSciences Corporation, 2002

TetraPerm is a registered trademark of Valent BioSciences Corporation.

Valent BioSciences Corporation Environmental Science Division 870 Technology Way Libertyville, IL 60048 List No. 73049331

