73049- 377

12/22/2003

PYRENONE[®] GARDEN SPRAY CONCENTRATE

- A PYRENONE® INSECTICIDE CONCENTRATE
- A FAST ACTING EFFECTIVE WAY TO KILL APHIDS, BEETLES, WEBWORMS, LEAFHOPPERS AND MANY OTHER YARD AND GARDEN INSECTS.
- DILUTE WITH WATER FOR USE ON VEGETABLE AND ORNAMENTAL PLANTS
- MIXES READILY WITH WATER TO MAKE AN EASY-TO-USE SPRAY
- USE OUTDOORS ON FLOWERS, ROSES, TREES, AND SHRUBS, ORNAMENTALS AND VEGETABLES
- CAN BE USED ON VEGETABLES TILL DAY OF HARVEST
- PROVIDES EFFECTIVE, FAST-ACTING, KILLING POWER

ACTIVE INGREDIENTS:

Pyrethrins	1.0 %
Piperonyl Butoxide*	10.0 %
OTHER INGREDIENTS**:	
	100.0 %

*Equivalent to 8.0% (butylcarbityl)(6-propylpiperonyl) ether and 2.0% related compounds. **Contains Petroleum Distillate

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 73049-377

Г

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

If swallowed:	 Immediately call poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
In inhaled:	 Move person to fresh airs If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER

information may be obtained by calling 1-877-315-9819.

NOTE TO PHYSICIAN

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

See Side Panel For Additional Precautionary Statements

NET CONTENTS

as amended, for the pesticide egistered under EPA Reg. No. 1

ACCEPTED

DEC 2 2 2003

Under the Federal Insecticide, Fungicide, and Rodenticitde Act.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION

Harmful if absorbed through the skin or inhaled. Causes moderate eye injury. Prolonged and frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling,

Not for use on plants being grown for sale or other commercial use.

This insecticide may be used outdoors or in greenhouses throughout the entire growing season or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. To control insects named on the plants listed below, use 7.5 to 15 fluid ounces of concentrate in 5 gallons of water or 3 to 5 tablespoons per 1 gallon. (1 tablespoon per quart of water) Apply to insure thorough coverage of upper and lower leaf surfaces. Use caution on new growth and tender foliage.

Prepare only the amount of spray required. Holding dilute spray more than 24 hours is not recommended.

CROP ASPARAGUS BEANS	TO CONTROL Asparagus Beetle Aphids, Leafhoppers, 12-Spotted Cucumber Beetle, Whitefly, Mexican Bean Beetle		
BROCCOLI, CABBAGE, BRUSSELS SPROUTS, CAULIFLOWER	Aphids, Cabbage Looper, Cross-Striped Cabbage worm, Diamond-back Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stinkbug		
CELERY	Green Peach Aphid, Leaftier, Cabbage Looper		
CRANBERRIES	Fireworms. Leafhopper		
EGGPLANTS	Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid		
LETTUCE	Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm		
MUSTARD GREENS	Imported Cabbageworm	· · · · ·	
KALE, COLLARDS	Diamond-back Caterpillar		
TURNIPS	Aphids, Cabbage Looper		· · · ·
PEPPERS	Green Peach Aphid		
POTATOES	Aphids, Colorado Potato Beetle, Flea Beetle, Leafhoppers		
RADISH	Aphids, Flea Beetle	ଅନ୍ୟ କରୁ ଅବସ ଅନ୍ୟ	

SPINACH

TOMATOES

ORNAMENTALS (African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwoods, Geraniums, Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jew, etc.) Aphids, Cabbage Looper, Webworm

Green Peach Aphid. Stink Bug, Colorado Potato Beetle, Flea Beetle

Aphids, Flea Beetle, Leafhopper

STORAGE AND DISPOSAL

CONTAINERS LARGER THAN ONE GALLON:

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage and Spill Procedures: In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fillers' earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Pesticide, spray mixture ro rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

CONTAINERS ONE GALLON AND SMALLER:

Storage: Store upright at room temperature.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability. CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or he manner of use or application, all of which are beyond

the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer. DISCLAIMER OF WARRANTIES: VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED. OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE. THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT. WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT. ©Valent BioSciences Corporation, 2003

Pyrenone is a registered trademark of Bayer AG.

Valent BioSciences Corporation

Environmental Science Division 870 Technology Way Libertyville, IL 60048

List No. 73049377

02-0187/R1

- - -