

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 26, 2012

Nasser A. Assaf, Ph.D
Manager, Product Safety & Regulatory Affairs
Valent BioSciences Corporation
870 Technology Way
Libertyville, IL 60048

Subject: Amended Reregistration Label
Product Name: Py Butacide® 163
EPA Registration Number: 73049-400
EPA Decision Numbers: 410099, 411570, 414127

Dear Dr. Assaf:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Pyrethrins, Piperonyl Butoxide and MGK-264 REDs, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.


- Basic CSF, dated 19 July, 2011
- Alternate CSF, dated 19 July, 2011

2/9

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Clayton Myers at 703-347-8874 or myers.clayton@epa.gov.

Sincerely,



Richard J. Gebken
Product Manager
Insecticide Branch
Registration Division (7505P)

Enclosures: *Label stamped "Accepted," dated September 26, 2012*
Acute Toxicity Review, dated February 15, 2011
Product Chemistry Review, dated August 22, 2011

3/9

Py Butacide® 163

- *[For Use Indoors As A ULV, Space, Area, Contact Spray Or Thermal Fog For Listed Insects]*
- *Effective And Fast Acting*
- *Provides Flushing Action And Quick Knockdown For Indoor Use As A ULV, Space, Area Or Contact Spray*
- *Temporary Reduction Of Flying Insects]*

ACTIVE INGREDIENTS:

Pyrethrins..... 3.0%

Piperonyl Butoxide *..... 6.0%


N-octyl bicycloheptene dicarboximide**..... 10.0%

OTHER INGREDIENTS*:**..... 81.0%
100.0%

*(butyl carbityl)(6-propylpiperonyl) ether and related compounds

**MGK-264 Insecticide Synergist

*** Contains Petroleum Distillates

**EPA REG. NO. 73049-400****EPA EST. NO.****KEEP OUT OF REACH OF CHILDREN****CAUTION****See Side/Back Panel For Additional Precautions**

FIRST AID	
If Swallowed:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-877-315-9819.	
NOTE TO PHYSICIAN	
Contains petroleum distillate - vomiting may cause aspiration pneumonia.	

NET CONTENTS:**LOT NUMBER:**

4/9

PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals

CAUTION

Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators and other handlers, must wear the following:

- Long-sleeved shirt
- Long pants
- Shoes plus socks

In addition to the above PPE, mixers and loaders and/or applicators using high-pressure handwand in an enclosed area must wear at least a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval prefix TC-21C or any N, R, P, or HE filter.

In addition to the above PPE, applicators using hand-held foggers in an enclosed area must wear a half-face or full face or hood style NIOSH approved respirator with a dust/mist filtering cartridge with MSHA/NIOSH approval number prefix TC-21C, or a cartridge or canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a cartridge or canister with any N, R, P, or HE filter.

User Safety Requirements:

- Follow manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety recommendations:

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

{Containers equal or greater than 5 gallons or 50 lbs.}

[Environmental Hazards]

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

Physical and Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not apply when food, feed, and/or water is present.
- Do not contaminate food or feedstuffs.
- Do not use in aircraft cabins.
- Not for use in outdoor residential misting systems.
- Do not use in greenhouses where plants are grown for food.

5/9

- For surface spray use: Except when applying to donkeys, horses, ponies, and mules, do not enter or allow others to enter until sprays have dried. Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed and the treated area has been thoroughly ventilated.
- For Space spray applications: {excluding meter release devices} Do not enter or allow others to enter until sprays have dispersed and the treated area has been thoroughly ventilated. Do not remain in treated area. Exit area immediately and remain outside the treated area until sprays have dispersed.
- Except when applying to donkeys, horses, ponies, and mules, do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the treated area during applications.
- Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.
- Remove pets, birds and cover any water inhabited by fish (such as aquariums and ornamental fish ponds) before spray application. Turn off aquarium filtering systems before spraying and wait approximately 15 minutes after application before turning the filter back on.
- In food/feed handling facilities, do not make space spray applications when facility is in operation. Prior to space spray applications, cover or remove food. Prior to space spray applications, cover food processing surfaces or clean after treatment before use. Do not apply more than 1 time per day.]
- When used in a metered release device: Not for use in Residential areas. Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not place metering device directly over or within 8 feet of exposed food, dishes, utensils, food processing equipment and food handling or preparation. Do not install within 3 feet of air vents. Carefully follow directions for the dispenser unit and when replacing cans or conducting maintenance.
- When using this product, installers and service technicians must comply with the license, certification, or registration requirements of the state(s), tribe(s), or local authority(ies) where they are installed.
- When applying via a remote application device, do not apply when people and pets are present.
- Do not use in an evaporative cooling system.
- If used in a system with a reservoir tank for the end use dilution, the system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve. The dilution statement must be phrased as follows: This container holds ____ parts [product name] to ____ parts water.
- If used in a direct injection system, the pesticide container must be locked. Securely attach the end use label to the pesticide container with a weather protected area or plastic sleeve.
- [For indoor agricultural premises, commercial animal housing and equipment and direct application to non-domestic animals/livestock (non-food livestock only): Do not apply more than 1 time per day.]
- [When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. Do not apply this product in barns or stables where animals intended for slaughter or human consumption will be maintained.]
- Food stored in bags: Direct application to food contact surfaces is prohibited.

GENERAL: This concentrate is designed for use undiluted in mechanical sprayers which give particles of aerosol size. It can be diluted with refined kerosenes, which meet Food Additive Regulations as defined by CFR Title 21, 172.884, and applied in fogging equipment that give larger than aerosol particle size. It can also be diluted with the oil specified above and applied as a contact spray to kill listed crawling insects shown on this label.

INDOOR AREAS for use in and around:

Animal areas & quarters, animal shelters, animal control centers, apartments, arcades, attics, auditoriums, bakeries, beverage plants, bars, basements, bathrooms, boats, bottling plants, breweries, brewery warehouses, buildings, buses, cabins, cabinets, cafeterias, campers, canneries, churches, city missions, circus tents, closets, club houses, commercial buildings, communication centers, condominiums, concession stands, court houses, crawl spaces, crematoriums, day care centers, delicatessens, department stores, diners, dog houses, drug stores, dumpsters, dwellings, egg processing plants, factories, freight containers, fruit packing sheds, funeral parlors, garbage bins, garbage cans, garbage compactors, garbage trucks, gas stations, grain elevators, grain harvesting & handling equipment, garages, grain mills, granaries, grocery stores, homes, horse stables & barns, horse trailers, hospices, hospitals, hotels, indoor eating establishments, industrial installations, institutional dining areas, institutions, jails, kennels, laboratories, laundromats, lavatories, libraries, liquor stores, locker rooms, marinas, mausoleums, meat packing plants, mess halls, mini-storages, mobile canteens, mobile homes, morgues, mortuaries, motels, movie theaters, museums, nursing homes, office building, other public buildings, parking garages, pool halls, prisons, public storage, railroad cars, recreational vehicles, research animal quarters, restaurants, retail stores, rice mills, schools, ships, ship holds, smoke shops, sports stadiums, stables, storage bins (areas), stored food in multi-walled paper or cloth bags, stores, supermarkets, taverns, textile mills & warehouses, theaters, tobacco factories, tobacco warehouses, tool sheds, trains, transportation equipment, trucks,

6/9

truck trailers, tunnels, utilities, utility rooms, false ceilings, vending machines, veterinary hospitals, wall & equipment voids, warehouses, washrooms, wholesale stores, wine cellars, wineries and zoos.

TO KILL OF THE FOLLOWING INSECTS:

Almond Moths, Angoumois Grain Moths, Ants, Black Fly, Boxelder Bugs, Brown Dog Ticks, Cadelles, Carpet Beetles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches, Coffee Bean Weevils, Confused Flour Beetles, Crickets, Dark Mealworms, Darkling Beetles, Dermestid Beetles, Dried Fruit Beetle, Drugstore Beetles, Earwigs, Face Fly, Firebrats, Flat Grain Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, Hornets, Indian Meal Moths, Khapra Beetles, Lesser Grain Borers, Lesser Housefly, Mediterranean Flour Moths, Merchant Grain Beetle, Midges, Miller Moths, Millipedes, Mosquitoes, Flying Moths, Palmetto Bugs, Pillbugs, Red Flour Beetles, Rice Flour Beetles, Rusty Grain Beetles, Saw-Toothed Grain Beetle, Silverfish, Skipper Fly, Spiders, Spider Beetles, Stable Flies, Sowbugs, Ticks, Ticks That May Carry and Transmit Lyme disease, Tobacco Moths, Warehouse Beetles, Wasps, Waterbugs, Yellow Jackets, Yellow Mealworms.

INDOOR USE - UNDILUTED

ULV AND SPACE SPRAY: Use in aerosol generators to kill exposed accessible stages of: *Flies (including Fruit Flies), Mosquitoes, Small Flying Moths, Fleas, Gnats, Wasps, Hornets, Clover Mites, Cheese Mites, Cheese Skippers, Boxelder Bugs, Earwigs, Ants* and the following common stored product pests: *Granary Weevils, Rice Weevils, Confused Flour Beetles, Saw-Toothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Tobacco Moths, Yellow Mealworms, Dark Mealworms, Grain Mites, Cadelles and Red Flour Beetles.* Remove or cover exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at a rate of 0.18 fluid ounce undiluted concentrate per 1,000 cubic feet of space. Direct spray toward upper corners of room and ceiling. Close off treated area for at least 30 minutes. Do not apply this undiluted spray in facilities operating under USDA Meat, Poultry, Shell Egg Grading, and Egg Products Inspection Programs.

CONTACT AND SPACE SPRAY: TO KILL *Cockroaches, Silverfish, Earwigs, Ants, Spiders*, use a mechanical aerosol generator or a fogger. Direct the spray first into all cracks and crevices, behind all equipment, cupboards, obstructions or dark harborage areas, walls, floors, underneath sinks, behind pipes and in all places that harbor insects to provide maximum penetration and impingement on the insects. Apply at a rate not to exceed 9.3 oz per 1000 sq. ft. of surface. Contact as many insects as possible. Do not allow spray to contact stored food. Then treat as a space spray. Apply at a rate of 0.18 fluid ounce per 1,000 cubic feet of space. Close off area for at least 30 minutes. Do not apply this undiluted spray in facilities operating under USDA Meat, Poultry, Shell Egg Grading, and Egg Products Inspection Programs.

NOTE: If there is a need to treat such areas as conduits, motor housings, junction and switch boxes or other electrical equipment, turn off electrical equipment prior to application. After application, allow time for oil to dissipate before starting motors or placing switches in the "ON" position.

Treatment of Stored Food Areas: Foods in multi-walled, cloth bags or other packaging in storage to kill accessible adult stages of, but not limited to, *Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Saw-Toothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Dried Fruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetle* and other listed pests. Infested stored products should be destroyed, fumigated or treated by other effective methods using an approved product intended for this purpose. As noted above, disperse first by directing spray into cracks and crevices, corners, pallets and around stacks of packaged goods hitting as many insects as possible at a rate not to exceed 9.3 oz per 1000 sq. ft. of surface. Then apply as a space spray at a dosage of 0.18 ounce per 1,000 cubic feet of room space. Close off treated area for at least 30 minutes.

On Peanuts, Nuts, Beans (including cocoa), Seed and Copra in Bags or Other Packaging: To kill accessible stages of *Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Saw-Toothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Dried Fruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetles* and other listed insects. Spray walls, floors and other surfaces, storage and handling areas at a rate of 1.85 oz per 1000 sq. ft. of surface, being especially careful to treat cracks, crevices and similar hiding places. Then apply as a space spray at the rate of

7/9

0.18 ounce per 1,000 cubic feet of space by directing the spray toward the ceiling and upper corners of the area and behind any obstructions.

CONTACT AND SPACE SPRAY - TO KILL *Cockroaches*: Using an appropriate ULV spraying device, inject the aerosol spray directly into cracks and crevices to completely fill wall, equipment and other small structural void areas.

INDOOR USE - DILUTED

SPACE SPRAY: For use in mechanical fogging, thermal fogging or spraying equipment to kill accessible stages of *Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Saw-Toothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Dried Fruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils and Khapra Beetles*. Close room and shut off all air conditioning or ventilating equipment. Dilute concentrate with a white mineral oil conforming to Regulations at 21 CFR 121.2589(b) or an odorless light petroleum hydrocarbon conforming to 121.1182 at the rate of one part concentrate to two parts oil and mix well. Apply at a rate of 0.6 fluid ounce per 1,000 cubic feet of space, filling the room with mist. Close off treated area for at least 15 minutes.

Dried Fruit Products in storage or being processed, to kill *Confused Flour Beetles, Dried Fruit Beetles, Indian Meal Moths* and *Saw-Toothed Grain Beetles*: Remove and destroy infested products. Dilute concentrate with oil at a rate of 1 part concentrate plus 29 parts oil or 4.5 ounces per gallon and mix well. Disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use 1/2 ounce per 1,000 cubic feet of space. Repeat application at the dosage in any given month. Sweep up and destroy fallen insects.

Non-Domestic/Livestock Animal Housing Use (Animals NOT present): For use in cattle barns, horse barns, poultry houses, swine houses & zoos to kill *Flies, Mosquitoes, Small Flying Moths* and *Gnats*: Dilute 1 part concentrate with 29 parts oil (refined Kerosene or Deo-base Kerosene) and mix well. Apply at a rate of 2 fluid ounces per 1,000 cubic feet. Direct spray toward the upper portions of the enclosure filling the room with mist. Close off treated area for at least 15 minutes.

Zoos: As a space spray diluted for use in conventional mechanical fogging equipment to kill *Flies, Gnats, Mosquitoes, Small Flying Moths*, dilute 1 part concentrate plus 29 parts oil (refined Kerosene) and mix well. Apply at a rate of 2 fluid ounces per 1,000 cubic feet of space above the animals. Direct spray towards the upper portions of the enclosure filling the room with mist. Close off and vacate treated areas for at least 15 minutes and thoroughly ventilate before reoccupying.

SURFACE SPRAY: To kill accessible stages of: *Ants, Drugstore Beetles, Earwigs, Cockroaches, Silverfish, Beetles, Boxelder Bugs, Clover Mites, Crickets* and other listed insects, dilute 1 part concentrate plus 29 parts suitable diluent, mix well and apply as a coarse wetting spray using approximately 53 ounces of spray mixture per 1000 square feet of surface. To ensure maximum control of listed crawling insects, spray thoroughly into all cracks, molding, crevices, walls, floors and other surfaces, around the base of heavy machinery and equipment, storage and handling areas. Particular attention should be paid to areas where moisture collects such as drains, sinks and water pipes, around the base of heavy machinery and equipment contacting as many insects as possible. *Ants*: Spray directly into nests, along trails and directly on all ants observed.

For Use In Transit Protection: To kill accessible stages of listed insects, clean and spray truck beds, boxcars, ship's holds and other listed transit equipment before loading. Thoroughly treat walls and floors. Spray each layer of cartons or containers lightly as stacked. Apply diluted spray at a rate of 53 ounces per 1,000 square feet.

CONTACT SPRAY: Diluted for use with sprays that give large wetting spray particles to kill *Cockroaches* and accessible stages of granary insects: *Cadelles, Confused Flour Beetles, Grain Mites, Granary Weevils, Meal Moth Larvae and Adults, Red Flour Beetles, Rice Weevils and Saw-Toothed Grain Beetles*. Cover or remove exposed food and close room as described above. Dilute concentrate with oil at a rate of 1 part concentrate plus 29 parts of oil or 4.5 ounces per gallon and mix well. Spray outside walls of grain bins, flooring, around the base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harborages using 53 ounces of spray per 1,000 square feet of space. Force spray into all cracks and crevices.

Stored Food: (Stored in multi-wall bags or cloth bags) in flour mills, grain elevators, granaries, storage rooms, warehouses to kill *Angoumois Grain Moths, Cadelles, Cheese Mites, Cheese Skippers, Cigarette Beetles, Confused Flour Beetles, Dark Mealworms, Grain Mites, Granary Weevils, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Rice Weevils, Saw-Toothed Grain Beetles, Yellow Mealworms*. Remove and destroy infested

products. Dilute concentrate with oil at a rate of 1 part concentrate plus 29 parts oil or 4.5 ounces per gallon and mix well. Treat as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of 1/2 fluid ounce per 1,000 cubic feet of space. Close off treated areas for at least 30 minutes. This application will kill accessible, exposed stages of those stored product pests listed above. Sweep up and destroy fallen insects.

For Use on Non-Domestic/Livestock Animals (non-food livestock only): To protect donkeys, horses, ponies, mules from *Horn Flies*, *Stable Flies*, *Houseflies*, *Mosquitoes* and *Gnats*, dilute 1 part of concentrate with 29 parts oil (deobase Kerosene) and mix well. Apply a light mist at a rate of 1.3 ounce per adult animal, sufficient to wet the tips of the hair, but not to the point of runoff or drip.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store product in original container in a cool, dry, area away from heat or open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

[5 gallons or less]

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with refined kerosene [diluent] and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[Greater than 5 gallons/50 lbs.]

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with refined kerosene [diluent]. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for recycling, if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY,

9/9

TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

[Or alternate text

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.]

© Valent BioSciences Corporation, 2012

Butacide is a registered trademark of Valent BioSciences Corporation.

Valent BioSciences Corporation
Environmental Science Division
870 Technology Way
Libertyville, IL 60048