

73079-2

7/9/2002

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 M. St., S.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE
Registration

EPA Reg. Number:
73079-2

Date of Issuance:

Term of Issuance:
UnConditional Registration

Name of Pesticide Product:
IN TICE GRANULAR BAIT

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Rockwell Laboratories, Ltd
1620 Central Ave NE
Minneapolis MN 54413

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Make the following label changes:
 - a. Revise the EPA Registration Number to read, EPA Reg. No.73079-2
2. In accordance with P.R. Notice 2001-6 the **Disposal Statement** must be revised to read:

Do not Puncture or incinerate !

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership. Refer to PR Notice 2001-6 for more detailed instructions.

3. Submit four copies of the revised final printed label for the record.

Signature of Approving Official:

Joseph Tavano Acting Product Manager 10

Date:

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed "Accepted with Comments" for your records.

enclosure

Signature of Approving Official: <i>Joseph M. Tavano</i> Joseph Tavano Acting Product Manager 10	Date: <i>July 9, 2002</i>
---	---------------------------

3/6

InTiceTM

granular bait

A WEATHER/MOISTURE RESISTANT BAIT TO KILL AND CONTROL ANTS, COCKROACHES, CRICKETS, MOLE CRICKETS AND SILVERFISH

FOR INTERIOR AND EXTERIOR USE

FOR USE IN AND AROUND HOMES, APARTMENTS, GARAGES, PUBLIC AND PRIVATE INSTITUTIONS, SCHOOLS, HOTELS, HOSPITALS, PET STORES, ZOOS, KENNELS, WAREHOUSES, SUPERMARKETS, RESTAURANTS, VENDING MACHINES AND FOOD PROCESSING PLANTS

Active Ingredient: Orthoboric Acid.....	5%
Inert Ingredients.....	95%
Total.....	100%

EPA Reg. No. 73079-xx EPA Est. No. 73079-MN-1
Net Contents: 1 lb, 3 lbs, 5 lbs, 10 lbs, 20 lbs, 40 lbs (as appropriate)

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE)

Applicators and handlers must wear: Long-sleeved shirt and long pants: chemical resistant or waterproof gloves: and shoes plus socks.

First Aid

- If in Eyes:**
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.

- If on Skin:**
 - Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call **800 858 7378**.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place. Do not store where children or animals may gain access.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

General Information

This product is a ready-to-use weather/moisture resistant bait for the control of ants, cockroaches, crickets, mole crickets and silverfish including:

Ants: Argentine, Carpenter, Thief, Pharoah, Little Black, Pavement, Odorous House and Crazy Ants

Cockroaches: Asian, American, Brown, Brown Banded, Smokey Brown, German, and Oriental Cockroaches

Crickets: Camel, House, Field and Mole Crickets

Application Directions

For the control of ants, cockroaches, crickets and mole crickets on lawns, ornamental turf, playing fields, parks and golf course greens: Spread bait evenly by hand or with a mechanical spreader to affected area at a rate of 2 lbs per 1000 square feet (3.2 oz or 2/3 cup per 100 square feet) or 90 lbs per acre. **When treating for mole crickets,** areas to be treated should be well-irrigated prior to application and product applied late in the afternoon. For maximum effectiveness, do not irrigate treated area immediately after application.

Exterior baiting for the control of ants, including Carpenter ants around homes and other structures: Treat exterior perimeter areas of structure in a band at least 2 to 4 feet wide at a rate of 6 oz or 1.25 cups per 100 square feet. Also apply product in a 2 to 4 foot band around all tress, stumps, firewood piles and other locations where Carpenter ants may nest. If the nest is located in a hollow tree or stump, apply 1/2 to 1 ounce of product directly into cavity. Apply along ant trails and in areas where ant activity has been noted.

For the control of ants, cockroaches, crickets and silverfish in and around homes, hotels, apartment buildings, stores, restaurants (nonfood areas), warehouses, and sewers: **For interior applications:** Apply at a rate 4 pounds per 1000 square feet (6 oz or 1.25 cups per 100 square feet) of surface area. Spread evenly in crawl spaces, attics, dropped ceilings and cellars with dirt or gravel floors. In attics, be sure to apply in eaves and access drains. In warehouses, garages and basements, concentrate application along walls and baseboards. Concentrate application in areas where insect activity is most prevalent. This product may also be applied in inaccessible areas, such as cracks and crevices, where insects may hide. Apply in pits of elevator, dumbwaiter and trash chute shafts. Apply under and behind pallets and boxes in storerooms. Bait may also be applied in removable covered bait stations in areas accessible to insects. Always record the location and number of bait stations. In sewers, apply along ledges and around manhole entrances. Treat exterior perimeter building walls in a band approximately two feet wide and scatter bait in flower beds, leaf litter, woodpiles, trashcans and refuse areas. Reapply as necessary.

For perimeter treatments: Spread bait at a rate of 6 oz or 1.25 cups per 100 square feet in a band at least two feet wide around foundations, patios, driveways, sidewalks, entrances to homes and buildings or other areas where insects are present. Apply around landscape lighting, floodlights, street lamps or other exterior fixtures and scatter bait in flowerbeds, leaf litter, woodpiles, around trashcans and refuse areas. Reapply as necessary.

For treating ant mounds: Apply 1/2 to 1 oz of product around all ant mounds. Supplement broadcast application in immediate area and along ant trails and in areas where ant activity has been noted.

To control ants, cockroaches, crickets and silverfish in: Food handling establishments, homes, restaurants, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, trucks, yachts, camps, mobile homes, buses, pet stores, zoos, kennels, military bases, libraries, utilities and sewers. **Food area application limited to crack and crevice treatment only or placement in tamper-resistant bait stations.** Apply only in areas inaccessible to children and pets or in tamper-resistant bait stations. Avoid contamination of feed and foodstuffs. Apply liberally, scattering/dusting under and behind refrigerator, cooler, stove, sink, dishwasher, washing machine and dryer, tubs, counters; into openings around drains, water pipes and electrical conduits; and in cracks and crevices along baseboards and corners of cabinets, counter tops, cupboards and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter/dust liberally in drawer wells. Any bait visible after application must be brushed into cracks and crevices or removed. Reapply as necessary.

Crack and Crevice Applications: Crack and crevice application may be made using most types of dust applicators. A bellows type duster works best. Insert stem into gaps, cracks and crevices and apply 2 to 6 puffs per linear foot, depending upon severity of the infestation. Drill small holes to gain access into wall voids and under cabinets. This product may also be applied in appropriate areas with a power duster. Consult equipment manufacturer for recommended settings.

Application Sites and Directions

1. Apply under and behind appliances in kitchens, bathrooms, and utility rooms (remove kick plates if possible).
2. Kitchen and bathroom drawers may be removed and a light dust of this product applied into drawer wells.
3. Kitchen and bathroom cabinets and vanities often have a space between the floor and the bottom drawer or cabinet, where roaches or ants may hide. If a gap exists along the top of the kickplate, dust product into the void area. If no gaps are present, drill a small hole every two feet along the kickplate making sure to drill at least one hole under each cabinet and apply product through the holes.
4. Apply in voids around plumbing pipes behind water heaters and under sinks in kitchens, bathrooms, showers and utility rooms. Escutcheon plates around pipes should be pulled back to allow access to the void.
5. Remove electrical wall socket and switch covers and dust product around boxes into voids. Product should not be applied directly into electrical switch and outlet boxes.
6. If there are cracks or spaces between the wall and doorframe, cabinets, counter tops, molding or baseboards, they provide excellent hiding places for roaches and ants. Dust a small amount of this product into these areas whenever possible.
7. Apply under and behind vending machines. If access can be gained to the interior of the machine, apply around the interior base, being careful not to contaminate any foodstuffs.
8. Apply in attics around perimeter eaves and around all vent pipes and access areas. Pay particular attention to areas above kitchens and bathrooms.
9. Apply around the perimeters of dropped ceilings.

6/6

For the control of cockroaches, crickets, ants and silverfish in USDA inspected meat and poultry plants. For application only in inedible product areas and nonprocessing areas as a crack and crevice treatment and in covered bait stations. Always record the number and location of bait stations. Apply liberally to cracks and crevices in areas such as around baseboards and in closets; beneath cabinets and appliances, in and around waste containers and into openings around drains, water pipes and electrical conduits. Avoid contamination of feed and foodstuffs. This product is best used as a supplemental residual treatment preceded by approved spray and good sanitation practices.

Warranty Limitations and Disclaimer

Because of varying conditions affecting use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. Neither the manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated on the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risk of usage and handling except when used or handled in accordance with this label.

Manufactured By:



1620 Central Ave NE • Minneapolis, MN 55413 USA
toll free: 866 788 4101 • fax: 612 788 4177
www.rockwelllabs.com

