

73079-10

03/27/2008

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

73079-10

Date of Issuance:

MAR 27 2008

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

InVict Cockroach Gel

Name and Address of Registrant (include ZIP Code):

Rockwell Labs Ltd.
1512 Taney St.
North Kansas City, MO 64116

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 73079-10".
 - b. Immediately above **KEEP OUT OF REACH OF CHILDREN**, include "Stop- Read Read Label Before Use."
 - c. Immediately after **PRECAUTIONARY STATEMENTS**, include "Hazards to Humans and Domestic Animals." In addition, include "Long-sleeved shirt and long pants, socks, shoes, and gloves."
 - d. Delete the sentence "Bait may also be applied in purpose-built bait stations."

Signature of Approving Official:

Kable Bo Davis, Entomologist
Insecticide-Rodenticide Branch, Registration Division (7505P)

Date:

MAR 27 2008

- e. According to the Acute Toxicity review (included), the FIRST AID section of the label is not required. However, if the statements remain on the label, the following revisions must be made:
 1. Revise "*If on Skin*" to read "*If on skin or clothing.*"
 2. Within the **If Swallowed** section revise to statements to read as follows:
 - Call poison control center or doctor immediately for treatment advice.
 - Have a person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
 - f. Within the **Indoor Use** section of the label, revise the sentence "*Bait can also be applied in thin lines, or films if appropriate.*" to read "*Bait can also be applied in thin lines if appropriate.*"
 - g. Within the **Outdoor Use** section of the label, revise the sentence "*Apply bait in spots, lines or films as indicated for indoor baiting.*" to read "*Apply bait in spots or lines as indicated for indoor baiting.*"
 - h. Delete the statements "*The bait may be placed on top of non-repellent insecticide spray treatments. (Non-repellent sprays include only those containing fipronil, imidacloprid, or chlorfenapyr.)*"
 - i. Within the **Disposal** section of the label, immediately before "*Do not reuse this container.*" include "*Non-refillable container.*"
 - j. Within the **Warranty Limitations and Disclaimer** section of the label, revise the sentence "*Seller makes no warranty expressed or...*" to read "*To the extent consistent with applicable law, Seller makes no warranty expressed or...*"
 - k. Within the **Warranty Limitations and Disclaimer** section of the label, revise the sentence "*There are no expressed or implied warranties of...*" to read "*To the extent consistent with applicable law, there are no expressed or implied warranties of...*"
3. The data requirements for storage stability (830-6317) and corrosion characteristics (830- 6320) have not been satisfied, and must be submitted within eighteen months of the date of this letter.
 4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Kable Bo Davis
Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

3/6

ACCEPTED
with COMMENTS
In EPA Letter Dated:
MAR 27 2008

InVict™ Cockroach Gel

Kills German Roaches

For Indoor and Outdoor Use

Ready-to-Use Bait

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
73079-10

Active Ingredient: Imidacloprid.....2.15%
Other Ingredients:.....97.85%
Total:.....100.00%

EPA Reg. No.: 73079-xx
EPA Est. No.: (as applicable)
Net Contents: 5 x 35 g (1.25 oz)

Manufactured by: Rockwell Labs Ltd (logo)
North Kansas City, MO 64116
Toll Free: 866 788 4101
www.rockwelllabs.com

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If Swallowed: Call a doctor or poison control center for treatment advice. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call **800 858 7378**.

DIRECTIONS FOR USE

Use Sites: In and around structures, including, but not limited to, residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal rearing and handling establishments and food handling and food processing establishments.

Indoor Use: Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait in small spots about ¼" in diameter. Bait can also be applied in thin lines, or films if appropriate. For most infestations, applications should range from 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in walls voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots.

Look for areas, particularly cracks and crevices, where roaches may hide or enter buildings. Some of these areas include areas where baseboards are peeling away from the wall, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators and walk-in coolers, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Also specifically look for warm, moist areas. Around and under dishwashers, refrigerators, ice machines, sinks, tubs and toilets and around drain openings are particularly attractive areas for roaches. Insert the syringe tip directly into the crack and apply about 0.5g (pea size) amount of bait.

Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the temperature may exceed 130 °F as the bait could melt and drip. Bait placements should be in concealed, not open areas. Bait may also be applied in purpose-built bait stations. Do not spray insecticides or other chemicals over bait placements, as this may cause roaches not to eat the bait. The bait may be placed on top of non-repellent insecticide spray treatments. (Non-repellent sprays include only those containing fipronil, imidacloprid, or chlorfenapyr.) Apply bait out of reach of children and pets. Inspect bait placements periodically and reapply bait as needed. Ongoing monitoring is recommended as part of an Integrated Pest Management program.

Food Processing and Handling Establishments, Including Federally-Inspected Food Plants: In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Follow above directions for crack and crevice placement. Avoid contamination of food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be washed up.

Outdoor Use: Apply bait on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics and other voids. Porches, garages, sheds, AC units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where roaches may enter buildings and treat those areas. These areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and

areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Apply bait in spots, lines or films as indicated for indoor baiting.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place. Do not store where children or animals may gain access.

Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** which is managed as a public-private partnership.

Warranty Limitations and Disclaimer

Seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. There are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. Manufacturer shall not be liable for any consequential damages based on the use of the product.

6/6

(Individual Syringe Label)

InVict™ Cockroach Gel

Kills German Roaches

For Indoor and Outdoor Use

Ready-to-Use Bait

Active Ingredient: Imidacloprid.....	2.15%
Other Ingredients:.....	97.85%
Total:.....	100.00%

EPA Reg. No.:	73079-xx
EPA Est. No.:	73079-MO-1
Net Contents:	35 g (1.25 oz)

Manufactured by: Rockwell Labs Ltd (logo)
 North Kansas City, MO 64116
 Toll Free: 866 788 4101
 www.rockwelllabs.com

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Causes slight skin and eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

First Aid

If Swallowed: Call a doctor or poison control center for treatment advice. Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call **800 858 7378**.