



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg
 Number:
 73079-11

Date of Issuance:
 Aug 21, 2008

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance: **conditional**

Name of Pesticide Product:

Abamectin Roach Gel

Name and Address of Registrant (include ZIP Code):

Rockwell Labs Ltd
 1512 Taney Street
 North Kansas City, MO 64116

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) and (B) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Per the indicated EPA Guidelines, submit or cite data for the following within 18 months measured from the effective date of this registration.
 - a. dermal sensitization (870.2600)
3. Make the following label changes before you release the product for shipment:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 73079-11."
 - b. Remove all references to Pharoah ants. The cited data does not support a control claim for this public health pest.
4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label stamped "accepted with comments" is enclosed for your records.

Signature of Approving Official:

TSI

Thomas C. Harris
 Biologist
 Insecticide Rodenticide Branch
 Registration Division (7505P)

Date:

8/21/2008

8/21/2008

Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
pesticide Registered under EPA Reg. No:

73079-11

2/5

Abamectin Cockroach Gel

Kills German Roaches

Kills the Following Ants: acrobat, allegheny, argentine, big-headed, cornfield, crazy, ghost, little black, odorous house, pavement, pharaoh, and pyramid ants

For Indoor and Outdoor Use

Ready-to-Use Bait

Active Ingredient: Abamectin B1.....0.05%
Other Ingredients:.....99.95%
Total:.....100.00%

EPA Reg. No.: 73079-xx
EPA Est. No.: (as applicable)
Net Contents: 5 x 35 g (1.25 oz)

Manufactured by: Rockwell Labs Ltd (logo)
North Kansas City, MO 64116
Toll Free: 866 788 4101
www.rockwelllabs.com
© 2008 Rockwell Labs Ltd

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product around electrical equipment, due to the possibility of electric shock.

First Aid

- If in Eyes:** -Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first five minutes, then continue rinsing.
- Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call **800 858 7378**.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Sites: In and around structures, including, but not limited to, residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal research facilities, and food service, storage, handling and processing establishments.

Indoor Use: Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait so it is out of reach of children and pets. Apply bait only in cracks, crevices, voids, other inaccessible areas, and non-exposed surfaces such as the undersides of furniture and fixtures and under or behind appliances. Apply bait in small spots about ¼" (pea-sized) in diameter (about 0.5g). Do not apply to exposed surfaces (such as counter tops). Do not contaminate food or feed. For most roach infestations, applications should range from 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in walls voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots. Bait may also be applied in approved tamper-resistant bait stations. Apply about 1 gram (3/8" size spot) in each station. Place 1-3 stations per 100 square feet in out of the way places where near roaches may hide.

Look for areas where roaches may hide or enter buildings. Some of these areas include areas where baseboards are peeling away from the wall, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators and walk-in coolers, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Also specifically look for warm, moist areas. Around and under dishwashers, refrigerators, ice machines, sinks, tubs and toilets and around drain openings are particularly attractive areas for roaches. Insert the syringe tip directly into the crack and apply about 0.5g (pea size) amount of bait. Inspect bait every 2-4 weeks and reapply when bait is almost entirely consumed.

For Ants: Apply bait in thin (1/4" wide) lines, about 1' long in areas where ants are seen trailing. Use 2-5 lines per 100 square feet. Bait is most effective when placed as close as possible to ant nests. Bait may also be applied in approved tamper-resistant stations. Apply 1-2 lines per station (as above) and use 1-3 stations per 100 sq ft. Inspect bait weekly and reapply when bait is almost entirely consumed.

Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the temperature may exceed 130 °F as the bait could melt and drip. Bait placements should be in

concealed, not open areas. Do not spray insecticides or other chemicals over bait placements, as this may cause insects to avoid the bait. The bait may be placed on top of non-repellent insecticide spray treatments. (Non-repellent sprays include only those containing fipronil, imidacloprid, or chlorfenapyr.) Apply bait out of reach of children and pets. Do not contaminate food or feed. Ongoing monitoring is recommended as part of an Integrated Pest Management program.

Food Processing and Handling Establishments, Including Federally-Inspected Food Plants: In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Follow above directions for crack and crevice placement. Do not contaminate food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be washed up. Inspect bait every 2-4 weeks and reapply when bait is almost entirely consumed.

Outdoor Use: Apply bait so it is out of reach of children and pets. Apply bait only in cracks, crevices, voids, holes, other inaccessible areas, and other non-exposed surfaces. Apply bait in concealed areas on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics, tree holes and other voids. Porches, garages, sheds, AC units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where insects may enter buildings and treat those areas. These areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Bait may also be applied in approved tamper-resistant bait stations. Inspect bait every 2-4 weeks and reapply when bait is almost entirely consumed.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.
Storage: Store in a dry place. Do not store where children or animals may gain access.
Disposal: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** which is managed as a public-private partnership.

Warranty Limitations and Disclaimer

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. To the extent consistent with applicable law, manufacturer shall not be liable for any consequential damages based on the use of the product.

(Individual Syringe Label)

Abamectin Cockroach Gel

Kills German Roaches and Ants

For Indoor and Outdoor Use

Ready-to-Use Bait

Active Ingredient: Abamectin B1....	0.05%
Other Ingredients:.....	97.85%
Total:.....	100.00%

EPA Reg. No.:	73079-xx
EPA Est. No.:	73079-MO-1
Net Contents:	35 g (1.25 oz)

Manufactured by: Rockwell Labs Ltd (logo)
 North Kansas City, MO 64116
 Toll Free: 866 788 4101
www.rockwelllabs.com
 © 2008 Rockwell Labs Ltd

KEEP OUT OF REACH OF CHILDREN
CAUTION

See complete label on outer container for additional Precautionary and First Aid information.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See complete label on outer container for Directions for Use.