



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

CHEMICAL SAFETY AND POLLUTION PREVENTION

Cisse W. Spragins, Ph.D. Rockwell Labs Ltd. 1512 Taney St. North Kansas City, MO 64116

MAY 1 8 2011

Subject:

Notification: Alternate Brand Name to be "InVict AB Insect Paste"

Abamectin Cockroach Gel EPA Reg. No. 73079-11

Dear Dr. Spragins:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 3/11/11 for the product EPA Reg No. 73079-11. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact me @ 703-347-0156 or urbanski.jennifer@epa.gov.

Sincerely,

Jennifer Urbanski, Ph.D. Insecticide-Rodenticide Branch

MMW, PhD

Office of Pesticide Programs

Please read instructions on reverse before conng form.	Form Approved. 8 No. 2	070-0060 Print Form		
United States Environmental Protectio Washington, DC 204				
Applicatio	n for Pesticide - Section I			
1. Company/Product Number 73079-11	2. EPA Product Manager John Hebert	3. Proposed Classification		
4. Company/Product (Name) Rockwell Labs Etd/Abamectin Roach Gel	<b>PM#</b> 7	X None Restricted		
5. Name and Address of Applicant (Include ZIP Code)  1257 Bedford Road  North Kansas City, MO 64116	6. Expedited Review. In accorda (b)(i), my product is similar or idento:  EPA Reg. No.	tical in composition and labeling		
Check if this is a new address	Product Name			
	Section - II			
Amendment - Explain below.  Resubmission in response to Agency letter dated  X Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application.  Other - Explain below.			
Explanation: Use additional page(s) if necessary. (For section 1 and Section 11.)  Notification of Alternate Brand Name per PR Notice 98-10. (See cover page for additional information).				
	Section - III			
1. Material This Product Will Be Packaged In:				
Child-Resistant Packaging  Yes*  No  No  If "Yes"  Unit Packaging  No. per Unit Packaging wgt.	Water Soluble Packaging  Yes  No  If "Yes" Package wgt  No. per Package wgt  No. per	Container  Metal Plastic Glass Paper Other (Specify)		
be submitted 2 g אַן אָן אָ sor ום				
3. Location of Net Contents Information  4. Size(s) Retail Container  5. Location of Label Directions  On Label On Label On Labeling accompanying product				
6. Manner in Which Label is Affixed to Product    Lithograph   X   Other   Oth				
Section - IV				
1. Contact Point (Complete items directly below for identification	n of individual to be contacted, if necessary, to pi	rocess this application.)		
Name Todd J. Fleischmann	Title Chemical Reg. Specialist	Telephone No. (Include Area Code) 816 283 3167		
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.  I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment of (Stamped)  (Stamped)				
2. Signeture Joseph Alexa lumann	3. Title Chemical Regulatory Specialist			
<b>4. Typed Name</b> Todd J. Fleischmann	<b>5. Date</b> Mar 11, 2011			



March 11, 2011

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

Re:

Abamectin Roach Gel, 73079-11, 0.05% Abamectin

Notification of Alternate Brand Name per PR Notice 98-10

To whom this concerns:

Enclosed please find the following documents in support of the notification for an alternate brand name for the above mentioned product:

- 1. Application for Registration (EPA Form 8570-1)
- 2. Copy of the product master label with the ABN included
- 3. Two copies of the final printed label (syringe label and outer box label) for EPA records

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that is is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and THE CATION.

NOTIFICATION.

Thank you for your assistance on this matter and should you have any questions decomments please feel free to contact me at 816 283 3167.

Sincerely,

Todd J. Fleischmann

hemical Regulatory Specialist

#### NOTIFICATION

MAY 1 8 2011

#### Abamectin Cockroach Gel ABN: InVict AB Insect Paste

#### Kills German Roaches

Kills the Following Ants: acrobat, allegheny, argentine, big-headed, cornfield, crazy, ghost, little black, odorous house, pavement, and pyramid ants

#### For Indoor and Outdoor Use

#### Ready-to-Use Bait

Active Ingredient: Abamectin B1	0.05%	EPA Reg. No.: 73079-11
Other Ingredients:	99.95%	EPA Est. No.: 73079-MO-1
Total:	.100.00%	Net Contents: 5 x 35 g (1.25 oz)

Manufactured by: Rockwell Labs Ltd (logo)

North Kansas City, MO 64116

Toll Free: 866 788 4101 www.rockwelllabs.com © 2008 Rockwell Labs Ltd

## KEEP OUT OF REACH OF CHILDREN CAUTION

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product around electrical equipment, due to the possibility of electrical shock.

#### First Aid

If in Eyes: -Hold eye open and rinse slowly and gently with water for 15-20 ffinutes. -Remove contact lenses, if present, after the first five minutes, then continue rinsing. -Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call **800 858 7378**.

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Sites: In and around structures, including, but not limited to residential, multi-family, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal research facilities, and food service, storage, handling and processing establishments.

Indoor Use: Results will be best if spilled food and other debris are cleaned up before applying bait. Apply bait so it is out of reach of children and pets. Apply bait only in cracks, crevices, voids, other inaccessible areas, and non-exposed surfaces such as the undersides of furniture and fixtures and under or behind appliances. Apply bait in small spots about ½" (pea-sized) in diameter (about 0.5g). Do not apply to exposed surfaces (such as counter tops). Do not contaminate food or feed. For most roach infestations, applications should range from 10 to 20 spots per 100 square feet. Use the higher number of spots when infestations are heavy and/or when roaches are living primarily in walls voids or other inaccessible areas. Smaller, more frequent spots are better than occasional large spots. Bait may also be applied in approved tamper-resistant bait stations. Apply about 1 gram (3/8" size spot) in each station. Place 1-3 stations per 100 square feet in out of the way places where near roaches may hide.

Look for areas where roaches may hide or enter buildings. Some of these areas include areas where baseboards are peeling away from the wall, cracks in and around equipment and appliances such as stoves, sinks, dishwashers, refrigerators and walk-in coolers, hollow table legs, areas where pipes come through walls, cracks between different construction elements, around electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular attention to cracks which lead into void areas, even small ones. Also specifically look for warm, moist areas. Around and under dishwashers, refrigerators, ice machines, sinks, tubs and toilets and around drain openings are particularly attractive areas for roaches. Insert the syringe tip directly into the crack and apply about 0.5g (pea size) amount of bait.

Inspect bait every 2-4 weeks and reapply when bait is almost entirely consumed.

For Ants: Apply bait in thin (1/4" wide) lines, about 1" long in areas where ants are seen trailing. Use 2-5 lines per 100 square feet. Bait is most effective when placed as close as possible to ant nests. Bait may also be applied in approved tamper-resistant stations. Apply 1-2 lines per station (as above) and use 1-3 stations per 100 sq ft. Inspect that weekly and reapply when bait is almost entirely consumed.

Do not apply bait to areas that are washed down frequently, such as in cracks around the edges of food prep surfaces. Do not apply bait in areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the temperature

may exceed 130 °F as the bait could melt and drip. Bait placements should be in concealed, not open areas. Do not spray insecticides or other chemicals over bait placements, as this may cause insects to avoid the bait. The bait may be placed on top of non-repellent insecticide spray treatments. (Non-repellent sprays include only those containing fipronil, imidacloprid, or chlorfenapyr.) Apply bait out of reach of children and pets. Do not contaminate food or feed. Ongoing monitoring is recommended as part of an Integrated Pest Management program.

Food Processing and Handling Establishments, Including Federally-Inspected Food Plants: In food areas, including serving areas while the establishment is in operation, only apply bait in cracks, crevices, and other inaccessible areas, or in tamper-resistant bait stations. Follow above directions for crack and crevice placement. Do not contaminate food and feedstuffs. Never apply bait directly to a surface where food is stored, prepared or served. Any bait that is left visible after treatment must be washed up. Inspect bait every 2-4 weeks and reapply when bait is almost entirely consumed.

Outdoor Use: Apply bait so it is out of reach of children and pets. Apply bait only in cracks, crevices, voids, holes, other inaccessible areas, and other non-exposed surfaces. Apply bait in concealed areas on the outside surfaces of buildings and other structures, as well as in crawlspaces, attics, tree holes and other voids. Porches, garages, sheds, AC units and other outbuildings, fences or walls may also need treatment. Pay particular attention to cracks where insects may enter buildings and treat those areas. These areas include but aren't limited to cracks around windows, doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive areas for insects to hide. Bait may also be applied in approved tamper-resistant bait stations. Inspect bait every 2-4 weeks and reapply when bait is almost entirely consumed.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a dry place. Do not store where children or animals may gain access. **Disposal:** If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP which is managed as a public-private partnership.

#### Warranty Limitations and Disclaimer

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and kandling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. To the extent consistent with applicable law, manufacturer shall not be liable for any consequential damages based on the use of the product.

(Individual Syringe Label)

#### Abamectin Cockroach Gel ABN: InVict AB Insect Paste

#### Kills German Roaches and Ants

#### For Indoor and Outdoor Use

#### Ready-to-Use Bait

Active Ingredient: Abamectin	B10.05%	EPA Reg. No.: 73079-11
Other Ingredients:	99.95%	EPA Est. No.: 73079-MO-1
Total:	100.00%	Net Contents: 35 g (1.25 oz)

Manufactured by: Rockwell Labs Ltd (logo)

North Kansas City, MO 64116

Toll Free: 866 788 4101 www.rockwelllabs.com © 2008 Rockwell Labs Ltd

## KEEP OUT OF REACH OF CHILDREN CAUTION

See complete label on outer container for additional Precautionary and First Aid information.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See complete label on outer container for Directions for Use.



# DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner


daycare, hospitality and agricultural buildings and other man-made Use Sites: In and around structures, including, but not limited to, residential, multi-family, commercial, industrial, municipal, structures, garages, transport vehicles, sewers, anunal research acilities, and food service, storage, handling and processing nstitutional, research, recreational, health care, educational,

of reach of children and pets. Apply bait only in cracks, crevices, diameter (about 0.5g). Do not apply to exposed surfaces (such as counter tops). Do not contaminate food or feed. For most road infestations, applications should range from 10 to 20 spots per 11 square feet. Use the higher number of spots when infestations a tumper-resistant bait stations. Apply about 1 gram (3/8" size spot) in each station. Place 1-3 stations per 100 square feet in ou debris are cleaned up before applying bait. Apply bait so it is out han occasional large spots. Bait may also be applied in approved seavy and/or when roaches are living primarily in walls voids or is the undersides of furniture and fixtures and under or behind other inaccessible areas. Smaller, more frequent spots are better roids, other inaccessible areas, and non-exposed surfaces such appliances. Apply bait in small spots about 1/7" (pea-sized) in Indoor Use: Results will be best if spilled food and other of the way places where near roaches may hide.

walk-in coolers, hollow table legs, areas where pipes come through dishwashers, refrigerators, ice machines, sinks, tubs and toilets and tround drain openings are particularly attractive areas for roaches. electrical boxes, cracks around hinges, where cabinets meet walls and cracks leading into wall, ceiling or floor voids. Pay particular Insert the syringe tip directly into the crack and apply about 0.5g Some of these areas include areas where baseboards are peeling Also specifically look for warm, moist areas. Around and under uppliances such as stoves, sinks, dishwashers, refrigerators and uttention to cracks which lead into void areas, even small ones. Look for areas where roaches may hide or enter buildings. walls, cracks between different construction elements, around pea size) amount of bait. Inspect bait every 2-4 weeks and tway from the wall, cracks in and around equipment and reapply when bait is almost entirely consumed

For Ants: Apply bait in thin (1/4" wide) lines, about 1" long station: per 100 sq ft. Inspectizat weekly and reapply when bair in areas where ants are seen trailing. Use 2-5 lines per 100 square ant nests. Bait may also be applied in approved tamper-resistant feet. Bait is most effective when placed as close as possible to stations. Apply 1-2 lines per station (as above) and use 1-3

such ar in crekshround the edges of food prep surfaces. Do not apply bailin areas where there is a risk of electrical shock. Be careful not to apply bait on hot surfaces or other areas where the remperature may exceed 130 °F (Continued on right side) Do-not zoplychait is areas-that are washed down frequently,



PRECAUTIONARY STATEMENTS

Hazards to Humans and Demestic Animals: CAUTION Causes moderne eye firitation Avoid contact with skin, eyes or eloding. Wish hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toiler.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish and wildlife Do
not apply directly to water. Do not centaminate
water by cleaning of equipment or disposal of

Do not apply this product around electrical equipment, due to the possibility of electric shock. PHYSICAL OR CHEMICAL HAZARDS

Remove contact lenses, if present, after the first If in Eyes -Hold eye open and rinse slowly and gently with water for 15-20 minutes. five minutes, then continue rinsing.
-Call a poison control center or doctor for treatment advice.

calling a Poison Control Center or doctor or going for treatmont. In case of onnegency, for additional information call 809 858 7378. Have the product or label with you when

spray insecticides or other chemicals over bait placements, as this (Continued from left side) as the bait could melt and drip. top of non-repellent insecticide spray treatments. (Non-repellent Bait placements should be in concealed, not open areas. Do not may cause insects to avoid the bait. The bait may be placed on pets. Do not contaminate food or feed. Ongoing monitoring is recommended as part of an Integrated Pest Management or chlorfenapyr.) Apply bait out of reach of children and

Including Federally-Inspected Food Plants: In food areas, Food Processing and Handling Establishments,

for crack and crevice placement. Do not contaminate food and treatment must be washed up. Inspect bait every 2-4 weeks and only apply bait in cracks, crevices, and other inaccessible areas, stored, a stored, prepared or served. Any hat that is left visible after treatment must be washed up. Inspect bail every 2-4 weeks any reapply when bait is almost entirely consumed. including serving areas while the establishment is in operation, feedstuffs. Never apply bait directly to a surface where food or in tamper-resistant bait stations. Follow above directions

doors, eaves and soffits, expansion joints, and areas where lines or pipes enter buildings. Under siding and molding are also attractive fences or walls may also need treatment. Pay particular attention to cracks where insects may enter buildings and treat those areas. in concealed areas on the outside surfaces of buildings and other These areas include but aren't limited to cracks around windows, voids. Porches, garages, sheds, AC units and other outbuildings, reapply when bait is almost entirely consumed.

Outdoor Use: Apply bait so it is out of reach of children and pels. Apply bait only in cracks, crevices, voids, holes, other inaccessible areas, and other non-exposed surfaces. Apply bait structures, as well as in crawlspaces, attics, tree holes and other tamper-resistant bait stations. Inspect bait every 2-4 weeks and areas for insects to hide. Bait may also be applied in approved reapply when bait is almost entirely consumed

Do not contaminate water, food or feed by storage or disposal. Storage: Store in a dry place. Do not store where children or Storage and Disposal animals may gain access.

CLEANUP which is managed as a public-private partnership. Disposal: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-Warranty Limitations and Disclaimer

warranty expressed or implied, concerning the use of this product subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the consistent with applicable law, manufacturer shall not be liable for implied warranties of merchantability or fitness for any particular other than as indicated on the label. Buyer accepts this material extent consistent with applicable law, there are no expressed or To the extent consistent with applicable law, seller makes no any consequential damages based on the use of the product. purpose, except as specifically stated herein. To the extent



North Kansas City, MO 64116 USA Toll Free: 866 788 4101 www.rockwellabs.com © 2011 Rockwell Labs Ltd

Sec. 10 - 1159



### For Indoor and Outdoor Use Ready-to-Use Bait

## KEEP OUT OF REACH OF CHILDREN CAUTION See complete label on outer container for additional Precautionary and First Aid information. See complete label on outer container for Directions for Use.

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Manufactured by:

Rockwell Labs Ltd

Toll Free: 866 788 4101

www.rockwelllabs.com

© 2011 Rockwell Labs Ltd

Scale = 100%