79-13	11/03/2011		
UNITED STATES	U.S. ENVIRO	Y EPA F	Date of Issuance:
WIRON WE WIRE PROTECTION	Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460	73079-13	11/3/2011
	NOTICE OF PESTICIDE:	Term of Issuance:	
<u>x</u> Registration <u>Reregistration</u> (under FIFRA, as amended)		Name of Pesticide	
		InVict AB Ba	
	ess of Registrant (include ZIP Code):		
	W. Spragins ell Labs, Ltd.		
	Bedford Rd.		
	Kansas City, MO 64116 beling differing in substance from that accepted in connection with	this registration must be	automittad to and
accepted by the Reg above EPA registrati	istration Division prior to use of the label in commerce. In any corr	espondence on this prod	uct always refer to the
ungicide and Roder gency. In order to perioder	mation furnished by the registrant, the above named pesticide is he nticide Act. Registration is in no way to be construed as an endors protect health and the environment, the Administrator, on his motio icide in accordance with the Act. The acceptance of any name in o construed as giving the registrant a right to exclusive use of the nar	ement or recommendatio on, may at any time suspe connection with the regist	n of this product by the nd or cancel the ration of a product under
This product is	conditionally registered in accordance with FIFRA se	ec. 3(c)(7)(A) provide	ed that you:
	t and/or cite all data required for registration of your p gency requires all registrants of similar products to su		sec. 3(c)(5) when
	the following label changes before you release the pro PVC and metal container sublabels):	oduct for shipment (changes apply to
	a. Revise the EPA Registration Number to read, "El		
	Add the pests controlled to the initial Directions F to control roaches, silverfish, and ants (excluding		
	homes, apartments," c. Change the similar header to read simply "Food I	Processing and Han	dling
	Establishments", i.e. delete "including federally-ir		
	e indicated EPA Guidelines, submit the following with	nin 18 months	
measured from the effective date of this registration. a. one year storage stability (830.6317) (measurements at 0, 3, 6, 9, and 12 months)			
	b. corrosion characteristics (830.6320) (measureme		
4. Subm	it one copy of the revised final printed label for the re	cord.	
FIFRA sec. 6(e).	ns are not complied with, the registration will be subje . Your release for shipment of the product constitutes f the label stamped "accepted with comments" is encl	s acceptance of thes	e conditions. A
Signature of Approvi		Date:	
À	und Velent.	NOV	3 2011
Jøhn D. Hebert			
Rroduct Manage			
Insecticide Rode Registration Divi			
PA Form 8570-6			

Black PVC Bait Station

InVictTM AB Bait Station

 EPA Reg. No.: 73079-RG EPA Est. No.: (as applicable)

2/4/6/12 [Child Resistant] Baits/Stations/Bait Stations [Net Wt. 0.07 oz (2 g) each] Total Net Wt. 0.14/0.28/0.42/0.84 oz.

(4/8/12/24 g)

ACCEPTED With COMMENTS In EPA Letter Dated: NOV 0 3 2011

Rockwell Labs Ltd (logo) North Kansas City, MO 64116 [Questions, Comments or Medical Information? Call ______ Web _____] [© XXXX]

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

73079-13

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH BAITS CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow bait to enter or run off into storm drains, drainage ditches, gutters or surface waters.

First Aid

If in Eyes: -Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first five minutes, then continue rinsing. -Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call **800 858 7378**.

[NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.]

[Pictograms: Ant/Roach/Silverfish/Bait Station/Suggested Placement]

[How It Works:]

-[Bait attracts foraging worker ants.]

-[Ants enter bait station and take food back to the colony.]

-[Ants share the bait with other ants, killing the queen and the colony.]

-[A reduction in ant activity should occur within 3-7 days after bait placement.]

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use in homes, apartments, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal research facilities, and food service, storage, handling and processing establishments

- 1. Remove bait from package and break bait stations apart.
- 2. [Peel label off of adhesive sticker on the back of the station.]
- 3. Place / stick stations label side down where pests are seen or pest activity is suspected to occur.
- 4. Do not place on food preparation surfaces when food is being handled or on utensils that are used for food preparation.

Remove other sources of food, like crumbs, sugar and grease spots. Common areas to place baits include: along baseboards, in corners of rooms and cabinets, on countertops, under and behind appliances, under sinks, around pipes and water sources, in pantry, on window sills and around doorways, near garbage cans, and along pest trails.

[Helpful Tips:]

-[Do not place bait stations where insecticide has recently been sprayed, as pests may avoid the bait stations]

-[For best results, all X bait stations should be used at once.]

-[For large areas or heavy infestations, additional bait stations are recommended.] -[Replace bait stations once most of the bait has been eaten, or at least every three months to keep pests from coming back.]

Food Processing and Handling Establishments, Including Federally-Inspected Food

Plants: Food areas include serving areas while the establishment is in operation, areas for receiving, storing, packing, and preparation, and edible waste storage and enclosed processing systems. Do not contaminate food and feedstuffs. Use as instructed above.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place, below 130 °F. Do not store where children or animals may gain access.

Container Handling and Disposal: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** for disposal instructions.

[Warranty Limitations and Disclaimer

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchhhantability or fitness for any particular purpose, except as specifically stated herein. To the extent consistent with applicable law, manufacturer shall not be liable for any consequential damages based on the use of the product.]

Individual Black PVC Bait Station Label

InVictTM AB Bait Station

 EPA Reg. No.: 73079-RG EPA Est. No.: (as applicable) Net Wt: 0.07 oz (2 g)

[Questions, Comments or Medical Information? Call ______ Web _____] [© XXXX]

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAITS CAUTION

See outer package for additional Precautions and First Aid, and complete Directions for Use.

[This side down] [Date bait placed: / /] [Replace 3 months after placement] [Not labeled for individual sale.]

MARKETING CLAIMS

GENERAL CLAIMS

[Derived from Soil Microbes] [Contains Abamectin] [Contains no peanut products] For Indoor Use Only [Ready-to-Use Bait] [Multiple [food] attractants] [Contains sweet / sugar, oil / grease, and protein] [Very low odor [formula]] [Guaranteed to work or your money back] [Made in [the] USA] [Kills Roaches, Silverfish and Ants Listed] [Child Resistant [Baits/Stations/Bait Stations]

ROACH AND SILVERFISH CLAIMS

[Kills Roaches] [Kills Silverfish]

ANT CLAIMS

[Kills Ants Listed] [Kills Common / Household Ants Listed] Kills acrobat, allegheny, argentine, big-headed, cornfield, crazy, ghost, little black, odorous house, pavement, pharaoh, pyramid, thief and white-footed ants [Kills listed sweet / sugar and grease / protein eating ants] [Kills listed sweet, grease, and protein eating ants] [Uses 4 food sources to kill listed ants] [Kills the queen] [Kills the colony] [Kills the queen and the colony] [Kills the listed ants you see and the ones you don't] [Kills listed ants where they hide / breed] [Attracts listed [foraging / scout / worker] ants] [Ants begin feeding within 30 minutes] [Starts killing worker ants in 24 hours] [Kills the ant nest / colony in 3-7 days] [Guaranteed to kill the colony or your money back]

End Black PVC Bait Station

Metal Can Bait Station

InVictTM AB Bait Station

Active Ingredient: Abamectin B1.	0.05%
Other Ingredients:	99.95%
Total:	100.00%

EPA Reg. No.: 73079-RG EPA Est. No.: (as applicable)

3/6 [Child Resistant] Baits/Stations/Bait Stations [Net Wt. 0.21 oz (6 g) each] Total Net Wt. 0.63/1.26 oz. (18/36 g)

Rockwell Labs Ltd (logo) North Kansas City, MO 64116 [Questions, Comments or Medical Information? Call ______ Web _____] [© XXXX]

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH BAITS CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION: Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after use and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow bait to enter or run off into storm drains, drainage ditches, gutters or surface waters.

First Aid

If in Eyes: -Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first five minutes, then continue rinsing. -Call a poison control center or doctor for treatment advice.

Have the product or label with you when calling a Poison Control Center or doctor or going for treatment. In case of emergency, for additional information call **800 858 7378**.

[NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.]

[How It Works:]

-[Bait attracts foraging worker ants.]

-[Ants enter bait station and take food back to the colony.]

-[Ants share the bait with other ants, killing the queen and the colony.]

-[A reduction in ant activity should occur within 3-7 days after bait placement.]

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use in and around homes, apartments, commercial, industrial, municipal, institutional, research, recreational, health care, educational, daycare, hospitality and agricultural buildings and other man-made structures, garages, transport vehicles, sewers, animal research facilities, and food service, storage, handling and processing establishments

- 1. Remove bait from package.
- 2. Punch in semi-perforated holes.
- 3. Place stations where ants are seen or ant activity is suspected to occur.
- 4. Do not place on food preparation surfaces when food is being handled or on utensils that are used for food preparation.

Remove other sources of food, like crumbs, sugar and grease spots. Common areas to place baits include: along baseboards, in corners of rooms and cabinets, on countertops, under and behind appliances, under sinks, around pipes and water sources, in pantry, on window sills and around doorways, near garbage cans, and along ant trails. For lawn and garden, place along trails and near nests. Space stations 10-20 feet apart.

[Helpful Tips:]

-[Do not place bait stations where insecticide has recently been sprayed, as pests may avoid the bait stations]

-[For best results, all 3/6 bait stations should be used at once.]

-[For large areas or heavy infestations, additional bait stations are recommended.]

-[Replace bait stations once most of the bait has been eaten, or at least every 30 days to keep ants from coming back.]

Food Processing and Handling Establishments, Including Federally-Inspected Food Plants: Food areas include serving areas while the establishment is in operation, areas for receiving, storing, packing, and preparation, and edible waste storage and enclosed processing systems. Do not contaminate food and feedstuffs. Use as instructed above.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place, below 130 °F. Do not store where children or animals may gain access.

Container Handling and Disposal: If empty: Non-refillable container. Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or **1-800-CLEANUP** for disposal instructions.

[Warranty Limitations and Disclaimer

To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than as indicated on the label. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label. To the extent consistent with applicable law, there are no expressed or implied warranties of merchantability or fitness for any particular purpose, except as specifically stated herein. To the extent consistent with applicable law, manufacturer shall not be liable for any consequential damages based on the use of the product.] **NOTE:** Bold italicized text is information for the reader and not part of the label. [Bracketed information is optional text.] Text separated by / denotes and / or options.

Individual Metal Can Bait Station Label

InVictTM AB Bait Station

 EPA Reg. No.: 73079-RG EPA Est. No.: (as applicable) Net Wt: 0.21 oz (6 g)

[Questions, Comments or Medical Information? Call Web_____] [© XXXX]

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAITS CAUTION

To open station, punch in semi-perforated holes.

See outer package for additional Precautions and First Aid, and complete Directions for Use.

[This side down] [Date bait placed: / /] [Replace 30 days after placement] [Not labeled for individual sale.]

MARKETING CLAIMS

GENERAL CLAIMS

[Derived from Soil Microbes] [Contains Abamectin] [Contains no peanut products] [For Indoor and Outdoor Use] [For Indoor Use] [For Outdoor Use] [Ready-to-Use Bait] [Multiple [food] attractants] [Contains sweet / sugar, oil / grease, and protein] [Very low odor [formula]] [Guaranteed to work or your money back] [Made in [the] USA] [Child Resistant [Baits/Stations/Bait Stations]

ANT CLAIMS

[Kills Ants Listed] [Kills Common / Household Ants Listed] Kills acrobat, allegheny, argentine, big-headed, cornfield, crazy, ghost, little black, odorous house, pavement, pharaoh, pyramid, thief and white-footed ants [Kills listed sweet / sugar and grease / protein eating ants] [Kills listed sweet, grease, and protein eating ants] [Uses 4 food sources to kill listed ants] [Kills the queen] [Kills the colony] [Kills the queen and the colony] [Kills the listed ants you see and the ones you don't] [Kills listed ants where they hide / breed] [Attracts listed [foraging / scout / worker] ants] [Ants begin feeding within 30 minutes] [Starts killing worker ants in 24 hours] [Kills the ant nest / colony in 3-7 days] [Guaranteed to kill the colony or your money back]

End Metal Can Bait Station