

73211-1

05-15-2000

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of issuance:

73211-1

MAY 15 2000

Term of Issuance:

Conditional

Name of Pesticide Product:

Osiris 25

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Osiris Group, LLC
15512 Outlook
Overland Park, KS 66223

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, in his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 73211-1".
3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Date:

MAY 15 2000

Robert S. Brennis, PM 32

PAGE 2/4
MAY -12-00 9:45AM;
913 851 9072;
ENT BY: OASIS;

OSIRIS 25

Precautionary Statements

Hazards to Humans and

Domestic Animals

DANGER. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield, and use only Neoprene gloves when handling. May be fatal if swallowed. Irritating to nose and throat. Do not breathe dust, vapors or spray mist. Remove and wash contaminated clothing immediately.

Environmental Hazards

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical/Chemical Hazards

Strong oxidizing agent. Mix or dilute with water only. Mixing with acids, or alcohol, or other chemicals may cause evolution of chlorine and chlorine dioxide gas mixture which is toxic and may be explosive. Combustible materials contaminated with OSIRIS 25 may burn rapidly. Keep handling areas and equipment clean and free of oils, greases, combustibles and dust. Do not contaminate product with garbage, dirt, organic matter, paint products, solvents, acids, vinegar, beverages, oils, pine oils, dirty rags, or other foreign matter. Do not expose to hot surfaces, sparks or open flame.

Sodium Chlorite Solution
For Use in Generating Chlorine Dioxide to Control Microorganisms in Potable Water, Wastewater, Food Processing Plant Water, Once-Through Cooling Systems, General Industrial Process Water and Food-Contact Surfaces

Active Ingredient

Sodium Chlorite 25.0%

Inert Ingredients

75.0%

100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

See Side Panels for Additional Precautionary Statements

Statement of Practical Treatment

(In Eyes): Flush with plenty of water for 15 minutes. Get medical attention immediately.

(On Skin): Shake off excess chemical. Flush with plenty of water for 15 minutes while removing clothing. If irritation develops, get medical attention. Wash contaminated clothing immediately.

(Swallowed): Promptly drink large quantities of water. Do not induce vomiting. Avoid alcohol. Call a physician immediately.

OASIS Group, LLC
Overland Park, KS

EPA Reg. No. 73211-

EPA Est. 53345-CN-01
5382-KS-01

Net Contents lbs. or gals

STORAGE AND DISPOSAL

Do not contaminate water, food or food by storage or disposal.

STORAGE: Avoid exposure to high temperatures during storage. Store remote from other chemicals and combustible materials. Do not skid or slide drums.

PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) all containers and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved of by state and local authorities.

ACCEPTED
MAY 15 2000
of the Federal Insecticide, Fungicide and
Plant Disease Act, as amended, for the
purpose of sale.
73211-1

3/4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

METHOD OF APPLICATION

Chlorine dioxide generation must take place only under controlled conditions in a chlorine dioxide generator. These generators react OSIRIS 25 with either chlorine or a chlorine solution and hydrochloric acid producing an aqueous solution of chlorine dioxide. This solution is then added at a point in the system to be treated which ensures uniform mixing. Alternatively, a weak acid generation of chlorine dioxide can be used. This method involves contacting sodium chlorite in an aqueous solution with citric acid. Do not apply OSIRIS 25 directly to the system being treated. Follow all instructions in the chlorine dioxide generator manual carefully.

APPLICATIONS

POTABLE WATER AND WASTEWATER DISINFECTION: For most municipal and other potable water systems, a chlorine dioxide residual concentration up to 2.0 ppm is sufficient to provide adequate disinfection. The concentration of total residual oxidants (chlorine dioxide, chlorite and chlorate) should be monitored such that it does not exceed 1.0 ppm in the distribution system. For wastewater and sewage applications, residual chlorine dioxide concentrations up to 5.0 ppm are generally adequate.

FOOD PROCESSING PLANTS, DAIRIES, BOTTLING PLANTS AND BREWERIES
FOOD PLANT PROCESS WATER: For microbial control in typical food processing water systems, such as flume transport, chill water systems, hydrocoolers and retort cooling water, apply OSIRIS 25 through a chlorine dioxide generation system to achieve a chlorine dioxide residual concentration ranging from 0.25 to 5.0 ppm.

Chlorine dioxide generated from OSIRIS 25 may also be used as a water sanitizer for fruit and vegetable washing and cut and peeled potatoes products without a subsequent potable water rinse requirement, provided that the concentration of total residual oxidants meet the residual limitations of ≤ 1.0 ppm.

Residual concentrations up to 5.0 ppm chlorine dioxide in process water may be used for washing whole uncut and unpeeled fruits and vegetables although a final potable water rinse is required if the residual exceeds 1 ppm.

Potatoes, including those which have been peeled or cut, may be treated with sufficient chlorine dioxide to produce a residual concentration of up to 5.0 ppm provided this is followed by a potable water rinse.

4/4
POULTRY PROCESSING WATER: Use OSIRIS 25 to generate chlorine dioxide for use as an antimicrobial agent in water used in poultry processing in an amount not to exceed 3 ppm residual chlorine dioxide as determined by an appropriate method.

SANITIZATION OF FOOD-CONTACT SURFACES IN FOOD-PROCESSING PLANTS, DAIRIES, BOTTLING PLANTS AND BREWERIES Use OSIRIS 25 to generate chlorine dioxide for use as a terminal no-rinse sanitizer for food-contact surfaces, food-processing equipment and utensils. Prior to application, remove gross food particles and soil by a pre-flush, or pre-scrape, and, when necessary, pre-soak treatment. Then thoroughly wash all equipment, surfaces and utensils with a suitable detergent or cleaner, followed by a potable water rinse. Dilute the chlorine dioxide solution generated from the chlorine dioxide generator with potable water to achieve a use-solution of at least 100 ppm but not more than 200 ppm available chlorine dioxide. A contact time of at least one minute is required for sanitization. Allow the sanitizing solution to thoroughly drain and dry from all equipment and surfaces prior to recontact of the sanitized surface with food or feed items.

GENERAL INDUSTRIAL PROCESS WATER TREATMENT (OILFIELD INJECTION WATER, WHITE WATER PAPER MILL SYSTEMS, AND RECIRCULATING COOLING TOWERS): Use OSIRIS 25 to generate chlorine dioxide for the control of microbial slime in the above water systems. In order to achieve adequate control, the chlorine dioxide residual concentration should be between 0.25 and 5.0 ppm.

ONCE-THROUGH COOLING WATER SYSTEMS: Control of mollusks can be effectively accomplished using OSIRIS 25 as directed in commercial and industrial once-through cooling water systems. OSIRIS 25 may be fed on a continuous or slug basis depending on the degree of system fouling.

SLUG DOSE: Add 42 to 210 lbs. of chlorine dioxide per million gallons of water (5 to 25 ppm)

CONTINUOUS DOSE: Add 2 to 16 lbs. of chlorine dioxide per million gallons of water (0.25 to 2 ppm)