

**SUPPLEMENTAL LABEL****FARMSAVER.COM
METSULFURON METHYL 60 DF**

EPA Registration No. 73220-3

FOR WEED CONTROL IN GRAIN SORGHUM**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Observe all applicable directions, restrictions, and precautions of the EPA-registered label.

This label and the Federally registered label must be in the possession of the user at the time of pesticide application.

Do not use this product through any type of irrigation system.

GENERAL INFORMATION

FarmSaver.com Metsulfuron Methyl 60 DF herbicide is recommended for use on irrigated or dry land grain sorghum in Colorado, Kansas, Nebraska, Oklahoma, and Texas (North of Interstate-20).

WEED CONTROL, RATES, AND TIMING OF APPLICATION

Crop Growth Stage: For best results and for crop safety, apply Metsulfuron Methyl 60 DF plus 2,4-D amine when grain sorghum is from 3 to 15 inches tall. If sorghum is taller than 10 inches to the top of the canopy, apply with drop nozzles and keep spray off of foliage. Apply before boot stage only. Read and follow all other use instructions, warnings and precautions provided on companion herbicide labels.

Sorghum varieties can vary in sensitivity to 2,4-D amine. Spray only those varieties that are known to be tolerant to 2,4-D amine. For additional information, contact the seed company or your Local County Extension Service.

Application Rates: Apply Metsulfuron Methyl 60 DF at the rate of 1/20 oz. per acre, plus ¼ lb. active ingredient 2,4-D amine per acre. Do not use surfactant or crop oil.

Weed Growth Stage: Apply Metsulfuron Methyl 60 DF plus 2,4-D amine when all or a majority of the weeds have germinated and emerged. Spray when weeds are a maximum of 6 inches tall for best results.

Weeds Controlled with Tank Mixtures of Metsulfuron Methyl 60 DF plus 2,4-D Amine:

- Pigweed species
- Puncture vine
- Velvetleaf

APPLICATION INFORMATION

Use properly calibrated ground or aerial equipment to apply Metsulfuron Methyl 60 DF herbicide to grain sorghum.

Ground Application: Apply uniformly at 20 – 40 PSI with a properly calibrated low pressure boom sprayer equipped with flat fan nozzles. Use 10 – 30 GPA.

Aerial Application: Use orifice discs, cores and nozzle types and arrangements that provide optimum spray distribution and maximum coverage at 2 to 5 GPA. Do not apply during temperature inversions, when winds are gusty, or when conditions favor drift and/or poor coverage.

Metsulfuron Methyl 60 DF can be used on either dry land or irrigated grain sorghum. If applying to irrigated sorghum, delay first post-treatment irrigation for a minimum of 3 days after treatment. For the first post-treatment irrigation, do not exceed 1".

Cultivate prior to Metsulfuron Methyl 60 DF + 2,4-D amine treatment to cover exposed brace roots of grain sorghum. This will minimize injury from 2,4-D amine.

PRECAUTIONARY STATEMENTS

- Temporary growth stunting and/or crop yellowing may occur soon after application, especially when crops are under stress conditions.
- Do not use Metsulfuron Methyl 60 DF on grain sorghum that is grown for seed production or for syrup. Do not use on forage sorghum.
- Wait a minimum of 30 days before using for silage or forage
- Do not include surfactant or crop oil when preparing the tank mix.
- Do not apply under cold, wet weather conditions or to grain sorghum that is under stress caused by weather, insects or disease. Crop injury may result.

- Do not apply to long season grain sorghum varieties. Do not apply to grain sorghum that is planted after July 1. Crop injury or delayed maturity may occur.
- Do not apply to grain sorghum more than once per year.
- Metsulfuron Methyl 60 DF must be used in combination with 2,4-D on grain sorghum. If using in areas where 2,4-D is restricted, follow all applicable restrictions. Do not use this product on grain sorghum in areas where 2,4-D use is prohibited.

IMPORTANT

BEFORE USING METSULFURON METHYL 60 DF HERBICIDE, READ AND CAREFULLY FOLLOW THE CAUTIONARY STATEMENTS AND OTHER PROCEDURAL INFORMATION APPEARING ON THE EPA REGISTERED LABEL.

This Supplemental Label contains instructions for use of this product on grain sorghum, which do not appear on the package label. Follow the instructions carefully.