

73220-8

2/24/2009

1 of 12



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

FEB 24 2009

Christie Hitchcock
Regulatory Specialist
FarmSaver.com LLC
4315 Falls of Neuse Road, Suite 300
Raleigh, NC 27609

SUBJECT: Application for Pesticide Notification – Several Label Updates, including Primary Brand Change, Updated Warranty, and Other Labeling Changes per PRNs 98-10 and 2007-4 Oxadiazon 50 (Primary Name Change to “Quali-Pro® Oxadiazon 50 WSB”) EPA Reg. No. 73220-8 Application Dated September 4, 2008

Dear Ms. Hitchcock:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notices (PRNs) 98-10 and 2007-4 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRNs 98-10 and finds that the actions requested fall within the scope of PRNs 98-10 and 2007-4. The label submitted with the application has been date-stamped “Notification” and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington *for*
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2012

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 73220-8	2. EPA Product Manager Linda Arrington	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Oxadiazon 50	PM# 23 Registration Support Branch	
5. Name and Address of Applicant (Include ZIP Code) FarmSaver.com, LLC 4515 Falls of Neuse Rd., Suite 300 Raleigh, NC 27609 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar to a pesticide in composition and labeling to: NOTIFICATION EPA Reg. No. FEB 24 2009 Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification per PRN 98-10 including Primary Brand Name change from Oxadiazon 50 to Quali-Pro® Oxadiazon 50 WSB. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make false statements to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 & 2007-4 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				1 lb	2
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lbs or less; greater than 50 lbs		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other Self-adhesive	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Christie Hitchcock	Title Regulatory Specialist	Telephone No. (Include Area Code) 919-256-9342
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Christie Hitchcock</i>	3. Title Regulatory Specialist	
4. Typed Name Christie Hitchcock	5. Date 09-04-08	



September 4, 2008

Document Processing Desk (NOTIF)
Registration Division (7504P)
OPP, USEPA
Ariel Rios Building
1200 Pennsylvania Ave, NW
Washington DC 20460

Re: Oxadiazon 50, EPA Reg. No. 73220-8
Notification per PRN 98-10 and 2007-4

To Whom It May Concern:

We are notifying the Agency of several label updates as allowed in PR Notices 98-10 and 2007-4, including a Primary Brand Name change. The changes are summarized below:

- Added "Manufactured for" in front of the company name (allowed per PRN 98-10 §II(N)(2))
- Updated the Warranty Statement that is now consistent with EPA's guidance document dated 10-17-06) (allowed per PRN 98-10 §II(J))
- Updated address on product-specific labeling (allowed per PRN 98-10 §IV(D))(note; official EPA records have already been updated; we're just correcting this label)
- Primary Brand Name Change from Oxadiazon 50 to Quali-Pro® Oxadiazon 50 WSB (as allowed per PRN 98-10 §II(A))
- Updated container disposal instructions per PRN 2007-4

Please note that we have included exclusionary language for use on agricultural sites in the state of Arizona.

In support of this submission, the following documents are attached:


- Application for Pesticide Registration (EPA Form 8570-1)
- One copy of final printed labeling

Please contact me at 919-256-9342 or by email at chitchcock@manainc.com if you have any questions regarding this submission or would like a copy of the annotated label showing the changes for your files.

Sincerely,

Christie Hitchcock
Regulatory Specialist

Enclosures



4 of 12




September 4, 2008

Page Two
Form 8570-1
Oxadiazon 50, EPA Reg.No. 73220-8

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance of PR Notice 2007-4 and requirements of EPA's regulations at 40 CFR §§156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statements to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Christie Hitchcock

Christie Hitchcock
Regulatory Specialist
Regulatory Affairs, MANA



50A12

Quali-Pro® Oxadiazon 50 WSB

A pre-emergent herbicide for the control of broadleaf weeds and annual grasses in turf and ornamentals. FOR SALE TO, USE, AND STORAGE BY COMMERCIAL TURF, NURSERY, AND LANDSCAPE PERSONNEL ONLY. DO NOT USE ON HOME LAWNS.

ACTIVE INGREDIENT:

Oxadiazon: 3-[2,4-dichloro-5-(1-methylethoxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2(3H)-one..... 50.0%

INERT INGREDIENTS: 50.0%

TOTAL..... 100.0%

KEEP OUT OF REACH OF CHILDREN WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.) **NOTIFICATION**

FEB 24 2009

Manufactured for:
FarmSaver.com, LLC
4515 Falls of Neuse Road, Suite 300
Raleigh, NC 27609

EPA Reg. No. 73220-8

EPA Est. No. _____

NET CONTENTS: _____ Lbs

FIRST AID

IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.

HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR OR GOING FOR TREATMENT. You may also contact PROSAR 1-800-308-5391 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes substantial but temporary eye injury. Causes skin irritation. Harmful if inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid breathing dust.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear coveralls over short-sleeved shirt and short pants, waterproof gloves, a chemical resistant apron when cleaning equipment, mixing or loading, protective eyewear, chemical resistant headgear for overhead exposure and chemical resistant footwear plus socks. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash body thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Quali-Pro® Oxadiazon 50 WSB should not be used in areas where irrigation or rainfall results in the direct or indirect (via ditches and canals) contamination of surface waters through dissolved runoff or erosion of soil particles to which oxadiazon is absorbed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls over short-sleeved shirt and short pants, waterproof gloves, protective eyewear, chemical resistant footwear plus socks and chemical resistant headgear for overhead exposure.

GENERAL INFORMATION

One water-soluble packet is equivalent to 1 pound of product, which equals 1/2 pounds of active ingredient.

Oxadiazon 50 WSB is a preemergent herbicide for control of many broadleaf weeds and annual grasses in turf and on a variety of woody ornamental shrubs and trees. Oxadiazon 50 WSB controls weeds by killing the seedlings of young weeds as they come in contact with the herbicide during germination.

Make applications with a properly calibrated sprayer that will apply the spray solution uniformly. Uniform application is essential for satisfactory weed control. Calibrate the sprayer before using, according to the manufacturer's directions, and check the equipment daily to assure that it is working properly.

Application Rates: Wherever a range of application rates are listed on this label (for example: "4-6 water-soluble packets packets"), use higher rates of Oxadiazon 50 WSB where heavy weed pressure is anticipated, or where medium or fine textured soils exist. Soil textures are defined as follows:

- Coarse: Sand, sandy loam, loamy sand
- Medium: Loam, silt loam, silt
- Fine: Sandy clay loam, silty clay loam, clay loam, sandy clay, silty clay, clay

Lower rates may be used on light (coarse) texture, low organic matter (< 1.0% OM) soils; however, these guidelines are intended as general information only. Consult the list of annual grasses and broadleaf weeds below for rates used to control specific weeds.

When a range of spray volumes is recommended, use a sufficient amount to ensure adequate spray coverage under your use conditions. Generally, larger plants require larger volumes.

GENERAL HANDLING INSTRUCTIONS

Each Oxadiazon 50 WSB water-soluble bag is sealed within an outer bag. Do not break the seal until ready to use. Open the end of the outer bag by tearing it along the printed solid line. **Note:** Do not use a knife or other sharp object to break the seal. Once the outer protective bag is opened, the water-soluble bag inside can be dropped into the spray tank at the appropriate time without touching the bag.

HANDLING PRECAUTIONS

- Do not allow the empty outer bag or the tear-strip to fall into the spray tank. They are not water-soluble and could clog the sprayer.
- Do not handle the inner bag with wet gloves, as the bag will begin to dissolve on contact. This can occur with even a small amount of water.
- Do not open the inner bags, and do not attempt to remove the product from them. The water-soluble packet is not to be subdivided or re-measured.
- Do not open the PVA bag. A partial bag should not be used for a tank mix.
- Use the entire contents of the water-soluble bag.

Do not permit domestic animals to graze treated areas. Avoid contamination of water that is intended for irrigation and domestic use.

State Specific Restrictions:

The state of Arizona has not approved this product for use on agricultural sites. Do not use this product on uses considered by the Arizona statutes to be agricultural uses.

TURF

For use in dormant, established Bermudagrass, St. Augustinegrass and Zoysia turf such as fairways, golf courses, parks, and lawns. Oxadiazon 50 WSB controls Crabgrass, Annual Bluegrass, Goosegrass, Virginia Buttonweed, and Annual Sedge.

Apply Oxadiazon 50 WSB at least 2-3 weeks prior to greenup. Rake turf area to remove leaves and trash. If necessary, mow turf to ensure the spray solution reaches the soil surface. Measure the area to be treated and apply the amount required uniformly. If rain is not expected shortly after application of this product, sprinkle the turf thoroughly.

*Do not use on Zoysia Turf or St. Augustinegrass in California.

Hawaii recommendation only: Oxadiazon 50 WSB may be applied to newly sprigged Zoysiagrass that is being grown for sod. Ensure that the spray reaches the soil surface. If rain is not expected shortly after application of this product, irrigate the turf thoroughly.

80912

PREEMERGENCE WEED CONTROL

WEEDS CONTROLLED	NUMBER OF OXADIAZON 50 WSB WATER-SOLUBLE PACKETS PER ACRE	INSTRUCTIONS
Annual Bluegrass (<i>Poa annua</i>)* Crabgrass (<i>Digitaria</i> spp.) Goosegrass (<i>Eleusine indica</i>) Annual Sedge (<i>Cyperus compressus</i>)*	4 - 6	Apply in late winter or early spring before weed seed germination and turf green up. NOTE: Treatment is effective only against spring germinating <i>Poa annua</i> .
Virginia Buttonweed (<i>Diodia virginiana</i>)	6	Apply in 30 – 150 gallons of water per acre.

* Not currently registered in California.

Review the instructions under **Application Rates** in the **GENERAL INFORMATION** section above for additional application information.

ANNUAL WEED CONTROL FOR BERMUDAGRASS ESTABLISHMENT FROM SPRIGS

WEEDS CONTROLLED	NUMBER OF OXADIAZON 50 WSB WATER-SOLUBLE PACKETS PER ACRE	INSTRUCTIONS
Crabgrass, Annual Sedge, and Goosegrass	4 - 6	Apply immediately before or immediately after sprigging. Disturbance of the soil surface after applying Oxadiazon 50 WSB may disrupt the herbicide barrier and reduce product effectiveness. For best results, irrigate immediately after application.

Oxadiazon 50 WSB must not be applied to newly seeded areas. Wait until 4 months after treatment before seeding into treated areas. Do not use Oxadiazon 50 WSB on putting greens or tees because of the varying cultural practices used. Apply this product in 30 – 150 gallons of water per acre.

Review the instructions under **Application Rates** in the **GENERAL INFORMATION** section above for additional application information.

ORNAMENTALS AND CONIFER NURSERIES

TREE, WOODY ORNAMENTAL SHRUB AND CONIFER NURSERY APPLICATIONS: Apply Oxadiazon 50 WSB before weed seed germination, as a directed spray to the soil surface or as an over the top spray only on species listed in this label. Oxadiazon 50 WSB can be applied to both established and newly transplanted plants. Apply to actively growing or dormant plants. However, Oxadiazon 50 WSB should not be applied during bud break or during the 4 weeks immediately following bud break.

Rainfall or overhead irrigation (one-half inch) should follow immediately after application of Oxadiazon 50 WSB to improve weed control activity. Rainfall or overhead irrigation immediately after over-the-top sprays is necessary to move the Oxadiazon 50 WSB from the foliage to the soil surface.

Do not mix Oxadiazon 50 WSB into the soil. Cultivating or disturbing the soil may reduce the weed control activity of Oxadiazon 50 WSB. **Do not apply in greenhouses** as plant injury may occur due to codistillation of the active ingredient onto leaf surfaces in condensation.

USE RATES: Ground application – Apply Oxadiazon 50 WSB to ornamentals with a broadcast spreader in a minimum of 50 gallons per acre at 4 to 8 water-soluble packets per acre, depending on the weeds to be controlled, as listed below. Remove existing weed growth before application. Review the instructions under **Application Rates** in the **GENERAL INFORMATION** section above for additional application information.

Oxadiazon 50 WSB at 4 to 8 water-soluble packets per acre is effective in controlling broadleaf weeds and annual grasses such as the following:

ANNUAL BROADLEAF WEEDS	
COMMON NAME	SCIENTIFIC NAME
Bittercress	(<i>Cardamine</i> spp.)
Bristly Oxtongue ¹	(<i>Picris echioides</i>)
Carpetweed	(<i>Mollugo verticillata</i>)
Cheeseweed	(<i>Malva parviflora</i>)
Common Groundsel*	(<i>Senecio vulgaris</i>)
Common Purslane	(<i>Portulaca oleracea</i>)
Evening Primrose*	(<i>Oenothera</i> spp.)
Fiddleneck ¹	(<i>Amsinckia intermedia</i>)
Fireweed ¹	(<i>Epilobium angustifolium</i>)
Florida Pusley	(<i>Richardia scabia</i>)
Galinsoga*	(<i>Galinsoga</i> spp.)
Golden Ragwort	(<i>Senecio aureus</i>)
Lambsquarters	(<i>Chenopodium album</i>)
Liverwort**	(<i>Marchantia</i> spp.)
Oxalis	(<i>Oxalis</i> spp.)
Pennsylvania Smartweed	(<i>Polygonum pennsylvanicum</i>)
Petty Spurge	(<i>Euphorbia peplus</i>)
Prostrate Spurge**	(<i>Euphorbia supine</i>)
Redroot Pigweed	(<i>Amaranthus retroflexus</i>)
Shepherdspurse ¹	(<i>Capsella bursa-pastoris</i>)
Speedwell	(<i>Veronica</i> spp.)
Sow Thistle ¹	(<i>Sonchus oleraceus</i>)
Spotted Catsear	(<i>Hypochaeris radicata</i>)
Swinecress*	(<i>Coronopus didymus</i>)
Yellow Woodsorrel ¹	(<i>Oxalis stricta</i>)
ANNUAL GRASSES	
COMMON NAME	SCIENTIFIC NAME
Annual Sedge ¹	(<i>Cyperus compressus</i>)
Barnyardgrass*	(<i>Echinochloa crus-galli</i>)
Carpetgrass	(<i>Axonopris officinis</i>)
Crabgrass	(<i>Digitaria</i> spp.)
Fall Panicum	(<i>Panicum dichotomiflorum</i>)
Goosegrass**	(<i>Eleusine indica</i>)
Green Foxtail	(<i>Setaria viridis</i>)
Ripgut Bromegrass ¹	(<i>Bromus catharticus</i>)
Wild Oats ¹	(<i>Avena fatua</i>)

* Use 6 to 8 water-soluble packets of this product per acre.

** Use 8 water-soluble packets of this product per acre.

¹ **Not currently registered in California for use on Annual Bluegrass, Annual Sedge, Bristly Oxtongue, Cheeseweed, Fiddleneck, Fireweed, Ripgut Bromegrass, Shepherdspurse, Sow Thistle, and Wild Oats.**

PLANT TOLERANCE: Oxadiazon 50 WSB may be used as a directed spray to the soil surface on a wide variety of field grown and container grown woody ornamental shrubs and trees and on conifers in

100af12

nurseries. Oxadiazon 50 WSB may be used as an over-the-top spray in a minimum of 50 gallons per acre, at the recommended rates, only on the ornamental species below:

SPECIES	VARIETIES
Arborvitae	American – Smaragd, Rheingold Giant – Zebrina
Baby's Breath	<i>Gypsophila paniculata</i>
Barberry	Japanese
Boxwood	Dazzler
Cedar	Eastern Red
Cranberry	American
Dodonaea	Purpurea
Euonymus	Evergreen – Golden Japanese, Gold Spot
False Cypress	Nootka – Aurea Hinoki – Graciosa, Pygmaea Sawara – Aurea Nana
Fir*	Douglas, Fraser, Grand, Noble
Gladiolus	
Hemlock*	Canada
Holly	Japanese – Helli Kurogane Chinese – Parsonii
Juniper	Common – Berkshire, Effusa Creeping – Blue Chip, Blue Rug, Andorra Singleseed – Blue Star Savin – Buffalo, Tamariscifolia
Oleander	Common
Ophiopogon	
Pine	Eastern White, Mugho, Scotch
Raphiolepis	
Spruce*	Blue
Statice	<i>Limonium</i> spp.

* Not currently registered for use on Hemlock, Fir, and Blue Spruce in California.

Local conditions may affect the use of this product. Consult State Agricultural Experiment Station or Extension Service weed specialists for specific recommendations regarding local weed problems and for information about using lower dosages.

LANDSCAPE PLANTINGS: ROADSIDE, COMMERCIAL, & INDUSTRIAL SITES. Apply Oxadiazon 50 WSB before weed seed germination as an over-the-top spray only on those ornamentals on this label.

USE RATES: Apply Oxadiazon 50 WSB as a broadcast spray, in a minimum of 50 gallons of water per acre, to established ornamentals using 4 water-soluble packets per acre. Remove all existing weed growth before applying. Applications should not be made within 60 days of transplanting. Do not apply with drift control agents or adjuvants. Sprinkle irrigate within 2 hours after applying this product, otherwise, crop injury may result.

CROP TOLERANCE: Oxadiazon 50 WSB may be used as an over-the-top spray only the ornamental species listed below.

SPECIES	VARIETIES
Ice Plant	Large Leaf
Ivy	English, Algerian
Daisy	African Trailing
Periwinkle	Major, Minor

11/09/12

TANK MIX COMBINATIONS: Ornamental Plantings, Noncropland areas:

Tank-mix combinations consisting of Oxadiazon 50 WSB with Roundup® are recommended to control existing undesirable vegetation. When applied as a directed spray, Oxadiazon 50 WSB plus Roundup will provide pre- and postemergence control of the susceptible species that are listed on the respective labels of the two herbicides.

MIXING INSTRUCTIONS: Oxadiazon 50 WSB should be added to the tank and agitated before adding Roundup. Please refer to the Roundup label for information on the use of surfactants. Only mix the amount of spray needed for immediate application needs as settling can occur if the spray mixture is sits over an extended period of time.

PRECAUTION: Roundup is not recommended as an over-the-top spray on ornamentals. Exercise extreme care to avoid contact of spray containing Roundup with foliage, green bark, stems, or bare roots of desirable turfgrasses, shrubs, trees, or other desirable vegetation since severe damage or destruction may result. If spraying a tank mix with Roundup on areas adjacent to desirable plants, use a shield made of plywood, cardboard, or sheet metal while spraying to help prevent spray from contacting foliage of desirable plants.

**BROADCAST APPLICATION RATES:
OXADIAZON/ROUNDUP TANK MIX**

Existing Broadleaf and Annual Weeds	OXADIAZON 50 WSB Number of Water-soluble Packets per Acre	ROUNDUP Quarts Per Acre
Less Than 6 Inches Tall	4 – 8	1
Greater Than 6 Inches Tall	4 – 8	1 ½
Existing Perennials	4 – 8	2 - 5

These rates are intended as general information only. Consult the rate sections in individual product labels for detailed information regarding specific weed species controlled and rates of application.

Review the instructions under **Application Rates** in the **GENERAL INFORMATION** section above for additional application information.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not contaminate water, food or feed by storage or disposal. Do not store in or around the home.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable Container (flexible-bag-all weights): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container (rigid-fifty lbs. or less): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Nonrefillable Container (rigid-greater than fifty lbs.): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Refillable Container: Refillable container. Refill this container with oxadiazon only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean

