ť

ALPET D2

READY TO USE QUICK DRYING

SURFACE SANITIZER FOR FOOD CONTACT AND NON FOOD CONTACT SURFACES DISINFECTANT – TUBERCULOCIDAL - VIRUCIDAL* IDEAL FOR WATER SENSITIVE AREAS

ACTIVE INGREDIENTS:

Isopropyl Alcohol	58.6000 %
Octyl Decyl Dimethyl Ammonium Chloride	
Didecyl Dimethyl Ammonium Chloride	0.0045 %
Dioctyl Dimethyl Ammonium Chloride	0.0030 %
OTHER INGREDIENTS:	41.3850 %
TOTAL	100.0000 %

[Depending on container size, the following statement may appear on the final label] - Not for individual sale

KEEP OUT OF REACH OF CHILDREN WARNING

_····	- FIRST AID
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
treatment. Yo	duct container or label with you when calling a poison control center or doctor, or going for ou may also contact 530-432-7460 between 8:30 A.M. and 4:30 P.M. Pacific Time for emergency ment information.

[Depending on container size, the following statements may appear on the final label] See side panel for first aid and precautionary statements. See accompanying pamphlet for directions for use and additional precautionary statements.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear protective eyewear, such as safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Physical or Chemical Hazards

Flammable: Keep away from heat and open flame.

Manufactured For: BEST SANITIZERS, INC. P.O. BOX 707 PENN VALLEY, CA 95946

E.P.A. Reg. No. 73232-1 E.P.A. Est. No. 550-KY-001

Net Contents:

Batch No.



SEP 2 3 2005

Under the Federal Insecticide, Fungicide, and Rodenticide, Act as amended, for the pesticide, registered under EPA Reg. No. 7 3 3 3 4

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

DISINFECTION

For disinfection of inanimate, precleaned, hard, non-porous surfaces such as chairs, countertops, drawer pulls, carts, baskets, tables, cabinets, telephones, plastic surfaces, glazed ceramic, glazed porcelain, chrome, stainless steel, aluminum, laminated surfaces and other related hard surfaces in hospitals, operating rooms, medical clinics, nursing homes, laboratories, schools, day care centers, funeral homes.

TO DISINFECT: Completely preclean surfaces to be disinfected. This product may be used for this purpose. Then, apply with a sponge, cloth, or mechanical sprayer, or by total immersion. When applied with a mechanical spray, spray should be coarse. Surfaces must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 5 minutes. This product is an effective disinfectant according to the AOAC Use Dilution Test method on hard inanimate surfaces against: Staphylococcus aureus MRSA (ATCC 33591), Staphylococcus aureus (ATCC 6538), Enterococcus faecium VRE (ATCC 51559), Escherichia coli O157:H7 (ATCC 43895), Pseudomonas aeruginosa (ATCC 15442), Listeria monocytogenes (ATCC 19111), and Salmonella choleraesuis (ATCC 10708). This product is also effective against the Norwalk Virus.

TUBERCULOCIDAL ACTIVITY - This product exhibits disinfectant efficacy against Mycobacterium bovis (BCG) in 5 minutes at 20°C when used as directed on previously cleaned hard nonporous inanimate surfaces.

*KILLS HIV-1 AND HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (e.g. hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) AND HBV ON SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY **FLUIDS**

Personal Protection: Wear disposable latex gloves, protective gown, face mask and eye covering, as appropriate, when handling items soiled with blood or body fluids.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and the EPTED before application of this disinfectant.

Contact Time: Leave surfaces wet for five minutes. For other organisms identified above sllow surface to remain wet for 5 minutes)

Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposate fideral insecticide, fungicide, and according to federal, state and local regulations for infectious waste disposal.

SEP 2 3 2005 Rodenticide, Act as amended, for the pesticide, registered under EPA Reg. No. 73232

SANITIZING OF FOOD PROCESSING EQUIPMENT AND OTHER HARD NONPOROUS SURFACES IN FOOD CONTACT LOCATIONS:

For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard nonporous surfaces.

Wash and rinse all articles thoroughly, then apply this product. If the article cannot be washed and rinsed, clean thoroughly in an appropriate fashion, then apply this product. Apply with a sponge, cloth, or mechanical sprayer, or by total immersion. When applied with a mechanical spray, spray should be coarse. Surfaces must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 1 minute.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by sponge, cloth, brush or coarse spray. Surfaces should remain wet for at least one minute followed by adequate

draining and air-drying. Use fresh solution in all applications. Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in this product.

This product is an effective sanitizer against Staphylococcus aureus (ATCC 6538), Escherichia coli (ATCC 11299), Escherichia coli O157:H7 (ATCC 43895), Pseudomonas aeruginosa (ATCC 15442), Salmonella typhimurium (ATCC 13311), Listeria monocytogenes (ATCC 19111), Enterobacter sakazakii (ATCC 51329), and Vibrio cholerae (ATCC 14035) on hard non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds. Allow to air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE-Open dumping is prohibited. Store only in the original container. Do not reuse empty container. Keep this product under locked storage sufficient to make it inaccessible to children or people unfamiliar with its proper use. Store in a cool dry area away from flames, sparks or other sources of heat or ignition. If ignited, use dry chemical or CO₂ extinguisher. If a large quantity is spilled, dilute with water and mop or wipe dry. PESTICIDE DISPOSAL-Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL- (Larger than 1gallon)- Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary land fill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. (1 gallon and smaller)- Do not reuse empty container. Wrap container and put in trash.

LIMITED WARRANTY AND DISCLAIMER

NOTICE: Best Sanitizers, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use. Buyer assumes all risks of use and handling which is a variance in any way with the directions herein. Best Sanitizers, Inc. makes no other express or implied warranty of fitness or merchantability. In no case shall Best Sanitizers, Inc. or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. Best Sanitizers, Inc. and Seller offer this product and the Buyer and user accept it, subject to the foregoing Limited Warranty and Disclaimer which may be varied only by agreement in writing signed by a duly authorized representative of Best Sanitizers, Inc.

Rev. 3/29/05

SEP 2 3 2005
Under the Federal Insecticide, Fungicide, and
Rodenticide. Act as amended, for the
pesticide, registered under
EPA Rec. No. 7 32 2 - 1