



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

June 24, 2025

Megan Priest
Agent for Chemicals Laif S.P.A
c/o Delta Analytical Corporation
Electronic Transmittal: mpriest@delta-ac.com

Subject: Pesticide Registration Improvement Act (PRIA) Labeling Amendment – Revising
Application Rate
Product Name: API-Bioxal
EPA Registration Number: 73291-2
EPA Receipt Date: 12/20/2024
Action Case Number: 00640238

Dear Megan Priest:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 § CFR 152.3.

Should you wish to add/retain a reference to your company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency or EPA]. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should EPA find or if it is brought to our attention that a website contains or claims

Page 2 of 2

EPA Reg. No. 73291-2


Action Case No. 00640238

substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Gina Burnett via email at burnett.gina@epa.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "James Parker".

James Parker, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511M)
Office of Pesticide Programs

Enclosure

ACCEPTED

Jun 24, 2025

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 73291-2

Api-Bioxal

For Varroa mite control on bees

Active Ingredient:

Oxalic Acid Dihydrate.....97.0%

Inert Ingredients3.0%

TOTAL100.0%

EPA Reg. No. 73291-2

EPA Est. No.

Net Contents:

Batch Code No.:

KEEP OUT OF REACH OF CHILDREN

DANGER-PELIGRO POISON



FIRST AID

If swallowed	<ul style="list-style-type: none">- Call a poison control center or doctor immediately for treatment advice.- Have person sip a glass of water if able to swallow.- DO NOT INDUCE VOMITING unless told to by the poison control center or doctor.- Do not give anything by mouth to an unconscious person
If in eyes	<ul style="list-style-type: none">- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.- Call a poison control center or doctor for advice.
If on skin or clothing	<ul style="list-style-type: none">- Take off contaminated clothing.- Rinse skin immediately with plenty of water for 15-20 minutes.- Call a poison control center or doctor for advice.
If inhaled	<ul style="list-style-type: none">- Move person to fresh air.- If person is not breathing, call 911 or an ambulance, then give artificial respiration, if possible. DO NOT use mouth-to-mouth method if victim ingested or inhaled the substance, use respiratory medical device.- Call a poison control center or doctor for advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center, doctor, or going for treatment.

For non-emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Website: www.npic.orst.edu).

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Provide general supportive measures and treat symptomatically. Treatment should be rapidly instituted by giving a dilute solution of calcium lactate, limewater, finely pulverized chalk, plaster, and/or milk to supply large amounts of calcium to inactivate oxalate by forming an insoluble calcium salt in the stomach. Gastric lavage is controversial, since this may compound an already severe corrosive lesion in the esophagus or stomach. However, if used, gastric lavage should be done with limewater (calcium hydroxide). Intravenous gluconate or calcium chloride solutions should be given to prevent hypocalcemic tetany; in severe cases parathyroid extract also has been given. Additionally, acute renal failure should be anticipated, and careful fluid management is necessary. Metabolically its toxicity is believed to be due to the capacity of oxalic acid to immobilize calcium and thus upset the calcium-potassium ratio in critical tissues. Effective therapy against burns from oxalic acid involves replacement of calcium.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DANGER POISON**



Fatal if swallowed. Corrosive. Causes irreversible eye damage. Causes skin burns. May be fatal if absorbed through the skin. May be fatal if inhaled. Do not get on skin, in eyes, or on clothing. Do not breathe vapor or spray mist. Wear protective clothing, eyewear, and respiratory protection as listed under "Personal Protective Equipment."

PERSONAL PROTECTIVE EQUIPMENT:

Handlers and Applicators who apply product by the Solution Method must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Chemical resistant gloves (barrier laminate, butyl rubber \geq 14 mils., nitrile rubber \geq 14 mils., neoprene rubber \geq 14 mils., natural rubber \geq 14 mils., polyethylene, polyvinyl chloride \geq 14 mils., or viton \geq 14 mils.)
- Protective eyewear such as goggles
- Wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter

Handlers and Applicators who apply product by the Vaporizer Method must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Chemical resistant gloves (barrier laminate, butyl rubber \geq 14 mils., nitrile rubber \geq 14 mils., neoprene rubber \geq 14 mils., natural rubber \geq 14 mils., polyethylene, polyvinyl chloride \geq 14 mils., or viton \geq 14 mils.)
- Protective eyewear (goggles or face shield)
- Wear a minimum of a NIOSH-approved elastomeric half mask respirator with acid gas cartridges and combination N, R, or P filters

User Safety Requirements:

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read the entire label. This product must be used strictly in accordance with this label's precautionary statements and use directions, as well as with all applicable State and Federal laws and regulations.

USE RESTRICTIONS:

Api-Bioxal applications are for in-hive use only.

DO NOT use in enclosed overwintering areas.

Apply only when monitoring indicates treatment is required. Consult state guidelines and local extension experts for monitoring protocols and thresholds for treatment.

APPLICATION DIRECTIONS:

Use Api-Bioxal when little or no brood is present as Api-Bioxal will not control Varroa mites in capped brood and may damage bee brood. Consult state guidelines and local extension experts about best application practices when applying Api-Bioxal when capped brood is present because multiple treatments several days apart will be needed to reduce successive cohorts of adult mites.

Oxalic acid can be used when honey supers are on the hive.

Oxalic acid is used to treat colonies during low brood periods, packages, or swarms. This product can also be used as a "clean up" Varroa treatment following the application of a different acaricide where Varroa infestations continue to be problematic.

SOLUTION METHOD:

Only apply Api-Bioxal as a solution when mixed with sugar-water.

IMPORTANT: To completely dissolve Api-Bioxal, use warm syrup. Dissolve 1.23 oz (35 g) of Api-Bioxal in 0.26 gal (1 L) of 1:1 sugar: water (weight:volume). Smoke bees down from the top bars. With a syringe or an applicator, trickle 0.03 fl oz (5 ml) of this solution directly onto the bees in each occupied bee space in each brood box. The maximum dose is 1.7 fl oz (50 ml) per colony whether bees are in nucs, single, or multiple brood chambers. Under certain unfavorable conditions (e.g., weak colonies, unfavorable overwintering conditions), this application method may cause some bee mortality or overwintering bee loss.

SPRAYING PACKAGE BEES:

Ensure bees are clustered before applying oxalic acid (for example store in cool dark location 24 hours before application).

Spray broodless package bees with a 1:1 sugar:water solution at least 2 hours before spraying with oxalic acid. This allows bees to fill honey stomachs with sugar water reducing ingestion of oxalic acid. Mix a 2.8% oxalic acid solution by dissolving 1.23 oz (35 g) of Api-Bioxal in 0.26 gal (1 L) of 1:1 sugar: water (weight:volume). Evenly apply 0.1 fl oz (3.0 mL) of 2.8% oxalic acid solution per 1,000 bees using a pump sprayer or battery powered sprayer (for example, a typical 2 lb package contains approximately 7,000 bees which requires 0.71 fl oz. (21 mL) of solution). Apply solution evenly on both sides of the package.

Store bees in a cool darkened room for 72 hours before hiving.

VAPORIZER METHOD:

Apply only to outdoor colonies with a restricted lower hive entrance. Seal all upper hive entrances and cracks with tape to avoid escape of oxalic acid vapor. Smoke bees up from the bottom board.

Place 0.14 oz (4.0 g) per brood chamber of Api-Bioxal powder into vaporizer. Follow the vaporizer manufacturer's directions for use. Insert the vaporizer apparatus through the bottom entrance. Apply heat until all oxalic acid has sublimated.

RESISTANCE MANAGEMENT: Oxalic acid's mechanism of action is unknown at this time. Any Varroa mite population has the potential to become resistant to acaricides. Resistance development is affected by both the frequency of application and rate/dose of application. Continued reliance on a single class of miticide or single miticide with the same mode of action will select for resistant individuals which may dominate the mite population in subsequent generations. In order to prevent resistance development and to maintain the usefulness of individual insecticides it is important to adopt appropriate resistant management strategies.

To delay resistance:

- When possible, rotate the use of miticides to reduce selection pressure as compared to repeatedly using the same product, mode or action or chemical class. If multiple applications are required, use a different mode of action each time before returning to a previously used one.
- Base miticide use on Integrated Pest Management (IPM). This includes proper pest identification, monitoring for locality specific economic threshold and economic injury levels, record keeping, and utilizing all available control practices (cultural, biological and chemical).
- Maximize efficacy by following all label instructions including dosage and timing of application.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children, pets, and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container.

PLASTIC CONTAINER DISPOSAL: Triple rinse container (or equivalent) promptly after emptying. Offer for recycling, if available. Otherwise, puncture and dispose of in a sanitary landfill, or, by incineration.

**Chemicals Laif S.P.A.
Vis Viale Dell' Artigianato, 13
Vigonza, PD 35010, Italy**