


73327-2

05/15/2009

1/10



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:

73327-2

Date of Issuance:

MAY 15 2009

NOTICE OF PESTICIDE:

- x Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance: conditional

Name of Pesticide Product:

Swiss Farms Weed & Feed
(Zero P)

Name and Address of Registrant (include ZIP Code):

Swiss Farms Products, Inc.
3993 Howard Hughes Pky, Suite 250
Las Vegas, NV 89169-6754

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/re-registration review of your product when the Agency requires all registrants of similar products to submit data.
2. Submit the data listed below:
a. Storage Stability (830.6320) and Corrosion Characteristics (830.6317) studies within 1 year of the date of this registration notice.
3. Make the following label changes:
a. Precautionary Statements:
i. The statement, "Harmful if swallowed," is optional, as the acute toxicity profile for this product is Category IV for acute oral toxicity.
ii. Add, "Wear protective eyewear." The eyewear may be specified, if appropriate.
iii. The statement, "When using this product, wear..." is optional, based on the acute toxicity profile of this product.
b. First Aid Statement: Note that the "If swallowed" section is optional, as the acute toxicity profile for this product is Category IV for acute oral toxicity.

Signature of Approving Official:

Joanne I. Miller
Product Manager 23
Herbicide Branch
Registration Division (7505P)

Handwritten signature of Joanne I. Miller

Date:

MAY 15 2009

b. Environmental Hazards:

- i. Replace the first paragraph with the following: "This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark, except as noted on appropriate labels. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.
- ii. Maintain the current second and third paragraphs
- iii. Add the following statement: "This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater."

c. Directions for Use:

- i. Change the sentence, "Do not enter treatment areas....," to read, "Do not allow people or pets to enter the treated area until dusts have settled."
- ii. Under When to Apply, add, "No more than 2 applications may be made per year," after then sentence, "Possible retreatment may be necessary...."

d. Remove the following optional claims, unless data are submitted to support them:

- i. "Especially effective on hard-to-kill weeds."
- ii. "Destroys the hard-to-kill broadleaf weeds"

e. Submit one copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Note: **Bold, italicized** text is information for the reader and is not part of the label.
[bracketed] information is optional text. Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted~~

EPA Reg. No. 73327-NEW

[FRONT]
[For Outdoor Residential Use Only]

Swiss Farms Weed & Feed (Zero P)

Treats / Covers 5,000 / 15,000 Sq Ft

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 15 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

73327-2

ACTIVE INGREDIENTS:

2,4-D, 2-ethylhexyl ester	1.108%
Mecoprop-p acid.....	0.167%
Dicamba acid.....	0.071%

OTHER INGREDIENTS	98.654%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

14.70 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.735%
3.34 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid
equivalent per ton or 0.167%
1.42 lbs. 3,6-dichloro-o-anisic acid equivalent per ton or 0.071%.

[CAS Registry Numbers:]

[2,4-D CAS# 1928-43-4]
[Mecoprop-p CAS# 16484-77-8]
[Dicamba CAS# 1918-00-9]

Isomer Specific by AOAC Methods

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back / side / top / bottom [panel / label] for additional Precautionary Statements.

NET WT. 14 lbs. [6.3 kg.] / 42 lbs. [19 kg.] / XX lbs. [XX kg.]

Note: **Bold, italicized** text is information for the reader and is not part of the label.
[bracketed] information is optional text. Text separated by / denotes and/or options.
Underline text is new. ~~Strike-through text is being deleted~~

EPA Reg. No. 73327-NEW

4/10

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID	
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 -20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

ENVIRONMENTAL HAZARDS:

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Application/Precautions

Do not use on dichondra, carpetgrass, 'Floritam' St. Augustinegrass, creeping bentgrass, or turfgrass where desirable clovers are present.

Do not apply this product to newly seeded grasses until well-established or after the second or third mowing.

Do not use this product on flowers, vegetables, groundcovers, gardens or landscape plantings including shrubs and trees. Do not exceed specified dosage for any area and do not apply this product within the dripline of, or over surface roots of trees, shrubs, and other ornamentals.

Reseeding or overseeding areas may occur three (3) weeks after the application of this product.

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike-through text is being deleted~~

EPA Reg. No. 73327-NEW

5/10

Instructions

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 to 2 days before application to sustain moisture until the next watering (see step 5).
3. Apply when broadleaf weeds are young and actively growing, preferably in the morning when dew is on the grass. At the time of application, moisture on the weed leaves from dew, rainfall or irrigation/watering aids in control. If grass is not moist at time of application, sprinkle lightly with water before applying product.
4. Avoid applying when temperatures are consistently above 90°F.
5. Do not wash from weed leaves for 1 to 2 days after application. At this time, a thorough watering should be made.

When To Apply

Apply when broadleaf weeds are actively growing in spring or early fall.

[Apply when the air is calm] [Choose a calm day] to ensure uniform coverage and avoid spreading granules onto flowers, vegetables, and ornamental shrubbery.

Possible retreatment may be necessary if lawn is heavily overrun by weeds, if adverse low moisture conditions prevail, or if weeds are in a state of poor growth.

How Much To Apply

For use on: Kentucky bluegrass, fescue spp., perennial ryegrass, common bermudagrass, zoysiagrass, St. Augustinegrass, centipedegrass, hybrid Bermudagrass, and colonial bentgrass.

Apply 2.8 pounds of product per 1,000 square feet of turfgrass. A second application may be made in approximately 30 days. The maximum number of broadcast applications per treatment site is 2 per year.

The maximum application rate to turf is 0.896 pounds 2,4-D acid equivalent per acre (or 121.97 pounds product per acre) per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

When applied as directed, this product provides [XX] pounds of nitrogen per 1,000 sq. ft. Contact your local Extension Service for information specific to your geographic region.

DISTRIBUTION AND SPREADER PATTERNS [SPREADERS AND CALIBRATION]:

Always apply with a rotary or drop spreader to distribute the granules evenly. Never apply by hand.

Coverage - To determine how much you need to apply, multiply the length of your lawn by its width. This equals your total square footage. Deduct all non-lawn areas (house, gardens, etc.). One [14 lb] [42 lb] bag covers up to [5,000] [15,000] square feet at the application rate of 2.8 lbs/1000 sq. ft.

Single Pass Distribution:

- For rotary spreaders: Operate at intervals corresponding to the swath width.
- For drop spreaders: Overlap the wheel tracks to ensure complete coverage.
- For best results, apply this product uniformly and avoid streaks, skips or overlaps. Walk at a steady pace to ensure even coverage. Close the spreader opening when turning to change directions or when stopping.

CALIBRATION INSTRUCTIONS AND SPREADER SETTINGS

Calibrate the spreader according to the manufacturer's directions. Initial spreader settings may require adjustment to deliver the recommended rate under actual application conditions.

To provide proper distribution, calibrate spreader before application.

Note: **Bold, italicized** text is information for the reader and is not part of the label.
 [bracketed] information is optional text. Text separated by / denotes and/or options.
 Underline text is new. ~~Strike through text is being deleted~~

6/10

- For 2.8 pounds of product per 1,000 square feet of turfgrass: Set your spreader on xxx square feet and adjust to apply at the rate of 1 pound of product per xxx square feet.

Spreader	Delivers 2.8 lbs./1,000 sq. ft.
LESCO® Rotary calibration gauge setting #	X
Ortho® Drop(5000)	X
Ortho® Rotary (6000)	X
Precision® Red Devil® Rotary	X
Quaker® Rotary	X
Republic® EZ Drop	X
Republic® EZ Grow	X
Republic® EZ Rotary	X
Scotts® Drop(PF3)	X
Scotts® EasyGreen	X
Scotts® Speedy Green	X
TrueTemper Rotary	X

[IMPORTANT: It is important to follow directions as indicated on this quality lawn care product as over-application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Be sure to check spreader before beginning, adjusting if necessary. Consult Owner's Manual. Never apply by hand.]

[Advisory For Fertilizers Containing Iron:

Keep this product off sidewalks, patios, driveways, etc. This fertilizer may stain concrete and painted surfaces. If it comes in contact with concrete surfaces, sweep off immediately before flushing with water. If concrete is wet when contact occurs, staining may be impossible to prevent. Be careful when using rotary spreaders, which scatter fertilizer beyond lawn edge and onto concrete.]

Controls [weeds] (List of weeds may include the following):

aster	knotweed, prostrate
bedstraw	kochia
beggarticks, hairy	lambsquarters
betony, Florida	lespedeza
bindweed	mallow
bittercress, hairy	mock-strawberry, Indian
black medic	moneywort
buckhorn	morningglory
burclover	mugwort
burdock	mustard
burweed (spurweed)	nettle
buttercup	parsley-piert
buttonweed	pearlwort
Carolina geranium (wild)	pepperweed
carpetweed	pigweed
catsear (false dandelion)	pineapple-weed
chickweed	plantain
chicory	poison ivy
cinquefoil	poison oak
clover	prickly sida
cudweed	puncturevine
daisy, English	purslane, common
daisy, oxeye	pusley
dandelion, common	ragweed
dayflower	shepherd's-purse
deadnettle	smartweed

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted~~

dichondra	sorrel, red (sheep)
dock	speedwell
dogfennel	spurge
dollarweed (pennywort)	star-of-Bethlehem
doveweed	thistle, bull
filaree	thistle, Canada
fleabane	vetch
ground ivy	wild carrot
groundsel	wild garlic
hawkweed	wild lettuce
healall	wild mustard
henbit	wild onion
horseweed	wild violet
Johnny-Jumpup violet	woodsorrel (<i>Oxalis</i>)
knawel	yarrow

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

PESTICIDE CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

OPTIONAL CLAIMS (claims may appear on any or all label panel(s))

[Pesticidal claims]

- Apply When Weeds Are Actively Growing
- Works twice as fast on weeds* *versus the previous formula
- Clobbers clover
- Controls Dandelion, Clover, Plantain, Chickweed, Spurge and Many Other Listed Weeds
- [Controls] [Kills] clover, dandelion, plantain, chickweed and [other broadleaf weeds] [others as listed]
- Consistently tough weeds like clover, plantain, ground ivy and spurge [various other weeds listed]
- Destroys the hard-to-kill broadleaf weeds [like clover, dandelion, oxalis]
- Especially effective on hard-to-kill weeds
- Kills xx+ Weed Types Even the Roots
- Kills xx+ Weed Types Including Roots
- Kills xx+ Weeds
- Kills broadleaf weeds in lawns
- Kills dandelion and many other broadleaf weeds.
- Kills [down to] the root, [not the lawn]
- Kills even the tough[est] broadleaf weeds [like clover, dandelion, oxalis]
- Kills major broadleaf weeds, even the roots. And [Swiss Farms Weed & Feed (Zero P)] [ABN] is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
- Kills major broadleaf weeds including roots. And [Swiss Farms Weed & Feed (Zero P)] [ABN] is formulated to kill only the weeds, not the lawn. Use as directed to kill major broadleaf weeds in your lawn.
- Kills [major] broadleaf weeds [like clover, dandelion, oxalis]
- Kills more weeds
- Kills Over xxx Weed Types
- Kills the root
- Kills the weeds, not the lawn
- Kills tough lawn weeds
- Kills weeds, not lawn grasses
- Kills weed roots
- Kills Weeds While Feeding Your Lawn
- Our fastest formula ever
- Provides broadleaf control

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted~~

- Starts working on contact
- Targets weeds, leaves [grasses] [the lawn] unharmed
- Tough weed killer
- Use on Lawns to Kill the Toughest Weeds like Clover and dandelion.

[Fertilizer Claims]

- Contains Timed-Release Nitrogen for Extended Feeding!
- Encourages Quick Greening & Provides Extended Nitrogen Feeding up to 2 Months
- Greens in 72 Hours & Promotes Thick, Green Growth

[General Benefit Claims]

- For a beautiful lawn
- For home lawn care
- For home lawns only
- For use on lawns
- Proven [all] [cool] weather performance
- [Superior].[cool] [all] weather performance

[Product Use Recommendations]

- For use on Kentucky bluegrass, fescue spp., perennial ryegrass, common bermudagrass, zoysiagrass, St. Augustinegrass, centipedegrass, hybrid bermudagrass and colonial bentgrass
- Northern and Southern Grasses Bluegrass, Fescue, Zoysia, Bermuda, St. Augustinegrass, Bentgrass, Centipede, Bahia, Perennial Ryegrass.
- Treats Northern and Southern Grasses
- [Swiss Farms Weed & Feed (Zero P)] [ABN] is specially formulated to complement the phosphorus already present in some soils and give your turf the additional primary nutrients needed for a good turf feeding. A soil test can help you determine if your soil has an adequate supply of phosphorus and if this is the best product for your soil type. Proper watering and mowing practices along with regular feedings will help promote a beautiful green lawn.

Seasonal product application options

Plan your feeding schedule. Choose the right product for your lawn.

[Annual Feeding Program]

Any Season - Apply any season if weeds or bugs are not a problem: *[insert product name]* [brand name] [Fertilizer]

Early Spring - February-April - To Prevent Crabgrass: *[insert product name]* [brand name] [Fertilizer plus Weed Preventer]

Late Spring - April-June - If you have weeds / To kill weeds: *[insert product name]* [brand name] [Fertilizer plus Weed & Feed]

Summer - June/July-August - If you have bugs / To kill bugs: *[insert product name]* [brand name] [Fertilizer]

Fall - September - November - *[insert product name]* [Fall/Winter/Winterizer/Fertilizer] / Fertilizer plus Weed & Feed [If you have fall weeds]

GUARANTEED ANALYSIS ~~XX-X-X~~

Total Nitrogen (N).....XX.X%

9/10

Note: **Bold, italicized** text is information for the reader and is not part of the label.
[bracketed] information is optional text. Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted~~

EPA Reg. No. 73327-NEW

X.X% Ammoniacal Nitrogen	
X.X% Urea Nitrogen	
Available Phosphate (P ₂ O ₅).....	XX.X%
Soluble Potash (K ₂ O).....	XX.X%
Sulfur (S).....	XX.X%
X.X% Free Sulfur (S)	

Derived from: polymer-coated sulfur-coated urea, urea, ammonium phosphate, potassium chloride.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-sc.com>

*A portion of the urea has been coated to provide x.x% coated slow-release nitrogen.
This product and/or its manufacture is covered by one or more of the following U.S. patents and international counterparts thereof: US Patent Numbers: xxxxxx

[Note: Fertilizer grades with nutrient contents expressed as the percentages of N, P₂O₅ and K₂O may include the following: 23-3-7 or x-x-x. The fertilizer grade analyses may contain macronutrients and micronutrients. The nutrient contents expressed will vary among states.]

Note: **Bold, italicized** text is information for the reader and is not part of the label.
[bracketed] information is optional text. Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted~~

EPA Reg. No. 73327-NEW

10/10

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[Swiss Farms Products, Inc. No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.]

Swiss Farms Products, Inc.
3993 Howard Hughes Pky, Suite 250
Las Vegas, NV 89169-6754

Questions/Information

Consumer helpline
1-800-543-TURF (8873)

©2008 Licensed by Swiss Farms Products, Inc.
World rights reserved
Made in U.S.A.

EPA Reg. No. 73327-XX

EPA Est. No. XXX-XX-X
[Superscript used is first letter of run code on end of container]