

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 23 2009

Ms. Cheryl H. Prinster Senior Scientist, Regulatory Affairs Swiss Farms Products, Inc. 3993 Howard Hughes Parkway, Suite 250 Las Vegas NV 89169-6754

RE: Notification of Alternate Brand names:

Vigoro Super Green Southern Weed & Feed with Atrazine 29-0-4 Vigoro Ultra Turf Phosphorus-Free Southern Weed & Feed with Atrazine 29-0-4

EPA Registration Number: 73327-3 Date of Submission: October 13, 2009

Dear Ms. Prinster:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, October 13, 2009, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

2011

Please read instructions on reverse before completing form. Form Approved QMB No. 2070-0060. Approval expires 05 **OPP Identifier Number** Registration United States **EPA Environmental Protection Agency Amendment** 733273LBL20091013 Washington, DC 20460 Other **Application for Pesticide - Section I** 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 73327-3 Jim Tompkins Company/Product (Name) PM# None Restricted Swiss Farms Products, Inc. / Swiss Farms St. Augustine Weed & Feed 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my 5. Name and Address of Applicant (Include ZIP Code) product is similar or identical in composition and labeling to: Swiss Farms Products, Inc. EPA Reg. No. 3993 Howard Hughes Parkway, Suite 250 Las Vegas, NV 89169-6754 Product Name Check if this is a new address Section II Final printed labels in respon NOTIFICATION Amendment - Explain below. Resubmission in response to Agency letter dated "Me Too" Application DEC 2 3 2009 Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of the Alternate Brand Names Vigoro Super Green Southern Weed & Feed with Atrazine 29-0-4 and Vigoro Ultra Turf Phosphorus-Free Southern Weed & Feed with Atrazine 29-0-4. See cover letter for certification statement and explanation of Notification. Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes* Metal Yes Yes Plastic No If "Yes" No. per If "Yes" No. per Glass Unit Packaging wgt. Container Package wgt. Container *Certification must Paper be submitted Other (Specify) 5. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) Retail Container On Label Container On Labeling accompanying product Lithograph 6. Manner in Which Label is Affixed to Product Other Paper glued Stenciled **Section IV** iccets. 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) o co Name Title ເປັດເຂົ້າ No. (Include Area Code) (937) 644-7296 Cheryl H. Prinster Senior Scientist 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both (Stamped) under applicable law. 3. Title 2. Signature The Scotts Company Senior Scientist, Regulatory Affairs 4. Typed Name Date October 13, 2009 Cheryl H. Prinster



ڏدير رُ ز

The Scotts Company LLC

and Subsidiaries

October 13, 2009

Mr. Jim Tompkins Document Processing Desk Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Re: Notification of Alternate Brand Names Swiss Farms St. Augustine Weed & Feed EPA Reg. No. 73327-3

OPP Identifier No. 733273LBL20091013

Dear Mr. Tompkins:

The Swiss Farms Products, Inc. is submitting a Notification for the following Alternate Brand Names for Swiss Farms St. Augustine Weed & Feed:

Vigoro Super Green Southern Weed & Feed with Atrazine 29-0-4 Vigoro Ultra Turf Phosphorus-Free Southern Weed & Feed with Atrazine 29-0-4

We would also like to take this opportunity to request minor changes via notification in accordance with PR Notice 98-10. The changes are highlighted on the final page of the label and include the addition of optional language to the fertilizer guarantee and an optional qualifier to accompany the Registrant name.

Included with this cover letter are the following:

- Completed Application for Pesticide Registration/Amendment (Form 8570-1)
- One highlighted copy of the Master Label with changes highlighted
- Two clean copies of the Master Label

After you have completed your review, please forward as appropriate for filing. Please confirm that the attached has been added to the registration jacket for EPA Reg No 73327-3. You may regly via email to cheryl.prinster@scotts.com

> 14111 Scotts lawn Road Marysville, Ohio 43041 Direct line: 937-644-7296 Facsimile: 937-578-7075 Email: Cheryl.Prinster@Scotts.com

40491

This notification is consistent with the provisions and guidance of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 101 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and the requirements of 40 CFR 152.46, this product maybe in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Regards,

Cheryl H. Prinster Senior Scientist

Enclosures

EPA Reg. No. 73327-3

Note: **Bold**, *italicized* text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

[FRONT] [For Outdoor Residential Use Only]

Swiss Farms St. Augustine Weed & Feed

ALTERNATE BRAND NAMES

[Vigoro Ultra Turf Phosphorus-Free Southern Weed & Feed with Atrazine] [Vigoro Super Green Southern Weed & Feed with Atrazine] [Vigoro Super Green Southern Weed & Feed with Atrazine 29-0-4] [Vigoro Ultra Turf Phosphorus-Free Southern Weed & Feed with Atrazine 29-0-4]

> EPA Reg. No. 73327-3 TREATS/COVERS 5,000/10,000 Sq. Ft.

ACTIVE INGREDIENT: KEEP OUT OF REACH OF CHILDREN CAUTION See back / side / top / bottom [panel / label] for additional Precautionary Statements. NET WT. 16 lbs. [7.26 kg] / 32 lbs. [14.51 kg] / XX lbs. [XX kg]

Note: **Bold**, *italicized* text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. <u>Underline text is new.</u> Strike through text is being deleted.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Do not apply granular lawn products by hand. Avoid contact with hands and skin. Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.

20 minutes. hen continue rinsing eye.
, ti <u>).</u> n (

ENVIRONMENTAL HAZARDS

going for treatment.

Atrazine can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine to well drained soils where the water table (groundwater) is close to the surface and where these soils are very permeable. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water. This product is toxic to aquatic invertebrates. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Where To Use

Use on St Augustinegrass (including 'Floratam'), zoysia, centipede and carpetgrass lawns ONLY. Do not use on Bluegrass, Fescue, Bentgrass, Bahiagrass, Rye, Bermudagrass, or Dichondra lawns.

Application Restrictions

- •DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT ANY PERSON OR PET, EITHER DIRECTLY OR THROUGH DRIFT.
- KEEP PEOPLE AND PETS OUT OF AREA DURING APPLICATION.
- This product must be WATERED IN IMMEDIATELY after application.
- Do not apply by hand or hand-held device such as hand-held rotary applicator.
- Do not apply more than 3.2 lbs. of product per 1,000 sq. ft. (139 lbs. of product per arce), which is equivalent to 2 pounds of active ingredient per acre, per application.
- Do not make more than 2 applications per year.



EPA Reg. No. 73327-3

70411

Use Precautions

- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
- Not for use on or under trees, shrubs, bedding plants, flowers or garden plants. Do not apply under the branches (root zone area) of shrubs, trees, flowers, etc.
- Do not apply to newly seeded zoysia, centipede, or carpetgrass lawns. Wait until they have required at least 2 mowings.
- Do not apply to flowers, bedding plants, ornamental trees or shrubs.

[Before You Apply]

Read and follow these guidelines when you use this product:

- Apply with a fertilizer spreader Never apply by hand
- Do not use on or under trees, shrubs, bedding plants, flowers or garden plants.
- Do not apply to newly seeded zoysia, centipede, or carpetgrass lawns- Wait until they have required at least 2 mowings.

When To Apply

- For post emergence control apply anytime broadleaf weeds are [actively] growing. If complete control is not obtained, a second application may be necessary 2 months after the first.
- To prevent germination of crabgrass, spurge, lespedeza, oxalis and sedges (from seed) apply in January, February or early March.
- Apply in the fall to control henbit, chickweed, annual bluegrass (Poa), cudweed, parsley piert, rescuegrass and other listed winter weeds.
- Apply to newly sprigged St. Augustine and zoysia lawns to help prevent competition from newly emerging weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Swiss Farms St. Augustine Weed & Feed.
- Do not apply to centipede or carpetgrass lawns during the period of winter dormancy approximately October 15- to March 15 (okay to apply in Florida however). Do not apply to newly seeded centipede or carpetgrass lawns until after the new grass has been mowed at least twice.

[General Use Directions] [How to Apply]

- 1. Determine size of area to be treated measure length and width in feet, then multiply to determine coverage area in sq. ft. (length x width). **Next, subtract non-lawn areas**.
- 2. Use the spreader setting chart to determine the appropriate setting.
- 3. Apply evenly over dry grass, avoiding streaking, skips and overlaps thorough coverage is important. On hot days (above 80° F) water the lawn to rinse particles off the grass.

SPREADER SETTINGS


ROTARY SPREADERS		DROP SPREADERS	
Republic EZ	Х	Republic EZ	X
Earthway EV-N SPRED	Х	Ortho	x
Quaker	Х	Precision	X
Scotts Easy Green	Χ	Scotts (PF)	X
Scotts Deluxe Edgeguard	Х	Scotts AccuGreen	X
Scotts Speedy Green	Х	Scotts Even Green	X



Calibrate your spreader with each application. Adjust to apply at the rate of 3.2 lbs. of product per 1000 sq. ft. (2 lb. active ingredient per acre). This [16 lb.] [32 lb.] bag covers [5,000] [10,000] sq. ft. of lawn area. Do not make more than 2 applications per year.

Note: The spreader settings listed [above] [below] [at right] [at left] are approximate. It is important to ... check calibration of spreader frequently to ensure spreader is functioning properly and applying product

Note: **Bold**, *italicized* text is information to the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. <u>Underline text is new.</u> Strike through text is being deleted.



evenly. To check calibration accurately weigh a few pounds into your spreader and apply to a measured area. Then adjust spreader setting if necessary, in order to ensure correct rate of application.

[Iron and Fertilization Program Statement]

[This product contains iron that aids in the greening process but WILL stain sidewalks and driveways. Sweep off any product that may have drifted onto these areas.]

[Typically, a lawn will utilize 1 to 4 lbs. of nitrogen per 1,000 sq. ft. per growing season. When used as directed, this product will supplement your regular fertilizer program by providing xx lbs. of nitrogen per 1,000 sq. ft. Consult your local County Extension office for questions regarding a fertilizer program suitable for your geographic region.]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

PESTICIDE AND CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

What It Does Controls Weeds

- Contains an active ingredient that works fast and kills unsightly and [nutrient stealing] [harmful] weeds [and provides the essential nutrients your lawn needs to grow thick and green.]
- Also, prevents germination of many common spring and fall germinating annual weeds. It will provide post emergence control of many winter and summer weeds.

Fertilizes and Replenishes

• Dual feeding formula provides both quick greening and extended feeding, resulting in a thicker, stronger, greener lawn.

This product controls [or suppresses] the following list of growing weeds.

Annual Bluegrass (Poa annua)	Dichondra	Ragweed
Annual Sowthistle	Dollarweed	Red Sorrel
Black Medic	Florida Betony	Rescuegrass
Blue Toadflax	Florida Pusley	Shepherd's-purse
Buckhorn Plantain	Fragrant Cudweed (Rabbit Tobacco)	Spotted Spurge
Burclover		Spurweed (lawn burweed)
Carolina Geranium	Henbit	Stinging Nettle
Chickweed, Common	Knotweed	Venus Looking Glass
Chickweed, Mouseear	Lambsquarters	Wild Mustard
Clover/hopclover	Lespedeza	
Common Dandelion	Lippia (matchweed)	
Crabgrass	Narrowleaf Vetch	
Cudweed	Oxalis (woodsorrel)	
Cutleaf Evening Primrose	Parsley-Piert	••
Corn Speedwell	Pigweed	••••
Carpetweed	Pepperweed	••••
Chamber-bitter (niruri)	Purslane	





OPTIONAL CLAIMS - claims may appear on any or all label panel(s) [Pesticidal Claims]

- · Apply anytime weeds are actively growing
- · Controls Many More Weeds Listed in the table on this bag
- Controls Weeds as Listed while Feeding Your Lawn with a Quick Greening Long Lasting Fertilizer
- Enjoy a Beautiful Weed-Free Lawn
- Greens in 72 hours and contains time-released nitrogen for extended feeding.
- Kills over 40 weed types [types of weeds]
- Kills over 40 weeds [types of weeds] [While Feeding Your Lawn]
- Kills Dollarweed & 35 other major lawn weeds
- Kills dollarweed and over [X] other weed types [as listed]
- Promotes Thick Green Growth and Controls over [X] weed types including Dollarweed, Dandelion, Henbit and Other Listed Weeds [(see table for a complete list of weeds)]

[Fertilizer Claims]

- Formulated for St. Augustine Lawns
- · Contains a timed-release fertilizer.
- · Contains 5% iron for deep greening
- Contains (X) % Fertilizer Nutrient for Extra Greening
- Contains (X) % Fertilizer Nutrient to Improve deficient St. Augustine Lawns
- Delivers a Long Lasting Feeding without Burning for a Stronger Greener Lawn
- Feeds 2x longer than [product name] [brand name]

[Note to reviewer- Complete registered Swiss Farms product name will be inserted]

- Greens quickly and Feeds Up to (X) months
- · Greens in 72 hours
- · Improves deficient St. Augustine Lawns
- Quick Greening & Extended Feeding for up to 8 weeks
- Timed-release Feeding for up to 8 Weeks
- Timed-Release Nitrogen for Extended Feeding
- Timed-release is your Guarantee that a QUICK and LONG LASTING FEEDING will be systematically delivered to your lawn.

[3[Three] Simple Steps to a Lush, Green Lawn]

- 1. Select the right fertilizer [Brand Name] products are formulated to provide both a quick and long-lasting feeding. One application provides the lawn [with] nutrients needed to grow thick and green. They're formulated with X% Iron [or appropriate nutrient] for deep greening and coated [slow-release] nitrogen for an extended, even feeding up to X months.
- 2. Use a quality spreader Spreaders can be calibrated to accurately apply all granular lawn care products.
- 3. Sweep off hard surfaces [Brand name] products are formulated with extra iron [or appropriate nutrient] for deep greening. They may stain concrete surfaces, so it is important to sweep off any product spilled on hard surfaces before watering in.

		•
Join the [name] Garden Club - For more great tips and offers. [insert Internet site ad	dress]	. • • • • •
		••••
[artwork/icon]		•
·	•••••	•••••

[Fertilizer note for use with phosphorus-free fertilizer products]

[Product name] is formulated to compliment the phosphorus already present in the soil and give your turf the additional primary nutrients needed for a good turf feeding. A soil test can help you determine if your soil has an adequate supply of phosphorus and if this is the best product for your soil type. Proper watering and mowing practices along with regular feedings will help promote a beautiful green lawn.

73327-3 NOTIF 10/13/2009

112001

Note: **Bold**, *italicized* text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. <u>Underline text is new</u>, <u>Strike through text is being deleted</u>.



[Turf Note]

- CENTIPEDE GRASS IS DIFFERENT FROM OTHER TURFGRASSES. It requires very little fertilizer. In fact, turf experts say that too much fertilizer can hurt centipede. With this in mind, we have formulated Swiss Farms St. Augustine Weed & Feed to give your Centipede grass the light feeding it needs to grow thick, lush and sturdy. Our timed-release nitrogen provides a slow, gradual feeding that keeps your grass greener longer and helps build a stronger, hardier root system. Extra iron helps keep the grass green without too much nitrogen.
- Swiss Farms St. Augustine Weed & Feed products with timed-release nitrogen works differently than other slow-release products. Timed-release nitrogen releases in response to soil temperature rather than moisture level. Other slow release products release according to the amount of moisture present in the soil...the more moisture the quicker the nutrients release, putting your grass at risk from burning. Because Swiss Farms St. Augustine Weed & Feed products contain timed-release nitrogen, your grass is fed for up to 2 months.
- Swiss Farms St. Augustine Weed & Feed timed-release nitrogen is formulated to give your grass the primary nutrients it needs to grow thick, lush and sturdy GREEN grass. Our timed-release nitrogen provides a slow, gradual feeding that keeps your grass greener longer and helps build a stronger, hardier root system.
- Why does your lawn need Swiss Farms St. Augustine Weed & Feed? Swiss Farms St. Augustine Weed & Feed is formulated to kill lawn weeds and give your grass the nutrients it needs for thick growth. Our timed-release formula keeps your grass greener longer and helps build strong, hardy root systems.
- Swiss Farms St. Augustine Weed & Feed products with timed release nitrogen feed as the ground temperature warms in the Spring and Summer, and slows down as the soil cools in the Fall, thus supplying nitrogen according to the requirements of your grass.

Seasonal product application options

Plan your feeding schedule. Choose the right product for your lawn.

[Annual Feeding Program]

Any Season - Apply any season if weeds or bugs are not a problem: [insert product name] [brand name] [Fertilizer] [Note to reviewer- Complete Swiss Farms registered product name will be inserted]

Early Spring - February-April - To Prevent Crabgrass: [insert product name] [brand r [Fertilizer plus Weed Preventer] [Note to reviewer- Complete Swiss Farms register	
name will be inserted]	•••••
******	•••••
Late Spring - April-June - If you have weeds / To kill weeds: [insert product name] [b [Fertilizer plus Weed & Feed] [Note to reviewer- Complete Swiss Farms registere name will be inserted]	
	••••
Summer - June/July-August – If you have bugs / To kill bugs: [insert product name] [[Fertilizer] [Note to reviewer- Complete Swiss Farms registered product name winserted]	

Note: Bold, italicized text is information for the reader and is not part of the label. [bracketed] information is optional text. xt separated by / denotes and/or options. Underline text is new. Strike through text, being deleted.



Fall - September - November - If you have fall weeds [insert product name] [Fall/Winter/Winterizer/Fertilizer] / Fertilizer plus Weed & Feed [Note to reviewer- Complete Swiss Farms registered product name will be inserted]

[Use Tip Boxes]

- "To Do" List
- Measure lawn
- Subtract Non-Lawn Areas
- · Apply at directed rate
- · Water in immediately after application

- "Product Fast Facts"
- · What it Does: Kills unsightly and [nutrient stealing] [harmful] weeds while feeding your lawn
- · When to Use: Anytime weeds are actively growing

GUARANTEED ANALYSIS	[Product name and/or NPK]	[FL Number]
Total Nitrogen (N)	XX.X%	
X.X% Ammoniacal Nitrogen		
X.X% Urea Nitrogen*		•
Available Phosphate (P ₂ O ₅)	XX.X%	
Soluble Potash (K ₂ O)	XX.X%	
Iron (Fe)	XX.X%	
X.X% Water Soluble Iron (Fe)		

* Contains XXX% Slowly available Urea Nitrogen from (no source cited in EPA label) Derived From: Polymer-coated Urea, Urea, Diammonium Phosphate, and Muriate of Potash and Ferrous Sulfate and Ferric Oxide

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-sc.com.

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Swiss Farms Products, Inc. No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.

[Sold/Manufactured and Guaranteed by] Swiss Farms Products, Inc. 3993 Howard Hughes Pky, Suite 250 Las Vegas, NV 89169-6754

Questions / Information

Consumer Helpline 1-800-543-TURF(8873)

© 2008. Licensed by Swiss Farms Products, Inc. World rights reserved Made in U.S.A.

EPA Reg. No. 73327-3 EPA Est. No. XXX-XX-X [Superscript used is first letter of run code on end of container]

73327-3 NOTIF 10/14/2009

SAL 5/11/09 NOTIF 6/4/09 and 6/10/09

