

73327-6

6/16/2009

Jacked  
1 of 11



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, D.C. 20460

EPA Reg. Number:

73327-6

Date of Issuance:

JUN 16 2009

NOTICE OF PESTICIDE:

- Registration
  - Reregistration
- (under FIFRA, as amended)

Term of Issuance: conditional

Name of Pesticide Product:

Swiss Farms Crabgrass  
Preventer

Name and Address of Registrant (include ZIP Code):

Swiss Farms Products, Inc.  
3993 Howard Hughes Pky, Suite 250  
Las Vegas, NV 89169-6754

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
2. Make the following label changes:
  - a. Precautionary Statements: Revise to read as follows: "Causes moderate eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wear protective eyewear. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals."
  - b. ~~Environmental Hazards: Add the statement, "Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinseate," to the first paragraph.~~
  - c. Directions for use: In the section "Before You Use/Apply," in the 4<sup>th</sup> bulleted statement, change "and" to "or", so that the statement concludes, "...moved into water by wind or washing rains."

Not required  
ATM 7/29/09

Signature of Approving Official:

Joanne I. Miller  
Product Manager 23  
Herbicide Branch  
Registration Division (7505P)

Date:

JUN 16 2009

20f11

Not required  
7/28/09

- d. On page 3, under "Weeds Controlled," change statement, "~~Pre and Early Post Emergent,~~" to read, "~~Pre or Early Post Emergent,~~" so that users do not mistakenly assume they can apply more than once per year.
- e. On page 3, under "When to Use/Apply," the second bullet states, "Product will provide up to 3 months of weed control....". This conflicts with optional marketing claims on page 8, which indicate 4 months of weed control. Adjust claims language to be consistent, based on your product performance data for the 0.17% a.i. product.
- f. Submit one copy of the revised final printed label for the record when you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

3011

Note: **Bold, italicized** text is information for the reader and is not part of the label.  
[bracketed] information is optional text. Text separated by / denotes and/or options.  
Underline text is new. Strike through text is being deleted.

EPA Reg. No. 73327-A

[FRONT]  
For Outdoor Residential Use Only

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

**JUN 16 2009**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

# Swiss Farms Crabgrass Preventer

73327-6

EPA Reg. No. 73327-A  
TREATS / COVERS 5,000 sq. ft.

[Product to be formulated such that application rate will not exceed 0.25 pounds of AI per acre]

**ACTIVE INGREDIENT:**

Dithiopyr*	0.17%
<b>OTHER INGREDIENTS**</b>	<b>99.83%</b>
<b>TOTAL</b>	<b>100.00%</b>

\*CAS # 97886-45-8

[\*\*Other ingredients in this product are clay granules used as a carrier and dipropylene glycol to adhere the active ingredient to the clay.]

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See back / side / top / bottom [panel / label] for additional Precautionary Statements.

NET WT. 17 lbs. [7.7 kg] / XX lbs. [XX kg.]

40911

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

EPA Reg. No. 73327-A

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Causes eye irritation, if in eyes. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. If product gets on clothes, wash before reuse. Prolonged or repeated skin contact may cause allergic skin reactions in some individuals.

<b>FIRST AID</b>	
<b>If in Eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center or doctor for treatment advice.</li> </ul>
<b>If Inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a Poison Control Center or doctor for further treatment advice.</li> </ul>
<p><b>NOTE:</b> Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.</p>	

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

**DIRECTIONS FOR USE**

It is a violation Federal law to use this product in a manner inconsistent with its labeling.

For outdoor residential use only.

**Using these directions**

These "Directions for Use" are designed to help you determine the appropriate application procedure for this product.

Before using this product, make sure that you read the entire "Directions for Use" section of this label.

**Before You Use / Apply**

Read and follow these use precautions when you use this product:

- Apply only to lawns and ornamental turf that are well established.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Do not use this product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can be moved into water by wind and washing rains.
- Keep people and pets off treated areas until dust has settled.
- Do not use grass clippings as mulch around vegetables or fruit trees.
- This product may be applied to flowers listed on this label.
- Do not make more than 1 application to the same area in the same year.

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted.~~

**General Use Directions**

1. Determine size of area to be treated – measure length and width in feet, then multiply to determine coverage area in sq. ft. (length x width). **Next, subtract non-lawn areas.**
2. Use the spreader setting chart to determine the appropriate setting
3. Treat as directed – thorough coverage is important.

**When To Use / Apply**

- Product may be applied either in the Spring or Fall for the control of weeds.
- Product will provide up to 3 months of weed control when used as directed.
- To get control of listed weeds other than crabgrass, applications must be made before weeds emerge.
- Swiss Farms Crabgrass Preventer for home lawns will control crabgrass if applied before it emerges.

**Where To Use**

This product can be used on the following types of grass when applied as directed:

**Cool Season Grasses:** Agrostis Stolonifera, Bentgrass (creeping), Bluegrass (Kentucky), Fescue fine, Fescue tall, Festuca arundinacea, Festuca rubra, Lolium (perenne), Poa pratensis, Ryegrass (perennial)

**Warm Season Grasses:** Axonopus affinis, Bahia, Bermuda, Buchloe dactyloides, Buffalograss, Carpetgrass, Centipede, Cynodon dactylon, Eremochloa ophiuroide, Kikuyugrass, Paspalum notatum, Pennisetum clandestinum, St. Augustine, Stenotaphrum secundatum, Zoysia japonica, Zoysiagrass

**How To Use / Apply**

1. Apply this product at the rate of 3.4 lbs. per 1000 sq. ft. (1 bag treats 5,000 sq. ft.)
2. Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended rate of product.
3. Using a drop-type or rotary spreader, apply granules evenly over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.
4. Check calibration of spreader frequently to ensure spreader is functioning properly and applying product evenly.

**SPREADER SETTINGS**

This 17 pound bag covers 5,000 sq. ft. Use the settings below to apply at a rate of 3.4 lbs. per 1,000 sq ft.

Rotary Spreaders	Drop Spreaders
X	X
X	X
X	X
X	X
X	X

**IMPORTANT** — It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to calibrate spreader before beginning and check calibration during application, adjusting if necessary. Consult Owner's Manual.

**WEEDS CONTROLLED**

**Pre- and Early Post Emergent**

- Crabgrass

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted.~~

**Pre-Emergent (Preventative)**

**Grass Weeds:** Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Crabgrass, Crowfootgrass, Goosegrass, Green Foxtail, Kikuyugrass (seedling), Perennial Ryegrass, Smutgrass (seedling), Yellow Foxtail

**Broadleaf Weeds:** Bittercress, Buttercup Oxalis, Carolina Geranium, Chickweed, Common Lespedeza, Common Purslane, Corn Speedwell, Creeping Oxalis, Henbit, Parsley-piert, Pineappleweed, Prostrate Spurge, Spotted Spurge, Yellow Woodsorrel

**TOLERANT TREES, SHRUBS, AND FLOWERS**

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed [above] [below] have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given [above] [below] to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abella X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Pruhus gladulosa	
Apple*	Malus pumija	
Arborvitae	Thuja occidentails	Nigra; Pyramidalis; Smaragh Techny; Woodwardii
Arborvitae, Golden	Thuja orientalis	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash, Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus aucuparia	
Ash, Purple	Fraxinus americana	
Azalea	Rhododendron spp.	Brilliant; Buccaneer; Carror; Chimes (Belgian); Exbury; Fashion; Hardijzer Beauty; Hershey Red; Higasa; Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow; Southern Charm
Azalea, Flame	Rhododendron calendulaceum	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thunbergii	Aurea; Dwarf Pigmy; Green; Kobold; Pygmy Red; Rose Glow
Barberry, Purple		Atropurpurea
Bearberry (common)	Arctostaphylos uva-ursti	Massachusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecrop; Blue Jay; Jersey; North Blue; Northland
Bottlebrush	Callistemon citrinus	
Boxwood, Japanese		Japonica
Boxwood, Weller	Buxus semperirens	
Broom	Cytisus spp	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Camellia	Camellia japonica	Chansonette; Debutante; Mathotiana Supreme
Camellia	Camellia sasangua	
Carex Variegated	Carex	

Note: **Bold**, *italicized* text is information for the reader and is not part of the label.  
 [bracketed] information is optional text. Text separated by / denotes and/or options.  
 Underline text is new. ~~Strike through text is being deleted.~~

7 of 11

Common Name	Botanical Name	Tolerant Cultivars
Cedar, Red	<i>Juniperus virginiana</i>	
Cockscomb, Plumosa	<i>Celosia cristata</i>	Red Kewpie
Coleus	<i>Coleus blumei</i>	
Copper leaf	<i>Acalypha wilkesiana</i>	
Cotoneaster	<i>Cotoneaster apiculatus</i>	
Coyotebrush	<i>Baccharis pelutaria</i>	
Cycads	<i>Cycads revoluta</i>	
Cypress, Bald	<i>Taxodium distichum</i>	
Cypress, Italian	<i>Cyprinus sempervirens</i>	Glauca
Cypress, Japanese False	<i>Chamaecyparis obtusa</i>	Gracilis
Cypress, Leyland	<i>Cupressocyparis leylandii</i>	
Daffodil	<i>Narcissus</i> spp.	King Alfred
Daylily	<i>Hemerocallis</i> sp.	Aztec Gold; Bright Yellow (Hybrid); Single Gold (Evergreen); Wilson's Yellow
Dogwood	<i>Cornus Florida</i>	
Dogwood, American	<i>Cornus sericea</i>	Flavarimaea
Douglas Fir	<i>Pseudotsuga menziesii</i>	
Dusty Miller	<i>Senecio cineraria</i>	
Elm, Drake	<i>Ulmus parvifolia</i>	
Euonymus	<i>Euonymus fortunei</i>	Argento-variegata; Auereo-marginata; Colorata; Emerald Gaiety; Emerald'N Gold; Gold Edge; Gold Princess; Silver King; Tricolor; Vegetus.
Fan Palm, European	<i>Chamaerops humilis</i>	
Fan Palm, Mexican	<i>Washingtonia robusta</i>	
Fescue	<i>Festuca glauca</i>	
Fetterbush	<i>Leucothoe fontiana</i>	Rainbow
Ficus	<i>Ficus retusa</i>	Nitidia
Forsythia	<i>Forsythia X intermedia</i>	Arnold Dwarf; Bronxensis Dwarf; Lynwood gold; Meadowlark; Spring Glory; Weeping.
Fir Fraser	<i>Abies fraseri</i>	
Gardenia	<i>Gardenia jasminoides</i>	Mystery; Radicans
Geranium	<i>Pelargonium X hortorum</i>	
Gum	<i>Eucalyptus citriodora</i>	
Hawthorn	<i>Crataegus</i> spp.	Cockspur white; Crimson cloud; Enchantress; Jack Evans; Washington White
Heather, Twisted	<i>Erica cinerea</i>	Mediterranean Pink
Hibiscus	<i>Hibiscus</i> spp.	Blue Bird; Brilliant; hula Girl
Hemlock, Canada	<i>Tsuga canadensis</i>	
Holly	<i>Ilex</i> spp.	Blue Boy; Blue Girl
	<i>Ilex X meserveae</i>	Burfodii; China Girl; Compacta; Forsteri; Hellerie; Japanese Northern Beauty; Needlepoint; nellie R. Stevens; Savannah
Holly	<i>Ilex X attenuata</i>	
Holly, Chinese	<i>Ilex comuta</i>	
Holly, Japanese	<i>Ilex crenata</i>	
Holly, Yaupon	<i>Ilex vomitoria</i>	
Honeysuckle	<i>Lonicera japonica</i>	Clavey's Dwarf; Halliana; Tatarian Canadian White; Zebelli Red Hosta
Hosta	<i>Hosta</i> spp.	Albo Marginata
Hosta	<i>Hosta lancifolia</i>	
Ice Plant	<i>Carpobrotus edulis</i>	
Impatiens	<i>Impatiens wallerana</i>	

80911

Note: **Bold**, *italicized* text is information for the reader and is not part of the label.  
 [bracketed] information is optional text. Text separated by / denotes and/or options.  
 Underline text is new. Strike through text is being deleted.

EPA Reg. No. 73327-A

Common Name	Botanical Name	Tolerant Cultivars
Iris	Iris spp.	Dwarf Blue; Wedgewood
Ivy, English	Hedera helix	Bulgaria, Thorndale
Jasmine, Asian	Trachelopermum asiaticum	
Juniper	Juniperus spp.	Arcadia; Armstrong; Bar Harbor
Juniper	Juniperus horizontalis	Blue Chip; Blue Pacific; Blue Rug; Blue Star; Broadmoor; Buffalo; Calgary Carpet; Emerald Sea; Emerald Spreader; Endora Compacta; Fruitlandi; Green; Gold Tip; Helzi; hughes; Manhattan Blue; Parsoni; Pfitzeriana; Plumosa; Prince of Wales; Procumbens Dwarf; San Jose; Sargent Blue; Sargent Green; Scandia; Scopulorum Moonglow; Scopulorum skyrock; Spartan
Juniper	Juniperus chinensis	Tamariscifolia
Juniper	Juniperus sabina	Weberi; Youngstown; Yukon Belle
King Palm	Archontophoenix cunninghamiana	
Laurel, Australian	Pittosporum tobina	
Laurel, Mountain	Kalmia latifolia	
Leucothoe	Leucothoe fontanesiana	
Lily, African	Agapanthus africanus	Albus; Peter pan
Lily, African blue		
Lily of the Valley	Pieris japonica	Mt. Fire
Lilyturf	Liriope muscari	Evergreen Giant; Lilac Beauty; majestic; Monroe white; Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	
Maple, Silver	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb; Variegata, Wheeler's Dwarf
Mock Orange*	Philadelphus spp.	Golden; Snowflake Double White
Mondo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca Grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei; Langer; Muskogee; Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta; Nana
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oleander	Nerium oleander	Hardy Red; Petite Pink; Sister Agnes
Oteospermum	Osteospermum fruticosum	Wiriligig
Palm, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea qlabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti



90811

Note: **Bold**, *italicized* text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted~~.

Common Name	Botanical Name	Tolerant Cultivars
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus taeda	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus elliotti	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentilla fruticosa	Abbotswood
Privet	Ligustrum japonicum	Golden Vicary; Regal; Texanum; Wax; Yellow Tipped
Privet, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	Gnome; Lalandei; Victory
Queen Palm	Arecastrum rammanzoffanum	
Quince, Japanese*		
Rhododendron	Rhododendron spp.	Album; Cunningham White; Fashion; Hardy; PJM; Purple Gem; Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rhododendron Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinus officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedum spurium	Dragon Blood Red; Red Carpet; Yellow
Spiraea	Astilbe X arendsii	Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red; Dolchica; Froebeli Pink; Goldenflame Red; Snowmound Wwrite; Van Houtte White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Blue	Picea pungens	
Spruce, Norway	Picea abies	
Spruce, White	Picea glauca	Conica
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Plantanus occidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, evening	Gelsemium sempervirens	
Tulip	Tulip spp.	Apeldoorn
Verbena, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St. Paul
Viburnum	Viburnum spp.	American Cranberry Bush; Arrowwood; Common

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted.~~

Common Name	Botanical Name	Tolerant Cultivars
		Snowball; European Cranberry Bush; Linden; Mohican; Wright
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	Ilex vomitoria	Dwarf
Yew	Taxus cuspidatra; Taxus X media	Denisiformis

\* Ornamental Species only. DO NO USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

**OPTIONAL ADVERTISING CLAIMS [Claims may appear on any or all label panel(s)]**

**[Pesticidal Claims]**

- Apply either in Spring or Fall.
- A selective herbicide that provides control of crabgrass and other weeds on established lawns and ornamental landscapes.
- Control Crabgrass for up to 120 days
- Controls Crabgrass and 25 other Grassy & Broadleaf Weeds Before They Start [see (label) (back) for complete list of weeds controlled].
- Early spring or fall application
- Granular crabgrass preventer for home lawns
- Pre[emergence] and early Post Emergence Control of Crabgrass
- Provides up to 4 months control of crabgrass
- Provides up to 4 months of Weed Control.
- Controls Weeds up to 4 Months!
- Stops Crabgrass, Chickweed, Henbit and other broadleaf and grass weeds before they start. [See back for a complete list of weeds controlled]
- Treats/Covers 5,000 sq. ft

**Seasonal product application options**

Plan your feeding schedule. Choose the right product for your lawn.

**[Annual Feeding Program]**

Any Season - Apply any season if weeds or bugs are not a problem: [insert product name] [brand name] [Fertilizer]

Early Spring - February-April – To Prevent Crabgrass: [insert product name] [brand name] [Fertilizer plus Weed Preventer]

Late Spring - April-June – If you have weeds / To kill weeds: [insert product name] [brand name] [Fertilizer plus Weed & Feed]

Summer - June/July-August – If you have bugs / To kill bugs: [insert product name] [brand name] [Fertilizer]

Fall - September – November - [insert product name] [Fall/Winter/Winterizer/Fertilizer] / Fertilizer plus Weed & Feed [If you have fall weeds]

**[General Benefit Claims]**

- Money-Back Guarantee.
- Non-Staining [formula] [!]

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. No. 73327-A

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

**PESTICIDE CONTAINER DISPOSAL: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with terms of this label and directions for use.

**Swiss Farms Products, Inc. No-Quibble Guarantee®**

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.

Swiss Farms Products, Inc.  
3993 Howard Hughes Pky, Suite 250  
Las Vegas, NV 89169-6754

Questions/Information

Consumer helpline  
1-800-543-TURF (8873)

©2008 Licensed by Swiss Farms Products, Inc.  
World rights reserved  
Made in U.S.A.

EPA Reg. No. 73327-

EPA Est. No. XXX-XX-X  
[Superscript used is first letter of run code on end of container]