

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG 3 1 2009

Ms. Wendy Holingsworth-Cox Product Registration The Scotts Company 14111 Scottslawn Road Maysville, OH 43041

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request Alternate Brand Names "Vigoro Weed Stop Crabgrass & Weed

Preventer" and "Vigoro Crabgrass & Weed Preventer," Precautionary Statement and Environmental Hazards Statement Changes (Comply with Agency Request &

Guidance)

EPA Reg. No. 73327-6

Application Dated July 24, 2009

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 07/24/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions or	reverse before com	g form.	Form Approv	ved. (No. 2070-	0060. Approval expires 05-31-98
				Registration	OPP Identifier Number
EPA	United Sta		_	$\overline{}$	
	Environmental Prof	•	У	Amendme	nt 733276BL20090724
	Washington, D	C 20460			
	Арр	lication for Pe	esticide - Section	<u> </u>	
Company/Product Number		-	2. EPA Product Manag	ger ,	Proposed Classification
73327-6			Joanne Miller		
Company/Product (Name Swiss Farms Products,		arace	PM#		None
Preventer	IIIC./SWISS FAITHS CIAD	grass	PM-23		Restricted
Name and Address of App	licant (Include 7IP Code)		6. Expedited Review	In accordance with	FIFRA Section 3(c)(3)(b)(I), my
Swiss Farms Proc	·		product is similar or ide		
4	hes Parkway, Suite 25	'n			•
Las Vegas, NV 89	• •	Ĭ	•		
Las Vegas, IVV O			EPA Reg. No.		
Check if this is a	new address		Drindwitt Name		
CHOOK II tillo IS a		Sact	Product Name ion II		
		Sect T	1011 11		
Amendment - Explain be	low.		Final printed label	s in response to Age	
Resultation in respons	se to Agency letter dated 06	-16-09	"Me Too" Applicat	ion NO	TIFICATION
		10-00			UC 2 1 2000
Notification - Explain belo	ow.	<u> </u>	Other - Explain be	low.	NUG 3 1 2009
Explanation: Use additional p					
Notification of Alternate Bra of Notification for general la	nd Names: Vigoro Weed !	Stop Crabgrass & V	Veed Preventer and Vi	goro Crabgrass & V	Veed Preventer. Resubmission See attached cover letter
_	= -				changes have been made to the
labeling or the confidential st	tatement of formula of this	product. I underst	and that it is a violation	of 18 U.S.C. Sec.	1001 to willfully make any false
statement to EPA. I further u in violation of FIFRA and I ma					CFR 152.46, this product may be
W Vigidadir of Fill Vol dild Fill d	y be dabject to emercement		on III		
Material This Product Will	Re Packaged In:		<u> </u>		
Child-Resistant Packaging	Unit Packaging	Water	Soluble Packaging	2. Type of 0	Container
Yes*	Yes		Yes	Met	
	l ∏ _{No}] No	Plas	
		. per If "Yes		Glas	
*Certification must	Unit Packaging wgt. Co	ntainer Packa	ge wgt. Contain	er Pap	
be submitted			1		er (Specify)
Location of Net Contents In	oformation 4 S	Size(s) Retail Contain		5. Location of Lab	
	Container 4. S	size(s) Retail Contail	iei	On Label	ei Directions ,
Container				. =	accompanying product
6. Manner in Which Label is A	Affixed to Product	Lithograph	Other		
Paper glued					
Stenciled					ეეი ქ ე კ იი იი
Section IV					
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)					
Name		Title		Ü	phone No. (Include Area Code)
Wendy Hollingsworth-Cox Scientist, Federal Registrations (937).578.5205			(025) 530 6205		
Training Franking Fra					
Certification Ligarities that the statements I have made on this form and all attachments thereto are true accurate and complete. I Received					
acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both (Stamped)					
under applicable law.					
2. Signature Swise Farmer Products, Inc. 3. Title					
2. Orginator of alligation					
BY: // Con// 4. Typed Name	They		Scientist, Federal R	Registrations	

Joanne Miller July 24, 2009 Page 2

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

We respectfully request the Agency to give favorable consideration to this submission and notify us when you put it in your files. If you have any questions or need additional information, please do not hesitate to contact me at 937-578-5205.

Sincerely.

Wendy Hollingsworth-Cox Scientist, Federal Registrations

Enclosures



The Scotts CompanyLLC

and Subsidiaries

July 24, 2009

Joanne Miller (PM-23)
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7505P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

Subject:

Notification of Alternate Brand Names and Revised Label per EPA Comments dated June 16 and July 10, 2009 Swiss Farms Crabgrass Preventer, EPA Reg. No. 73327-6 OPP Identifier Number: 733276LBL20090724

Dear Ms. Miller:

Please accept the enclosed notification of the following Alternate Brand Names - Vigoro Weed Stop Crabgrass & Weed Preventer and Vigoro Crabgrass & Weed Preventer for EPA Registration No. 73327-6. Also, included with this submission are the revised master label per EPA comments on the stamped accepted label dated June 16, 2009 and the telephone conversation on July 10, 2009 with Katherine Montague regarding subject registration for Swiss Farms Crabgrass Preventer, EPA Registration No. 73327-6.

Please find the following documentation in support of this submission:

- Application of Pesticide Registration Form 8570-1
- Two (2) copies of the revised master label
- One (1) copy of the revised master label with changes marked and highlighted

The following changes have been made to the proposed master label:

- Incorporation of EPA comments to the stamped accepted label dated 6/16/09 -
 - 1) Modifications to the Precautionary Statements
 - 2) Clarifications in Directions for Use sections "Before You Use/Apply" and "When to Use/Apply".
- Incorporation of comments per voicemail message from K. Montague on 7/10/09
 - 1) Environmental Hazards statement does not require the changes as noted in 2 (b) of the office of t
 - 2) Clarification of "Emergent" statement under "Weeds Controlled" section on page 4 does not require the changes as noted in 2 (d) of the 6/16/09 letter.

For your convenience, included is a copy transcription of the conversation via Voicemail between Sandy Simon (Scotts) and Katherine Montague (EPA), and a copy of the 6/16/09/cover letter.

14111 Scotts lawn Road Marys ville, Ohio 43041 Direct line: 937-578-5205 Facs imile: 937-644-7075

Email: wendy.hollingsworth-cox@scotts.com

[FRONT]
For Outdoor Residential Use Only

Swiss Farms Crabgrass NOTIFICATION Preventer AUG 3 1 2003

ALTERNATE BRAND NAME

[Vigoro Weed Stop Crabgrass & Weed Preventer]
[Vigoro Crabgrass & Weed Preventer]

EPA Reg. No. 73327-<u>6</u> TREATS / COVERS 5,000 sq. ft.

[Product to be formulated such that application rate will not exceed 0.25 pounds of Al per acre]

ACTIVE INGREDIENT:

Dithiopyr*	0.17%
OTHER INGREDIENTS**	
TOTAL	100.00%

*CAS # 97886-45-8

[**Other ingredients in this product are clay granules used as a carrier and dipropylene glycol to adhere the active ingredient to the clay.]

KEEP OUT OF REACH OF CHILDREN CAUTION

See back / side / top / bottom [panel / label] for additional Precautionary Statements

NET WT. 17 lbs. [7.7 kg] / XX lbs. [XX kg.]

-PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes <u>moderate</u> eye irritation, if in eyes. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. <u>Avoid breathing dust. Wear protective eyewear. Remove and wash contaminated clothing before reuse.</u> Wash thoroughly with soap and water after handling <u>and before eating, drinking, chewing gum, or using tobacco.</u> If product gets on clothes, wash before reuse. Prolonged or <u>frequently</u> repeated skin contact may cause allergic skin reactions in some individuals.

FIRST AID			
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a Poison Control Center or doctor for treatment advice. 		
If Inhaled	 Move person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. 		

NOTE: Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation Federal law to use this product in a manner inconsistent with its labeling.

For outdoor residential use only.

Using these directions

These "Directions for Use" are designed to help you determine the appropriate application procedure for this product.

Before using this product, make sure that you read the entire "Directions for Use" section of this label.

Before You Use / Apply

Read and follow these use precautions when you use this product:

- Apply only to lawns and ornamental turf that are well established.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Do not use this product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can be moved into water by wind and or washing rains.
- Keep people and pets off treated areas until dust has settled.
- Do not use grass clippings as mulch around vegetables or fruit trees.

Page 2 of 9

) EPA Reg. No. 73327-<u>6</u>

- This product may be applied to flowers listed on this label.
- Do not make more than 1 application to the same area in the same year.

General Use Directions

- 1. Determine size of area to be treated measure length and width in feet, then multiply to determine coverage area in sq. ft. (length x width). **Next, subtract non-lawn areas**.
- 2. Use the spreader setting chart to determine the appropriate setting
- 3. Treat as directed thorough coverage is important.

When To Use / Apply

- Product may be applied either in the Spring or Fall for the control of weeds.
- Product will provide up to 3 4 months of weed control when used as directed.
- To get control of listed weeds other than crabgrass, applications must be made before weeds emerge.
- Swiss Farms Crabgrass Preventer for home lawns will control crabgrass if applied before it emerges.

Where To Use

This product can be used on the following types of grass when applied as directed:

Cool Season Grasses: Agrostis Stolonifera, Bentgrass (creeping), Bluegrass (Kentucky), Fescue fine, Fescue tall, Festuca arundinacea, Festuca rubra, Lolium (perenne), Poa pratensis, Ryegrass (perennial)

Warm Season Grasses: Axonopus affinis, Bahia, Bermuda, Buchloe dactyloides, Buffalograss, Carpetgrass, Centipede, Cynodon dactylon, Eremochloa ophiuroide, Kikuyugrass, Paspalum notatum, Pennisetum clandestinum, St. Augustine, Stenotaphrum secundatum, Zoysia japonica, Zoysiagrass

How To Use / Apply

- 1. Apply this product at the rate of 3.4 lbs. per 1000 sq. ft. (1 bag treats 5,000 sq. ft.)
- 2. Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended rate of product.
- 3. Using a drop-type or rotary spreader, apply granules evenly over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.
- 4. Check calibration of spreader frequently to ensure spreader is functioning properly and applying product evenly.

SPREADER SETTINGS

This 17 pound bag covers 5,000 sq. ft. Use the settings below to apply at a rate of 3.4 lbs. per 1,000 sq ft.

Rotary Spreaders	Drop Spreaders
X	X
X	Χ .
Х	X
X	X
Х	X

IMPORTANT — It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to calibrate spreader before beginning and check calibration during application, adjusting if necessary. Consult Owner's Manual.

Updated 7/24/2009 Page 3 of 9

EPA Reg. No. 73327-<u>6</u>

Note: **Bold**, *italicized* text is information for _____, eader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. <u>Underline text is new. Strike through text is being deleted.</u>

WEEDS CONTROLLED Pre- and Early Post Emergent

Crabgrass

Pre-Emergent (Preventative)

Grass Weeds: Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Crabgrass, Crowfootgrass, Goosegrass, Green Foxtail, Kikuyugrass (seedling), Perennial Ryegrass, Smutgrass (seedling), Yellow Foxtail

Broadleaf Weeds: Bittercress, Buttercup Oxalis, Carolina Geranium, Chickweed, Common Lespedeza, Common Purslane, Corn Speedwell, Creeping Oxalis, Henbit, Parsley-piert; Pineappleweed, Prostrate Spurge, Spotted Spurge, Yellow Woodsorrel

TOLERANT TREES, SHRUBS, AND FLOWERS

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed [above] [below] have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given [above] [below] to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abella X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Pruhus gladulosa	
Apple*	Malus pumija	
Arborvitae	Thuja occidentails	Nigra; Pyramidalis; Smaragh
		Techny; Woodwardii
Arborvitae, Golden	Thuja orientalis	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash, Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus aucuparia	
Ash, Purple	Fraxinus americana	
Azalea	Rhododendron spp.	Brilliant; Buccaneer: Carror; Chimes (Belgian); Exbury; Fashion; Hardijzer Beauty; Hershey Red; Higasa; Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow; Southern Charm
Azalea, Flame	Rhododendron calendulaceum	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thunbergii	Aurea; Dwarf Pigmy; Green; Kobold; Pygmy Red; Rose Glow
Barberry, Purple		Atropurpurea
Bearberry (common)	Arctostaphylos uva-ursti	Massachusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecrop; Blue Jay; Jersey; North Blue; Northland
Bottlebrush	Callistemon citrinus	
Boxwood, Japanese		Japonica
Boxwood, Weller	Buxus semperirens	
Broom .	Cytisus spp	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		

Updated 7/24/2009 Page 4 of 9

Note: **Bold**, *italicized* text is information for reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. <u>Underline text is new.</u> Strike through text is being deleted.

Common Name	Botanical Name	Tolerant Cultivars
Camellia	Camellia japonica	Chansonette; Debutante: Mathotiana Supreme
Camellia	Camellia sasangua	· ·
Carex Variegated	Carex	
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie
Coleus	Coleus blumei	
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotoneaster apiculatus	
Coyotebrush	Baccharis pelutaris	
Cycads	Cycads revoluta	
Cypress, Bald	Taxodium distichum	
Cypress, Italian	Cypressus sempervirens	Glauca
Cypress, Japanese False	Chamaecyparis obtus	Gracilis
Cypress, Leyland	Cupressocyparis leylandii	
Daffodil	Narcissus spp.	King Alfred
Daylilly	Hemerocallis sp.	Aztec Gold; Bright Yellow (Hybrid); Single Gold (Evergreen); Wilson's Yellow
Dogwood	Cornus Florida	·
Dogwood, American	Cornus sericea	Flavarimaea
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	·
Elm, Drake	Ulmus parvifolia	
Euonymus	Euonymus fotunei	Argento-variegata; Auereo-marginata; Colorata; Emerald Gaiety; Emerald'N Gold; Gold Edge; Gold Princess; Silver King; Tricolor; Vegetus.
Fan Palm, European	Chamaerops humilis	
Fan Palm, Mexican	Washingtonia robusta	
Fescue	Festuca glauca	
Fetterbush	Leucothoe fontiana	Rainbow
Ficus	Ficus retusa	Nitidia
Forsythia	Forsythia X intermedia	Arnold Dwarf; Bronxensis Dwarf; Lynwood gold; Meadowlark; Spring Glory; Weeping.
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery; Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataegus spp.	Cockspur white; Crimson cloud; Enchantress; Jack Evans; Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibiscus spp.	Blue Bird; Brilliant; hula Girl
Hemlock, Canada	Tsuga canadensis	
Holly	llex spp.	Blue Boy; Blue Girl
	llex X meserveae	Burfodii; China Girl; Compacta; Forsteri; Hellerie; Japanese Northern Beauty; Needlepoint; nellie R. Stevens; Savanah
Holly	llex X attenuata	
Holly, Chinese	llex comuta	,
Holly, Japanese	Ilex crenata	
Holly, Yaupon	Ilex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf; Halliana; Tatarian Canadian White; Zebelli Red Hosta
Hosta	Hosta spp.	Albo Marginata

EPA Reg. No. 73327-<u>6</u>

Note: **Bold**, *italicized* text is information for _____, eader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. <u>Underline text is new.</u> Strike through text is being deleted.

Common Name	Botanical Name	Tolerant Cultivars
Hosta	Hosta lancifolia	
Ice Plant	Carpobrotus edulis	
Impatients	Impatiens wallerana	
Iris	Iris spp.	Dwarf Blue; Wedgewood
lvy, English	Hedera helix	Bulgaria, Thorndale
Jasmine, Asian	Trachelopermum asiaticum	
Juniper	Juniperus spp.	Arcadia; Armstrong; Bar Harbor
Juniper	Juniperus horizontalis	Blue Chip; Blue Pacific; Blue Rug; Blue Star; Broadmoor; Buffalo; Calgary Carpet; Emerald Sea; Emerald Spreader; Endora Compacta; Fruitlandi; Green; Gold Tip; Helzi; hughes; Manhattan Blue; Parsoni; Pfitzeriana; Plumosa; Prince of Wales; Procumbens Dwarf; San Jose; Sargent Blue; Sargent Green; Scandia; Scopulorum Moonglow; Scopulorum skyrocker; Spartan
Juniper	Juniperus chinensis	Tamariscifolia
Juniper	Juniperus sabina	Weberi; Youngstown; Yukon Belle
King Palm	Archontophoenix cunninghamiana	
Laurel, Australian	Pittosporum tobina	
Laurel, Mountain	Kalmia latifolia	
Leucothoe	Leucothoe fontanesiana	
Lily, African	Agapanthus africanus	Albus; Peter pan
Lily, African blue	, igapantilas ambanas	/ rubdo, r otor pari
Lily of the Valley	Pieris japonica	Mt. Fire
Lilyturf	Liriope muscari	Evergreen Giant; Lilac Beauty; majestic; Monroe white; Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	
Maple, Silver	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb; Variegate, Wheeler's Dwarf
Mock Orange*	Philadelphus spp.	Golden; Snowflake Double White
Mondo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca Grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei; Langer; Muskogee; Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta; Nana
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oleander	Nerium oleander	Hardy Red; Petite Pink; Sister Agnes
Oteospermum	Osteospermum fruticosum	Wirligig
Palm, Bangalow	3 oto opposition in duodoutil	
Pampas Grass	Cortadaria selloana	<u> </u>
Paper Flower	Bougainvillea qlabra	Barbara Karst
Pachysandra	Pachysandra terminalis	Daibara Italot

Updated 7/24/2009 Page 6 of 9

Common Name	Botanical Name	Tolerant Cultivars
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus teada	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus elliotti	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan	r Cijoa Tollowalaria	
Potentilla	Potentilis fruticosa	Abbotswood
		Golden Vicary; Regal; Texanurn; Wax; Yellow
Privet	Ligustrum japanicum	Tipped
Privot, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	Gnome; Lalandei; Victory
Queen Palm	Arecastrum rammanzoffanum	
Quince, Japanese*		
Rhododendron	Rhododendron spp.	Album; Cunningham White; Fashion; Hardy; PJM; Purple Gem; Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rhododendron Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinus officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedumn spurium	Dragon Blood Red; Red Carpet; Yellow
Spiraea	Astilbe X arendsii	Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red; Dolchica; Froebeli Pink; Goldenflame Red; Snowmound Wtrite; Van Houtte White
Spiraea, Garland	Spiraea spp,	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Blue	Picea pungens	
Spruce, Norway	Picea ables	
Spruce, White	Picea glauca	Conica
Sourwood	Oxydendrurn arboreum	
Sweetflag, Grassy-Le		
Sweetgum	Liquidambar styraciflua	•
Sycamore	Plantanus occidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower,	Gelsemium sempervirens	
evening	•	Analdana
Tulip	Tulip spp.	Apeldoom

Updated 7/24/2009 Page 7 of 9

EPA Reg. No. 73327-6

Common Name	Botanical Name	Tolerant Cultivars
Verbana, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St. Paul
Viburnum	Viburnum spp.	American Cranberry Bush; Arrowwood; Common Snowball; European Cranberry Bush; Linden; Mohican; Wright
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	llex vomitoria	Dwarf
Yew	Taxus cuspidatra; Taxus X media	Denisiformis

^{*} Ornamental Species only. DO NO USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

OPTIONAL ADVERTISING CLAIMS [Claims may appear on any or all label panel(s)]

[Pesticidal Claims]

- Apply either in Spring or Fall.
- A selective herbicide that provides control of crabgrass and other weeds on established lawns and ornamental landscapes.
- Control Crabgrass for up to 120 days
- Controls Crabgrass and 25 other Grassy & Broadleaf Weeds Before They Start [see (label) (back) for complete list of weeds controlled].
- Early spring or fall application
- Granular crabgrass preventer for home lawns
- Pre[emergence] and early Post Emergence Control of Crabgrass
- Provides up to 4 months control of crabgrass
- Provides up to 4 months of Weed Control.
- Controls Weeds up to 4 Months!
- Stops Crabgrass, Chickweed, Henbit and other broadleaf and grass weeds before they start. [See back for a complete list of weeds controlled]
- Treats/Covers 5,000 sq. ft

Seasonal product application options

Plan your feeding schedule. Choose the right product for your lawn.

[Annual Feeding Program]

Any Season - Apply any season if weeds or bugs are not a problem: [insert product name] [brand name] [Fertilizer]

Early Spring - February-April - To Prevent Crabgrass: [insert product name] [brand name] [Fertilizer plus Weed Preventer]

Late Spring - April-June – If you have weeds / To kill weeds: [insert product name] [brand name] [Fertilizer plus Weed & Feed]

Summer - June/July-August – If you have bugs / To kill bugs: [insert product name] [brand name] [Fertilizer]

Fall - September - November - [insert product name] [Fall/Winter/Winterizer/Fertilizer] / Fertilizer plus Weed & Feed [If you have fall weeds]

Updated 7/24/2009 Page 8 of 9

Note: **Bold**, *italicized* text is information for _____, reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. <u>Underline text is new. Strike through text is being deleted.</u>

EPA Reg. No. 73327-<u>6</u>

[General Benefit Claims]

- Money-Back Guarantee.
- Non-Staining [formula] [!]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

PESTICIDE CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with terms of this label and directions for use.

Swiss Farms Products, Inc. No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.

Swiss Farms Products, Inc. 3993 Howard Hughes Pky, Suite 250 Las Vegas, NV 89169-6754

Questions/Information

Consumer helpline 1-800-543-TURF (8873)

©[Insert Year] Licensed by [Company Name] World rights reserved Made in U.S.A.

EPA Reg. No. 73327- 6

EPA Est. No. XXX-XX-X [Superscript used is first letter of run code on end of container]

Updated 7/24/2009 Page 9 of 9