

73327-6

08/19/2011

1/13



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

AUG 19 2011

Ms. Jessica McLaughlin
The Scotts Company, LLC
14111 Scottslawn Road
Marysville, OH 43041

Subject: Notification of Alternate Brand Names (Ace Green Turf Crabgrass Preventer and Ace Crabgrass Preventer), and Revised Marketing Claims under PR Notice 98-10 Swiss Farms Crabgrass Preventer
EPA Reg. no. 73327-6
Application, Dated June 10, 2011

Dear Ms. McLaughlin:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The submitted label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-1243 or Kelsey Semrod of my staff at (703)347-0284.

Sincerely,
Kathryn V. Montague

Kathryn V. Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-98

EPA

United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 73327-6	2. EPA Product Manager Kathryn Montague	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Swiss Farms Products, Inc. / Swiss Farms Crabgrass Preventer		PM# 23
5. Name and Address of Applicant (Include ZIP Code) Swiss Farms Products, Inc. 3993 Howard Hughes Pky, Suit 250 Las Vegas, NV 89169-6754 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to _____ EPA Reg. No. _____ Product Name _____

NOTIFICATION
AUG 19 2011

Section II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated
<input type="checkbox"/> Resubmission in response to Agency letter dated	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Label Notification: Submission of one (1) highlighted copy and one (1) clean copy of labeling being modified to incorporate revisions per PR Notice 98-10. See attached cover for further details.

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)		
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container	If "Yes" Package wgt. No. per Container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					


Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Jessica McLaughlin	Title Analyst, Regulatory Affairs	Telephone No. (include Area Code) 937-578-5703

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received (Stamped)

2. Signature BY:  The Scotts Company LLC	3. Title Analyst, Regulatory Affairs
4. Typed Name Jessica McLaughlin	5. Date June 10, 2011



The Scotts Company LLC
and Subsidiaries

June 10, 2011

Kathryn Montague, PM 23
Office of Pesticide Programs (7505P)
U.S. Environmental Protection Agency
Document Processing Desk (NOTIF)
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

Subject: Notification of General Label Revisions per PR Notice 98-10
EPA Reg. No. 73327-6 – Swiss Farms Crabgrass Preventer

Dear Ms. Montague,

Swiss Farms Products, Inc. (Swiss Farms, EPA Company Number 73327) is submitting a revised label for Swiss Farms Crabgrass Preventer, EPA Reg. No. 73327-6. The enclosed product label has been updated as follows:

- Addition of Alternate Brand Names:
 - Ace Green Turf Crabgrass Preventer
 - Ace Crabgrass Preventer
- Addition of optional marketing claims including claims regarding Ace branding

Enclosed please find the following documents to support this request:


- One (1) copy of Application form (EPA Form No. 8570-1)
- Two (2) copies of the updated Master Label: one (1) with changes highlighted in yellow and one (1) clean copy.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR §152.46 and §156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and CFR §152.46 and §156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

If you have any questions regarding this submission, please contact me at 937-578-5703.

Best Regards,

Jessica McLaughlin
Analyst, Regulatory Affairs



Enclosures

4/13

Note: **Bold, italicized** text is information for the reader and is not part of the label.
[bracketed] information is optional text. Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. No. 73327-6

[FRONT]
For Outdoor Residential Use Only

NOTIFICATION
AUG 19 2011

Swiss Farms Crabgrass Preventer

ALTERNATE BRAND NAME

[Vigoro Weed Stop Crabgrass & Weed Preventer]
[Vigoro Crabgrass & Weed Preventer]
[Ace Green Turf Crabgrass Preventer]
[Ace Crabgrass Preventer]

EPA Reg. No. 73327-6
TREATS / COVERS 5,000 sq. ft.

[Product to be formulated such that application rate will not exceed 0.25 pounds of AI per acre]

ACTIVE INGREDIENT:

Dithiopyr*	0.17%
OTHER INGREDIENTS**	<u>99.83%</u>
TOTAL	100.00%

*CAS # 97886-45-8

[**Other ingredients in this product are clay granules used as a carrier and dipropylene glycol to adhere the active ingredient to the clay.]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back / side / top / bottom [panel / label] for additional Precautionary Statements.

NET WT. 17 lbs. [7.7 kg] / XX lbs. [XX kg.]

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. No. 73327-6

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wear protective eyewear. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID	
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a Poison Control Center or doctor for further treatment advice.
NOTE: Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.	

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

PESTICIDE CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

6/13

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. No. 73327-6

DIRECTIONS FOR USE

It is a violation Federal law to use this product in a manner inconsistent with its labeling.

For outdoor residential use only.

Using these directions

These "Directions for Use" are designed to help you determine the appropriate application procedure for this product.

Before using this product, make sure that you read the entire "Directions for Use" section of this label.

Before You Use / Apply

Read and follow these use precautions when you use this product:

- Apply only to lawns and ornamental turf that are well established.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Do not use this product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can be moved into water by wind or washing rains.
- Keep people and pets off treated areas until dust has settled.
- Do not use grass clippings as mulch around vegetables or fruit trees.
- This product may be applied to flowers listed on this label.
- Do not make more than 1 application to the same area in the same year.

General Use Directions

1. Determine size of area to be treated – measure length and width in feet, then multiply to determine coverage area in sq. ft. (length x width). **Next, subtract non-lawn areas.**
2. Use the spreader setting chart to determine the appropriate setting
3. Treat as directed – thorough coverage is important.

When To Use / Apply

- Product may be applied either in the Spring or Fall for the control of weeds.
- Product will provide up to 4 months of weed control when used as directed.
- To get control of listed weeds other than crabgrass, applications must be made before weeds emerge.
- Swiss Farms Crabgrass Preventer for home lawns will control crabgrass if applied before it emerges.

Where To Use

This product can be used on the following types of grass when applied as directed:

Cool Season Grasses: *Agrostis Stolonifera*, Bentgrass (creeping), Bluegrass (Kentucky), Fescue fine, Fescue tall, *Festuca arundinacea*, *Festuca rubra*, Lolium (perenne), *Poa pratensis*, Ryegrass (perennial)

Warm Season Grasses: *Axonopus affinis*, Bahia, Bermuda, *Buchloe dactyloides*, Buffalograss, Carpetgrass, Centipede, *Cynodon dactylon*, *Eremochloa ophiuroide*, Kikuyugrass, *Paspalum notatum*, *Pennisetum clandestinum*, St. Augustine, *Stenotaphrum secundatum*, *Zoysia japonica*, Zoysiagrass

How To Use / Apply

1. Apply this product at the rate of 3.4 lbs. per 1000 sq. ft. (1 bag treats 5,000 sq. ft.)
2. Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended rate of product.
3. Using a drop-type or rotary spreader, apply granules evenly over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.

7/13

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted.~~

EPA Reg. No. 73327-6

4. Check calibration of spreader frequently to ensure spreader is functioning properly and applying product evenly.

SPREADER SETTINGS

- [Spreaders and Calibrations]**
- [Determine size of area to be treated]**
- [Measuring/Measure your lawn]**
- [How to Measure Your Lawn] – [ICON]**

This 17 pound bag covers 5,000 sq. ft. Use the settings below to apply at a rate of 3.4 lbs. per 1,000 sq ft.

Broadcast/Rotary Spreaders[ICON]	Drop Spreaders [ICON]
X	X
X	X
X	X
X	X
X	X

[IMPORTANT — It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to calibrate spreader before beginning and check calibration during application, adjusting if necessary. Consult Owner's Manual.]

WEEDS CONTROLLED

Pre- and Early Post Emergent

- Crabgrass

Pre-Emergent (Preventative)

Grass Weeds: Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Crabgrass, Crowfootgrass, Goosegrass, Green Foxtail, Kikuyugrass (seedling), Perennial Ryegrass, Smutgrass (seedling), Yellow Foxtail

Broadleaf Weeds: Bittercress, Buttercup Oxalis, Carolina Geranium, Chickweed, Common Lespedeza, Common Purslane, Corn Speedwell, Creeping Oxalis, Henbit, Parsley-piert, Pineappleweed, Prostrate Spurge, Spotted Spurge, Yellow Woodsorrel

TOLERANT TREES, SHRUBS, AND FLOWERS

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed [above] [below] have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given [above] [below] to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abella X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Pruhus glandulosa	
Apple*	Malus pumija	
Arborvitae	Thuja occidentails	Nigra; Pyramidalis; Smaragh

Note: **Bold**, *italicized* text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

Common Name	Botanical Name	Tolerant Cultivars
		Techny; Woodwardii
Arborvitae, Golden	<i>Thuja orientalis</i>	
Aster, Chinese	<i>Callistephus chinensis</i>	Dwarf Queen
Ash, Green	<i>Fraxinus pennsylvanica</i>	
Ash, Mountain	<i>Sorbus aucuparia</i>	
Ash, Purple	<i>Fraxinus americana</i>	
Azalea	<i>Rhododendron</i> spp.	Brilliant; Buccaneer; Carror; Chimes (Belgian); Exbury; Fashion; Hardijzer Beauty; Hershey Red; Higasa; Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow; Southern Charm
Azalea, Flame	<i>Rhododendron calendulaceum</i>	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	<i>Berberis thunbergii</i>	Aurea; Dwarf Pigmy; Green; Kobold; Pygmy Red; Rose Glow
Barberry, Purple		Atropurpurea
Bearberry (common)	<i>Arctostaphylos uva-ursti</i>	Massachusetts
Birch, River	<i>Betula nigra</i>	
Blueberry*	<i>Vaccinium</i> spp.	Bluecrop; Blue Jay; Jersey; North Blue; Northland
Bottlebrush	<i>Callistemon citrinus</i>	
Boxwood, Japanese		Japonica
Boxwood, Weller	<i>Buxus semperirens</i>	
Broom	<i>Cytisus</i> spp	Moonlight
Broom	<i>Genista pilosa</i>	Vancouver Gold
Bugle Carpet		
Camellia	<i>Camellia japonica</i>	Chansonette; Debutante; Mathotiana Supreme
Camellia	<i>Camellia sasangua</i>	
Carex Variegated	<i>Carex</i>	
Cedar, Red	<i>Juniperus virginiana</i>	
Cockscomb, Plumosa	<i>Celosia cristata</i>	Red Kewpie
Coleus	<i>Coleus blumei</i>	
Copper leaf	<i>Acalypha wilkesiana</i>	
Cotoneaster	<i>Cotoneaster apiculatus</i>	
Coyotebrush	<i>Baccharis pelularis</i>	
Cycads	<i>Cycads revoluta</i>	
Cypress, Bald	<i>Taxodium distichum</i>	
Cypress, Italian	<i>Cyprinus sempervirens</i>	Glauca
Cypress, Japanese False	<i>Chamaecyparis obtus</i>	Gracilis
Cypress, Leyland	<i>Cupressocyparis leylandii</i>	
Daffodil	<i>Narcissus</i> spp.	King Alfred
Daylilly	<i>Hemerocallis</i> sp.	Aztec Gold; Bright Yellow (Hybrid); Single Gold (Evergreen); Wilson's Yellow
Dogwood	<i>Cornus Florida</i>	
Dogwood, American	<i>Cornus sericea</i>	Flavarimaea
Douglas Fir	<i>Pseudotsuga menziesii</i>	
Dusty Miller	<i>Senecio cineraria</i>	
Elm, Drake	<i>Ulmus parvifolia</i>	
Euonymus	<i>Euonymus fotunei</i>	Argento-variegata; Auereo-marginata; Colorata; Emerald Gaiety; Emerald'N Gold; Gold Edge; Gold Princess; Silver King; Tricolor; Vegetus.

Note: **Bold**, *italicized* text is information for the reader and is not part of the label.
 [bracketed] information is optional text. Text separated by / denotes and/or options.
Underline text is new. ~~Strike through text is being deleted.~~

Common Name	Botanical Name	Tolerant Cultivars
Fan Palm, European	<i>Chamaerops humilis</i>	
Fan Palm, Mexican	<i>Washingtonia robusta</i>	
Fescue	<i>Festuca glauca</i>	
Fetterbush	<i>Leucothoe fontiana</i>	Rainbow
Ficus	<i>Ficus retusa</i>	Nitidia
Forsythia	<i>Forsythia X intermedia</i>	Arnold Dwarf; Bronxensis Dwarf; Lynwood gold; Meadowlark; Spring Glory; Weeping.
Fir Fraser	<i>Abies fraseri</i>	
Gardenia	<i>Gardenia jasminoides</i>	Mystery; Radicans
Geranium	<i>Pelargonium X hortorum</i>	
Gum	<i>Eucalyptus citriodora</i>	
Hawthorn	<i>Crataegus spp.</i>	Cockspur white; Crimson cloud; Enchantress; Jack Evans; Washington White
Heather, Twisted	<i>Erica cinerea</i>	Mediterranean Pink
Hibiscus	<i>Hibiscus spp.</i>	Blue Bird; Brilliant; hula Girl
Hemlock, Canada	<i>Tsuga canadensis</i>	
Holly	<i>Ilex spp.</i>	Blue Boy; Blue Girl
	<i>Ilex X meserveae</i>	Burfodii; China Girl; Compacta; Forsteri; Hellerie; Japanese Northern Beauty; Needlepoint; nellie R. Stevens; Savannah
Holly	<i>Ilex X attenuata</i>	
Holly, Chinese	<i>Ilex comuta</i>	
Holly, Japanese	<i>Ilex crenata</i>	
Holly, Yaupon	<i>Ilex vomitoria</i>	
Honeysuckle	<i>Lonicera japonica</i>	Clavey's Dwarf; Halliana; Tatarian Canadian White; Zebelli Red Hosta
Hosta	<i>Hosta spp.</i>	Albo Marginata
Hosta	<i>Hosta lancifolia</i>	
Ice Plant	<i>Carpobrotus edulis</i>	
Impatiens	<i>Impatiens wallerana</i>	
Iris	<i>Iris spp.</i>	Dwarf Blue; Wedgewood
Ivy, English	<i>Hedera helix</i>	Bulgaria, Thorndale
Jasmine, Asian	<i>Trachelopermum asiaticum</i>	
Juniper	<i>Juniperus spp.</i>	Arcadia; Armstrong; Bar Harbor
Juniper	<i>Juniperus horizontalis</i>	Blue Chip; Blue Pacific; Blue Rug; Blue Star; Broadmoor; Buffalo; Calgary Carpet; Emerald Sea; Emerald Spreader; Endora Compacta; Fruitlandi; Green; Gold Tip; Helzi; hughes; Manhattan Blue; Parsoni; Pfitzeriana; Plumosa; Prince of Wales; Procumbens Dwarf; San Jose; Sargent Blue; Sargent Green; Scandia; Scopulorum Moonglow; Scopulorum skyrocker; Spartan
Juniper	<i>Juniperus chinensis</i>	Tamariscifolia
Juniper	<i>Juniperus sabina</i>	Weberi; Youngstown; Yukon Belle
King Palm	<i>Archontophoenix cunninghamiana</i>	
Laurel, Australian	<i>Pittosporum tobina</i>	
Laurel, Mountain	<i>Kalmia latifolia</i>	
Leucothoe	<i>Leucothoe fontanesiana</i>	
Lily, African	<i>Agapanthus africanus</i>	Albus; Peter pan
Lily, African blue		
Lily of the Valley	<i>Pieris japonica</i>	Mt. Fire

10/13

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

EPA Reg. No. 73327-6

Common Name	Botanical Name	Tolerant Cultivars
Lilyturf	Liriope muscari	Evergreen Giant; Lilac Beauty; majestic; Monroe white; Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	
Maple, Silver	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb; Variegata, Wheeler's Dwarf
Mock Orange*	Philadelphus spp.	Golden; Snowflake Double White
Mondo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca Grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei; Langer; Muskogee; Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta; Nana
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oleander	Nerium oleander	Hardy Red; Petite Pink; Sister Agnes
Oteospermum	Osteospermum fruticosum	Wirligig
Palm, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea qlabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus teada	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus ellioti	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentilis fruticosa	Abbotswood
Privet	Ligustrum japonicum	Golden Vicary; Regal; Texanum; Wax; Yellow Tipped
Privot, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	Gnome; Lalandei; Victory
Queen Palm	Arecastrum rammanzoffanum	
Quince, Japanese*		
Rhododendron	Rhododendron spp.	Album; Cunningham White; Fashion; Hardy; PJM; Purple Gem; Silvery Pink

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. ~~Strike through text is being deleted.~~

Common Name	Botanical Name	Tolerant Cultivars
Rhododendron, Carolina	Rhododendron carolinianum	
Rhododendron Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinus officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedum spurium	Dragon Blood Red; Red Carpet; Yellow
Spiraea	Astilbe X arendsii	Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red; Dolchica; Froebeli Pink; Goldenflame Red; Snowmound Wwrite; Van Houtte White
Spiraea, Garland	Spiraea spp,	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Blue	Picea pungens	
Spruce, Norway	Picea ables	
Spruce, White	Picea glauca	Conica
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Plantanus occidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, evening	Gelsemium sempervirens	
Tulip	Tulip spp.	Apeldoorn
Verbana, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St. Paul
Viburnum	Viburnum spp.	American Cranberry Bush; Arrowwood; Common Snowball; European Cranberry Bush; Linden; Mohican; Wright
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	Ilex vomitoria	Dwarf
Yew	Taxus cuspidatra; Taxus X media	Denisiformis

* Ornamental Species only. DO NO USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

OPTIONAL ADVERTISING CLAIMS – Claims may appear on any or all label panel(s)

General Benefit Claims

- Money-Back Guarantee.
- Non-Staining [formula] [!]
- Works the first time or your money back! [ICON]
- Beautiful lawns since 1924
- [Home Depot logo] Garden Club – **Vigoro products are exclusively sold at Home Depot and the Garden Club Claim will only be used on Vigoro branded products**
- Membership is free! [insert web address]

Pesticide Claims

- Apply either in Spring or Fall
- Apply early spring or fall

Note: **Bold, italicized** text is information for the reader and is not part of the label. [bracketed] information is optional text. Text separated by / denotes and/or options. Underline text is new. Strike through text is being deleted.

- A selective herbicide that provides control of crabgrass and other weeds on established lawns and ornamental landscapes.
- Control Crabgrass for up to 120 days
- Controls Crabgrass and 25 ~~XX~~ ***(insert number of grassy and broadleaf weeds listed on final printed label)*** other Grassy & Broadleaf Weeds Before They Start[* *][see label/back for complete list of weeds controlled].
- Early spring or fall application
- Granular crabgrass preventer for home lawns
- Pre[emergence] and early Post Emergence Control of Crabgrass
- Provides up to 4 months control of crabgrass
- Provides up to 4 months of Weed Control/Prevention
- Controls/prevents Weeds up to 4 Months!
- Stops Crabgrass, Chickweed, Henbit and other broadleaf and grass weeds before they start. [See back for a complete list of weeds controlled]
- Treats/Covers 5,000 sq. ft

Seasonal product application options

Plan your feeding schedule. Choose the right product for your lawn.

[[Insert Brand Name] Recommended Annual Feeding/Lawn Care Program]

Any Season - Apply any season if weeds or bugs are not a problem: *[insert product name]* [brand name] [Fertilizer]

Early Spring - February-April – To Prevent Crabgrass: *[insert product name]* [brand name] [Fertilizer plus Weed Preventer]

Late Spring - April-June – If you have weeds / To kill weeds: *[insert product name]* [brand name] [Fertilizer plus Weed & Feed]

Summer - June/July-August – If you have bugs / To kill bugs: *[insert product name]* [brand name] [Fertilizer]

Fall - September – November - *[insert product name]* [Fall/Winter/Winterizer/Fertilizer] / Fertilizer plus Weed & Feed [If you have fall weeds]

Why fertilize the/your lawn?

While it is easy to see that/a satisfying deep green/greening when you fertilize, regular feedings [can] actually do much more...

- Promote a deep and dense root system that is better able to reach water and find nutrients during tough heat & drought, so lawn stays greener, longer and bounces back faster
- Thicken lawn with new/additional blades of grass, making it more resistant to bare spots and thinning
- Help prevent weeds by making it difficult for weed[s] [seeds in the air] to find soil to root, [as well as]/[and] crowd out existing weed[s] [seeds in the soil]

Feed every 8 weeks for optimal results

- [[Icon] Unfed Lawn v./vs. [Icon] Regularly fed Lawn/4 annual feedings]
- [[Icon] Unfed Lawn]
- [[Icon] 1 annual feeding]
- [[Icon] 2 annual feedings]
- [[Icon] 3 annual feedings]

13/13

Note: **Bold, italicized** text is information for the reader and is not part of the label.
[bracketed] information is optional text. Text separated by / denotes and/or options.
Underline text is new. Strike through text is being deleted.

EPA Reg. No. 73327-6

[[Icon] 4 annual feedings]

[Recommended] Next Feeding/Step

[ICON: bag] Vigoro® Ultra Turf™ Weed & Feed for Bahia and Mixed Lawns – Apply anytime weeds are actively growing* *maximum of 2 applications per year

or [use]

[ICON: bag] Vigoro® Lawn Fertilizer – Apply anytime during the growing season

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with terms of this label and directions for use.

[Swiss Farms Products, Inc./Vigoro Guarantee®]

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us proof of purchase and we will mail you a refund check promptly.

[Ace Promise Satisfaction Guaranteed]]/[The Ace Promise is in Every Bag]

[The Ace Promise] If this Ace product, when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for free replacement of the same or similar item.

[ICON] [Distributed/Sold/Manufactured/Guaranteed by/for]
Swiss Farms Products, Inc.
3993 Howard Hughes Pky, Suite 250
Las Vegas, NV 89169-6754

OPTIONAL CONTACT INFORMATION

- Questions/Comments/[Medical] Information[?]
- Consumer helpline
- 1-800-543-TURF (8873)
- Visit us on the internet or call our customer satisfaction hotline *[insert company address/phone number/website]*
- Ace Customer Care
- Insert Phone Number
- **ICON:** – computer mouse
- **ICON:** – computer
- **ICON:** - phone

©*Insert Year* Licensed by *Insert Company Name*

World rights reserved

Made in U.S.A.

[Made for Ace Hardware Corporation *Insert Address*]

[Green Turf ® is a registered trademark of United Industries Corporation]

[Green Turf ® is a registered trademark of Ace Hardware Corporation]

EPA Reg. No. 73327-6

EPA Est. No. XXX-XX-X

[Superscript used is first letter of run code on end of container]