

73327-14

10/5/2012

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OCT 5 2012

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Mandy Slack
Swiss Farm's Products, Inc.
12111 Scottslawn Road
Marysville. Ohio 43041

Subject: Amended Labeling Green Light Many Purpose Dust
EPA Registration Number: 73327-14
Application Dated: July 16, 2012
Decision: 468453

Dear Ms. Slack:

The label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

If you have any questions, please contact Melody Banks on 703 305-5413 or via E-mail @ banks.melody@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".


Richard Gebken
Insecticide Branch
Product Manager
Registration Division (7504P)

Enclosure: Stamped Copy of Product Label

2/11

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 73327-14



Green Light[®] Many Purpose Dust

ACTIVE INGREDIENT:

Deltamethrin (S)-alpha-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethyl-cyclopropanecarboxylate..... 0.05%

OTHER INGREDIENTS..... 99.95%
100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION


See side / back panel / booklet for additional precautionary statements.

EPA Reg. No. 73327-14

EPA Est. No. 39578-TX-01, [XXXX]

[Superscript is first letter of lot number.]

NET WEIGHT 1 LB (454 g) / XX LB (XX g)



Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 73327-14

(Back Panel)

[PEEL AND RESEAL HERE] / [PRESS TO RESEAL]

[Open resealable label for directions and precautions]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum using tobacco, or using the toilet.

FIRST AID [icon]	
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact (877) 478-3711 for general information and or medical information.	

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use in commercial food/feed handling establishments, restaurants or other establishments where food/feed is commercially prepared, processed or served.

4/11

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 73327-14

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranties before using this product.

[Green Light Many Purpose Dust] [this/the product] is a ready-to-use insecticide dust which exhibits effective knockdown and long-lasting control against the pests listed when used according to label directions.

[Green Light Many Purpose Dust] [this/the product] can be used for long-lasting pest control in and around homes and their immediate surroundings.

Permitted areas of use include / Where To Use:

- animal quarters
- apartments
- household greenhouses
- houses
- mobile homes and recreational vehicles
- ornamentals
- vegetables

This product is intended for applications with a hand duster or from the container or by other suitable means, to hiding and runway areas and other places where insects are found.

INDOOR USES

In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air. To avoid the possibility of staining, do not use on carpets, upholstery and other fabrics. Do not apply as a broadcast application indoors.

To apply insecticide directly into cracks and crevices, use a bulbous duster, or other suitable equipment. Apply lightly and uniformly to infested area. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall void; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets; refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawl spaces. The amount to be applied will vary with the site but usually be in the range of 2-3 grams of product per square yard (or 0.5 lb per 1,000 square feet).

Ants, Boxelder Bugs, Cockroaches (Including Both Resistant and Non-resistant Strains), Crickets, Fleas, Firebrats and Silverfish: Apply [Green Light Many Purpose Dust] [this/the product] thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For **Ants**, apply to ant trails, around doors and windows, and other places where ants enter premises.

Termites, Carpenter Ants and Carpenter Bees: Apply to voids or channels in damaged wooden members of a structure; to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation, and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. This dust can be applied in attics and crawl spaces to prevent entry of drywood and Formosan termites at a rate of 0.5 lb per 1,000 square feet of floor area. In these treatments,

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 73327-14

all vents and blowers should be closed. Inspect at 6 months and one year to insure that colony has been killed.

The purpose of such applications of [Green Light Many Purpose Dust] [this/the product] is to kill workers or winged forms of subterranean termites which may be present in the treated channels at the time of treatment. Such applications are not substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement. For active termite infestation, get a professional inspection.

Centipedes, Ground Beetles, Millipedes, Scorpions, Spiders and Sowbugs (Pillbugs):

Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas where these pests may enter or crawl.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings.

Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest, entrance and surrounding areas where insects alight. Nest in wall voids can be located by listening with your ear against the wall. Drill a hold in the area, blow dust in and reseal. For **Ground Wasps**, dust entrance and surrounding areas. For best results, check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat nest if necessary. Do not use this product to treat overhead nests.

Webbing Clothes Moths: Use [Green Light Many Purpose Dust] [this/the product] as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. **DO NOT** apply this product directly to clothing.

Carpet Beetles (Black, Furniture, Common and Varied): Dust where these insects are found, for example: under edges of floor coverings, behind baseboards, under rugs and furniture and in closets. Do not apply directly to carpeting.

Bed bugs: Apply to crack and crevices where evidence of bedbugs occurs. This includes bed frames, box springs, inside empty dressers and clothes closets, and carpet edges, high and low wall moldings and wallpaper edges. **DO NOT** use this product on mattresses, pillows, bed linens or clothes. Remove all clothes and other articles from dressers or clothes closets before application. Not recommended for use as sole protection against bedbugs. If evidence of bedbugs is found in/on mattresses, use products approved for this use.

6/11

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 73327-14

STORED PRODUCT PESTS

To aid in the control of the exposed stages of:

cadelles	merchant grain beetles
cheese mites	red flour beetles
cigarette beetles	rice weevils
confused flour beetles	rusty grain beetles
dark meal worms	saw-toothed grain beetles
drugstore beetles	spider beetles
grain mites	tobacco moths
granary weevils	yellow meal worms
lesser grain borers	

In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Remove or cover exposed food.

Clean up waste materials, dust dirt and other debris. Thoroughly treat floors, walls and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. DO NOT apply directly on food, utensils or other areas where food is stored.

OUTDOOR USES

ORNAMENTAL PLANT PESTS

For the control of:

aphids	leafrollers
beet armyworms	orange tortrix
blister beetles	periodical cicada
boxelder bugs	plant bugs
certain leafminers	rose chafer
(Boxwood, Holly, rose midges, Oak, Spruce Needle)	
elm leaf beetle	rose slugs
flea beetles	tent caterpillars
Japanese beetles	thrips
leafhoppers	weevils

[WHERE TO USE]

SHRUBS AND ORNAMENTALS: Apply when insects or their damage first appear and repeat at weekly intervals if necessary. Apply 8 ounces per 1,000 square feet; or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

ROSES, PETUNIAS, CHRYSANTHEMUMS, GERANIUMS, CARNATIONS AND OTHER RELATED FLOWERS: To control many leaf and flower chewing insects, apply as soon as the insect appears and repeat at 7 day intervals or as long as insects continue to appear. Apply a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

7/4

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 73327-14

PERIMETER TREATMENT: Use [Green Light Many Purpose Dust] [this/the product] as a residual treatment for control of: **Ants, Bees, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Ground Beetles, Millipedes, Scorpions, Silverfish, Slugs, Sowbugs (Pillbugs), Spiders, Ticks, and Wasps.** Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly and uniformly to the foundation and crawl spaces where pests are active and may find entrance.

Fleas and Ticks in Rodent Burrows: To control **Fleas and Ticks** in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense.

HOME VEGETABLE GARDENS: Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.

VEGETABLES	TARGET PESTS	REMARKS	Application Rates: Ounces of Dust /100 sq ft	Max Applications/ Growing Season
Artichoke, Globe	Aphids, armyworm, cabbage looper, cribrate weevil, leafminers, lygus bug (plant bug), pale striped flea beetles, plume moth, probas bug	Do not apply more than recommended amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest.	2.13	5
Bulb Vegetables – garlic, leeks, onions, shallots	Cutworms, stink bugs, thrips	Do not apply more than recommended amount [0.112 lb ai/A] in one growing season. Allow 5 days between applications. Do not apply within one day of harvest.	2.13	4

continued

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 73327-14

VEGETABLES	TARGET PESTS	REMARKS	Application Rates: Ounces of Dust /100 sq ft	Max Applications/ Growing Season
Corn, Sweet	Aphids, armyworms, chinch bugs, click beetle, corn earworm, corn rootworm (adult), cutworms, European corn borer, flea beetles, grasshoppers, Japanese beetle (adult), June beetle (adult), Masked chafer (adult), southern corn borer, southwestern corn borer, stalk borer, stink bugs, webworms	Do not apply more than recommended amount [0.45 lb ai/A] one growing season. Do not apply within 24 hours of harvest.	2.13	16
Corn, Pop	Aphids, armyworms, chinch bugs, click beetle, corn earworm, corn rootworm (adult), cutworms, European corn borer, flea beetles, grasshoppers, Japanese beetle (adult), June beetle (adult), Masked chafer (adult), southern corn borer, southwestern corn borer, stalk borer, stink bugs, webworms	Do not apply more than recommended amount [0.095 lb ai/A] in one growing season. Allow 21 days between applications.	1.68	4
Cucurbit Vegetables – cantaloupes, chayote, Chinese waxgourd, citron melon, cucumber, gherkin, gourds, Momordica species (balsam apple, balsam pear, bitter melon, Chinese cucumber), muskmelon, pumpkin, squash, watermelon	Armyworm, cabbage looper, Colorado potato beetle, corn earworm, cucumber beetles, cutworms, diamondback moth (larvae), flea beetles, grasshoppers, green peach aphid, leafhoppers, leafminers, melonworm, pickleworm, stink bugs, tarnished plant bug, tobacco budworm, tomato pinworm, vegetable weevil (adult), western plant bug, whitefly (adult)	Do not apply more than recommended amount [0.168 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest.	2.13	6

continued

9/11

Bold, italicized text is information for the reader and is not part of the label.
 [Bracketed information is optional text.] Text separated by / denotes and/or options.

EPA File Symbol 73327-14

VEGETABLES	TARGET PESTS	REMARKS	Application Rates: Ounces of Dust /100 sq ft	Max Applications/ Growing Season
Fruiting Vegetables – eggplant, groundcherry, pepinos, peppers, tomatillo, tomato	Aphids, armyworm, cabbage looper, Colorado potato beetle, cucumber beetle, cutworms, diamondback moth, European corn borer, flea beetles, imported cabbageworm, leafminers, pepper weevil, stink bugs, tarnished plant bug, thrips, tomato fruitworm (corn earworm), tomato pinworm, variegated cutworm, whitefly	Do not apply more than recommended amount [0.168 lb ai/A] in one growing season. Allow 5 days between applications. Do not apply within 1 day of harvest.	2.13	6
Root Vegetables - carrot, celeriac, chervil (turnip-rooted), chicory	Armyworm, cabbage looper, Colorado potato beetle, cutworms, European corn borer, flea beetles, green peach aphid, leafhoppers, lygus bug (plant bug), pea aphid, Tarnished plant bug	Do not apply more than recommended amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. Other than radishes, applications may not be made to root vegetables whose tops or leaves are to be harvested for human consumption.	2.13	5
Tuberous & Corm Vegetables - potato, sweet potato, arracacha, arrowroot, Chinese artichoke, Jerusalem artichoke, edible Canna, bitter and sweet cassava, chayote (root), chufa, dasheen, ginger, leren tanier, tumeric, yam bean, true yam	Armyworm, cabbage looper, Colorado potato beetle, cutworms, European corn borer, flea beetles, green peach aphid, leafhoppers, lygus bug (plant bug), pea aphid, Tarnished plant bug	Do not apply more than recommended amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. Applications may not be made to tuberous or corm vegetables whose tops or leaves are to be harvested for human consumption.	2.13	5

USE DIRECTIONS FOR FIRE ANT TREATMENT

Imported Fire Ant Mound Treatment: Apply [Green Light Many Purpose Dust] [this/the product] with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. **DO NOT DISTURB THE MOUND PRIOR TO APPLICATION.** If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

[Alternate Directions - Evenly sprinkle one tablespoon (approximately 10 grams) of [Green Light Many Purpose Dust] [this/the product] over the top of each mound. Do not water in or disturb the mound. Apply when temperatures are between 65 and 80°F. Allow 3 to 4 days for maximum control, then repeat as necessary. Do not use food utensils, such as a teaspoon or measuring cups, for food after use with pesticides.]

STORAGE AND DISPOSAL [icon]

PESTICIDE STORAGE: Store product in original container in a cool, dry, locked storage area out of reach of children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Notice: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not used in accordance with directions.

Swiss Farms [or insert sub-registrant company name] **Guarantee:** If for any reason you, the consumer, are not satisfied with this product, mail us original proof of purchase to obtain a full refund of your purchase price.

Swiss Farms [or insert sub-registrant name] **and Your Environment:** Your home and yard are places for family and pets to enjoy. That's why Swiss Farms [or insert sub-registrant company name] products are designed with care to provide effective solutions to pest problems inside and outside your home. For best results please follow instructions for appropriate usage, storage and disposal.

[sub-registrant name] No-Quibble Guarantee: If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Dedicated to a Beautiful World®

Trusted by generations of [homeowners/gardeners], [insert sub-registrant company name] is dedicated to helping you enhance and protect the beauty of your home environment.

[phone icon] Questions, Comments or Medical Information?

¿Preguntas, Comentarios o Información Médica?

(877) 478-3711 www.greenlightco.com /sub-registrant website [computer icon]

Sold by / Manufactured for: Swiss Farms Products, Inc.

3993 Howard Hughes Parkway, Suite 250

Las Vegas, NV 89169

Green Light is a registered trademark of Swiss Farms Products, Inc.

Made in / Product of USA

Optional Marketing Claims

1. Indoor/Outdoor —
2. Long Lasting —
3. Odorless —
4. Kills On Contact —
5. Fast, Effective Kill of Fire Ants —
6. No Watering In —
7. 1 Lb Treats Up to 45 Fire Ant Mounds —
8. Kills The Queen —
9. Kills Insects for Up to 8 Months —
10. ~~Controls~~ Ants, Fleas, Ticks, Spiders, Scorpions and other Insect Pests. —
11. For Use on Home Vegetable Gardens and Ornamentals —
12. Designed for Independent Retailers
13. Multipurpose. Can be used in and around homes, ornamentals and vegetable gardens.
14. Exhibits effective knockdown and long-lasting control against listed pests.
15. Can be used [for long-lasting pest control] in and around homes and their immediate surroundings.
16. [Pest/Insects] [~~Controlled~~/Killed]{IMAGES} [Japanese Beetles], [aphids], [leafhoppers], [tent caterpillars], [thrips], [weevils], [cutworms], [stink bugs], [grasshoppers], [armyworms], [cutworms], [whitefly] and other listed pests [other listed pests may be called out on this panel] •
17. ~~Controls~~ a variety of insect pests in vegetable gardens, on flowers, around yards and homes
18. For use on shrubs, ornamentals, vegetable gardens and outdoor perimeters
19. Where to use: for residential use in and around [homes], [ornamentals],[shrubs] and [vegetable gardens]

[Pest/Insects] [Controlled/Killed]	{IMAGES} [Japanese Beetles], [aphids], [leafhoppers], [tent caterpillars], [thrips], [weevils], [cutworms], [stink bugs], [grasshoppers], [armyworms], [cutworms], [whitefly] and other listed pests [other listed pests may be called out on this panel]
Controls	a variety of insect pests in vegetable gardens, on flowers, around yards and homes
For use on / use on	shrubs, ornamentals, vegetable gardens and outdoor perimeters
Where to use:	for residential use in and around [homes], [ornamentals],[shrubs] and [vegetable gardens]