

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 5, 2021

Mandy Slack Sr. Analyst, Regulatory Affairs Swiss Farms Products, Inc 3993 Howard Hughes Parkway, Suite 250 Las Vegas, NV 89169

Subject: Registration Review Label Mitigation for Diquat dibromide/Label Amendment – updated storage and disposal, added 4 weeds and other edits. Product Name: SF 1345 EPA Registration Number: 73327-19 Application Date: 01/21/2021 Decision Numbers: 570630

Dear Ms. Slack:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the Registration Review of the above referenced product in connection with the Diquat dibromide Interim Decision # 0288, and has concluded that your submission is acceptable. The agency also completed review of your amended label referred to above, submitted in connection with registration under FIFRA, as amended, and has determined the label is also acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. Products shipped after 12 months from the date of this amendment must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

Page 2 of 2 EPA Reg. No. 73327-19 Decision No. 570630


If you have any questions about this letter, please contact Sayed Islam by phone at 703-347-0290, or via email at islam.sayed@epa.gov.

More Miller

For

Erik Kraft, Product Manager 24 Fungicide and Herbicide Branch Registration Division (7505P) Office of Pesticide Programs [Herbicide] [Weed and Grass Killer]

SF 1345



ACTIVE INGREDIENTS	
Diquat dibromide	0.20%
Fluazifop-P-Butyl	0.07%
Dicamba, Dimethylamine salt	0.05%
OTHER INGREDIENTS	99.68%
Total	100.00%

#### **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See additional precautionary statements and directions for use in booklet.

EPA Reg. No. 73327-19

EPA Est. No. XXX-XX-X (insert EPA Registered Establishment Number(s)) [Superscript is first letter of lot number]

Net Contents

#### FIRST AID

**If in eyes:** IMMEDIATELY hold eye open and rinse thoroughly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

#### NOTE TO PHYSICIAN

If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete

Have the product container or label with you when calling a poison control center or doctor, or going for treatment advice. You may also contact 1-877-465-5161 for emergency medical treatment.

# PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

May cause eye irritation. Avoid contact with eyes. Protective eyewear is strongly recommended when applying this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

GROUND WATER ADVISORY: This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

SURFACE WATER ADVISORY: This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff.

A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of fluazifop-P-butyl from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall or irrigation is expected to occur within 48 hours

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

#### [WARRANTY INFORMATION]

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

# DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

 $\dot{\mathbf{X}}$  = People and pets may re-enter after the treated area has been allowed to dry.

#### USE RESTRICTIONS

- **DO NOT** apply this product in a way that will contact any person or pet either directly or through drift.
- Only persons applying this product may be in the area during application.
- Keep people and pets out of the area during application.  $\bar{X}$ •
- $\overline{X}$  **DO NOT** allow people or pets to enter the treated area until sprays have dried. •
- **DO NOT** mow, cut, or disturb treated vegetation for at least 7 days following application.
- **DO NOT** use on or around food or feed crops.
- **DO NOT** apply more than 1 gallon of product per 350 sq ft in a single application. 1 gallon of product contains 0.0166 lb diguat dibromide, 0.0056 lb fluazifop-p-butyl, 0.0044 lb dicamba.
- **DO NOT** apply more than 2 gallons of product per 350 sq ft per year (2 applications of 1 gallon). 2 gallons of product contain 0.0332 lb diquat dibromide, 0.0112 lb fluazifop-p-butyl, 0.0088 lb dicamba.
- If retreatment is necessary, wait 28 days before making a second application.
- DO NOT make more than 2 broadcast applications per year.

#### SPRAY DRIFT ADVISORIES

THE APPLICATOR IS RESPONSIBLE FOR AVOIDING OFF-SITE SPRAY DRIFT. BE AWARE OF NEARBY NON-TARGET SITES AND ENVIRONMENTAL CONDITIONS.

IMPORTANCE OF DROPLET SIZE

An effective way to reduce spray drift is to apply large droplets. Use the largest droplets that provide target pest control. While applying larger droplets will reduce spray drift, the potential for drift will be greater if applications are made improperly or under unfavorable environmental conditions.

#### HAND HELD TECHNOLOGY APPLICATIONS

Take precautions to minimize spray drift

#### **Rate Conversion Chart**

FI oz product	lb diquat dibromide	lb fluazifop-p-butyl	lb dicamba
24	0.0031	0.0011	0.0008
32	0.0042	0.0014	0.0011
128 (1 gallon)	0.0166	0.0056	0.0044
170 (1.33 gallon)	0.0221	0.0074	0.0059
256 (2 gallons)	0.0332	0.0112	0.0088

#### **HOW IT WORKS**

The dual action of SF 1345/this product kills all types of weeds and grasses. One ingredient works on contact with visible results within hours. The other two ingredients are absorbed and move within the plant, penetrating deep to kill down to the root.

#### WHERE TO USE

- Around perennial landscape plants, shrubs, or trees
- Patios, walkways, driveways
- Gravel or mulch beds
- Along fences, around buildings
- Preparing landscaped areas
- Lawn renovation

#### SPRAYER APPLICATOR LANGUAGE SECTION

NOTE TO PM: Spray Pattern Descriptor is any word used to describe the pattern including flat, fan, coarse, or fine. NOTE TO PM: Quotes around Directions are optional (i.e. "ON", "OFF")

#### Option 1 – Bottle attached trigger sprayer

[Conventional Trigger RTU/Applicator Device/Applicator Name Directions/Instructions]

[If Applicator is not attached:][Remove cap [and seal], then insert applicator/sprayer in/into the bottle. Tighten applicator/sprayer to bottle/container/pouch] [HOW TO USE:]

#### [Spray]

- 1. Turn sprayer nozzle to desired spray/spray pattern/foam/ setting/perimeter setting/ "On"/spray pattern descriptor.
- 2. Squeeze trigger [repeatedly] [to spray.]

#### [Finish]

1. [Turn sprayer nozzle to "OFF"/X.]

#### **Option 2- Hose attached trigger sprayer**

[Conventional Trigger Large RTU/Quick Connect Trigger Sprayer/Applicator/Applicator Name Directions/Instructions]

#### [HOW TO USE:]

[Spray][

- 1. Remove sprayer/Applicator Name from bottle/holster/holder/box/container/package [by sliding/pulling/pushing sprayer up/down/in/out].
- 2. [Remove cap/seal/cover on pouch/container/bottle spout/knob/fitment]
- 3. Unwrap/Uncoil hose and insert [[color] hose connector] into [color] spout/knob/opening/lid [on][bottle/pouch/container] [cap] [until it clicks].
- 4. [Flip up [color] spout until fully upright / Twist spout/knob to "ON" / Pull spout up Rotate hose connector [to lock/engage/open/secure].]
- 5. Turn sprayer nozzle to desired spray/spray pattern/foam/ setting/perimeter setting/ "On"/spray pattern descriptor.
- 6. Squeeze trigger [repeatedly] [to spray.]

#### [Finish][]

- 1. [Turn sprayer nozzle to "OFF" / X.]
- 2. [DO NOT DISCONNECT HOSE CONNECTOR [FROM SPOUT/CAP/KNOB/OPENING].]
- 3. [Place sprayer back into holster/holder.]

#### Option 3 – Pull 'N Spray

[Pull 'N Spray/Applicator/Applicator Device/Applicator Name Directions/Instructions]

#### [HOW TO USE:]



- 1. Remove sprayer/Applicator Name from bottle/holster/holder/box/container/package [by sliding/pulling/pushing sprayer up/down/in/out]
- 2. [Remove cap/seal/cover on pouch/container/bottle spout/knob/fitment]
- 3. Unwrap/Uncoil hose and insert [[color] hose connector] into [color] spout/knob/opening/lid [on][bottle/pouch/container] [cap] [until it clicks].
- 4. [Flip up [color] spout until fully upright / Twist spout/knob to "ON" / Pull spout up Rotate hose connector [to lock/engage/open/secure].]
- 5. Turn sprayer nozzle to desired spray/spray pattern/foam/ setting/perimeter setting/ "On"/spray pattern descriptor.
- 6. Point sprayer away from body. Slowly pull ring at bottom of sprayer until it stops, and hold for two [2] seconds to fill sprayer.
- 7. Press trigger to spray.

#### [Finish]

- 1. [Turn sprayer nozzle to "OFF" / X.]
- 2. [DO NOT DISCONNECT HOSE CONNECTOR [FROM SPOUT/CAP/KNOB/OPENING].]
- 3. [Place sprayer back into holster/holder.]

#### **Option 4 – Battery Hose Attached Sprayer**

[Battery Powered Wand/Comfort Wand/Comfort Shot Wand/Applicator/Wand/Applicator Name Directions/Instructions]

#### [HOW TO USE:]

#### [Prep [Wand]][

- 1. Remove sprayer/Applicator Name from bottle/holster/holder/box/container/package [by sliding/pulling/pushing sprayer up/down/in/out].
- 2. [Remove [color] pull strip to activate batteries].
- 3. [Unfold / Flip Open [Applicator Name/applicator/wand] until it clicks/locks into position.]
- 4. [Extend wand/applicator/nozzle] [fully].

## [Connect][

- 1. [Remove cap/seal/cover on pouch/container/bottle spout/knob/fitment]
- 2. Unwrap/Uncoil hose and insert [[color] hose connector] into [color] spout/knob/opening/lid [on][bottle/pouch/container] [cap] [until it clicks].
- 3. [Flip up [color] spout until fully upright / Twist spout/knob to "ON" / Pull spout up / Rotate hose connector [to lock/engage/open/secure].]

### [Spray][

- 1. Turn sprayer nozzle to desired spray/spray pattern/foam/ setting/perimeter setting/ "On"/spray pattern descriptor.
- 2. [Slide [color] switch on trigger to "Unlock"].

#### 3. Press trigger to spray.



- 1. [Turn nozzle to "OFF"/X].
- 2. [Slide [color] switch on trigger to "Lock"].
- 3. [Fold [Applicator Name/wand/applicator] closed [and place sprayer/wand back in holster/holder].]

**Important Use Information**: **DO NOT** submerge in water. When storing sprayer for long periods, remove batteries.

[To replace batteries: See marked diagram inside battery compartment.]

#### **Option 5 – Pump Container with Applicator**

[Pump 'n Go/EZ Sprayer/Applicator/Applicator Device/Applicator Name Directions/Instructions]

#### Instructions for Printing on the Wand and Handle:

*Wand:* [Insert Arrow Graphic] SPRAY POSITION *Handle:* [Insert Arrow Graphic] RELEASE PRESSURE AFTER USE Push handle to cap & turn. RETIGHTEN.

# [HOW TO USE:][HOW TO ASSEMBLE AND USE INSTRUCTIONS][FOR][Pump 'n Go/Applicator Name]



1. [Carefully cut the [two] [color] zip tie[s] securing hose and pump handle with scissors, using caution not to cut [color] hose.]



2. [Unwind hose.][Firmly push the [hose] connector at the end of the hose onto the [color] spout/cap/knob/opening on the pump [, until it locks into place].]



#### [PREP [WAND/SPRAYER]][Extend Wand][

Lift sprayer [wand] off bottle. Push [color] button while pulling out on the sprayer/wand nozzle tip. Fully extend wand/sprayer until [color] button snaps into SPRAY POSITION. NOTE: [Color] Trigger will not function until wand is fully extended and [color] button is visible in the SPRAY POSITION.



Make sure handle is screwed on tightly [, or the bottle will not pressurize]. Pump container 25-30 [X-X] times to pressurize bottle. A full bottle requires fewer pumps than an empty bottle. Pumping to the higher range will provide longer spray duration. After pumping, push pump down and turn handle clockwise/counterclockwise to lock into carrying position.

NOTE: This bottle is designed to expand under pressure and cannot be over-pressurized.



Aim wand/sprayer. Spray by pushing down [color] trigger with thumb. Adjust spray pattern by rotating [color] nozzle tip up to one-half rotation.



[FINISH][STORE][ ] [ ] [ ] [When finished spraying,] push the [color] button and retract/fold the wand/sprayer until the [color] button snaps back into the original storage position. Place wand/sprayer back onto the top of the bottle [in the integrated holster with nozzle tip extended through the eyelet opening].



Push pump handle all the way down and turn pump handle and cap counter-clockwise/clockwise to relieve pressure, then retighten to store.

#### **Option 6 - Squeeze**

[Applicator Name/Applicator Directions/Instructions]

# [HOW TO USE/APPLY] Alternative Text: [HOW TO ASSEMBLE AND USE INSTRUCTIONS]: [Open:]

- 1. [Twist off cap and remove foil liner.]
- 2. [Replace cap.]
- 3. Flip/Twist/Open Cap

#### [Spray:]

- 1. To BEGIN spraying, invert the bottle and point/aim/direct [at the insect/or area of application]
- 2. Squeeze the bottle [to initiate the flow of product.]
- 3. Spray only until the surface is wet. / Spray evenly

#### [Finish:]

- 1. [To STOP spraying, release pressure / turn bottle upright]
- 2. [Flip/twist/close the cap [until you hear an audible snap / until secure].]

#### **Option 7 – Flairosol**

[Applicator Name/Applicator Directions/Instructions]

#### [HOW TO USE:]

#### [Prep]

- 1. [Before first use prime the trigger by pumping/squeezing it [several/a few times]]
- 2. [Slide/Press [color] switch/button [on trigger] to "Unlock"].

#### [Spray/Apply]

- 1. Squeeze/pump/pull/press trigger/button to release spray/mist
- 2. Spray [directly] onto/at insects/bugs or onto surfaces

[Finish]

1. [When empty purchase refill bottle & reuse [trigger] sprayer]

#### **Option 8 – Integrated Primo Wand**

[Battery Powered/Comfort/Ergo [Shot] Wand/Applicator/Applicator Name Directions/Instructions]

#### [HOW TO USE:]

#### [Prep [Wand]]

- 1. [Unsnap/Unsecure/Unlock wand/applicator and Extend wand/applicator [upward/fully][until it clicks into place]]
- 2. [Remove [color] pull strip to activate batteries].

#### [Spray]

- 1. Turn sprayer nozzle to desired spray/spray pattern/foam/ setting/perimeter setting/ "On"/spray pattern descriptor.
- 2. [Slide [color] switch on trigger to "Unlock"].
- 3. Press trigger to spray.

#### [Finish]

- 1. [Turn nozzle to "OFF"/X].
- 2. [Slide [color] switch on trigger to "Lock"].
- 3. [Fold [Applicator Name/wand/applicator] closed]

Important Use Information: When storing sprayer for long periods, remove batteries.

[**To replace/change batteries:** Remove sprayer head/applicator from bottle by rotating clockwise/counterclockwise to access battery compartment. See marked diagram inside battery compartment.]

#### **Optional Troubleshooting Section for Options 4 and 8**

#### Troubleshooting Tips:

Problem: Sprayer does not spray [function].

Possible Cause: Batteries not installed properly.

Solution: See instructions for correct battery placement.

Problem: Sprayer makes a straining noise [Sprayer runs but nothing [no product] comes out].

Possible Cause: Sprayer nozzle is turned off.

Solution: Turn sprayer nozzle to [desired] spray setting [position].

Possible Cause: [Red] [color] hose connector is not flipped up.

Solution: Insert [color] hose connector into [color] spout/knob/opening on bottle cap until it clicks and flip up spout until fully upright.

Possible Cause: Sprayer is not primed.

Solution: Press and hold button on sprayer for about X (10 / 15 / 20 / 30) seconds to prime sprayer.

Problem: Spray pattern is weak [or uneven] [product flow is uneven or dribbles out of nozzle].

Possible Cause: Weak batteries.

Solution: Install fresh set of batteries.

Possible Cause: [Red] [color] hose connector is not flipped up.

Solution: Insert [color] hose connector into [color] spout/knob/opening on bottle cap until it clicks. [Attach coupler to the cap] and flip up spout until fully upright.

Possible Cause: Sprayer nozzle not fully open.

Solution: Turn sprayer nozzle to [desired] spray setting [position].

#### End of Optional Troubleshooting Section for Options 4 and 8

Option 1 – Applicator Reuse

#### **Refill/Applicator Reuse Options**

#### . ..

#### [Applicator Name/Wand] REFILL/REUSE DIRECTIONS

How to attach applicator name/wand to SF 1345/Product Name/refill/recharge/renew/fill-up/reload/ bottle/container:


Removing [color] hose/Comfort Wand/Applicator Name from original bottle/container:



Remove the [color] hose connector from the original bottle/container/pouch by pulling the [color] plug from the [color] spout [on cap].

[To remove the side holster/holder from original bottle/container/pouch, pull/lift the bottom tab underneath and slide the holster/holder up.]

Adding [color] hose/Comfort Wand/Applicator Name to SF 1345/Product Name/refill/recharge/renew/fill-up/reload/bottle/container:



[Attach the sprayer holster/holder to Ortho Home Defense and Outdoor Insect Killer2/Product Name/refill/recharge/renew/fill-up/reload/bottle/container by sliding the holster/holder down onto the knob.]

Insert [color] hose connector into [color] spout [on cap] [until it clicks].

#### OR

**[Applicator Name/Flairosol] REFILL:** This bottle/container may be refilled with SF 1345/Product Name. To refill twist/snap SF 1345/Product Name into/onto spray/applicator nozzle/top.

#### OR

#### [Applicator Name/Flairosol] REFILL/REUSE DIRECTIONS

How to attach Applicator Name/Flairosol to SF 1345/Product Name/refill/recharge/renew/fillup/reload/bottle/container:

Remove sprayer/applicator/top from the empty container/bottle by rotating it clockwise/counter clockwise. Place sprayer/applicator/top on the refill container and rotate it clockwise/counter clockwise [until it is secure].

#### OR

Remove sprayer/applicator/top from the empty container by pulling the bottle/container down/out. Place sprayer/applicator/top on the refill container/bottle and push up on the bottle/container [until it is secure].

#### OR

#### **Refill Container**

Use this product to refill the empty [insert brand name for SF 1345] container by pouring product carefully and directly into the container. **DO NOT** add water.

**HOW TO REFILL** For [Ready-To-Use] Containers with Applicators Intended to be Reused/Refilled To refill this empty container, pour product carefully and directly from the [insert brand name] container designated as the ready-to-use refill container. **DO NOT** add water

#### **Option 2 – Integrated Primo Wand Applicator Reuse**

#### **REFILL/REUSE DIRECTIONS / How to Reuse/Refill**

How to attach Applicator Name/integrated wand to SF 1345/Product Name/refill/recharge/renew/fill-up/reload/bottle/container:

- 1. Remove sprayer head/applicator from botte by rotating clockwise/counterclockwise and remove from empty bottle/container/pouch.
- 2. Remove cap/lid from SF 1345/Product Name/refill/recharge/renew/fillup/reload/bottle/container/pouch.
- 3. [Remove Seal.]
- 4. Insert tube/straw into SF 1345/Product Name/refill/recharge/renew/fillup/reload/bottle/container/pouch.
- 5. Secure the sprayer head/applicator from botte/container/pouch by rotating clockwise/counterclockwise

#### Option 3 – Refill by pouring same RTU formula from Liquaflex refill package

#### [REFILL DIRECTIONS/INSTRUCTIONS]

1. **DO NOT** reuse or refill this container/pouch. Use this product to refill the empty [Product name] container/bottle/pouch.

2. For best pouring experience place bag and refill bottle next to each other at waist height 73327-19.AMEND.20210304 Page 9 of 16

- 3. Remove cap
- 4. Grasp [handle] with dominant hand
- 5. Place the other hand on the front side of the bag/pouch/container for stability
- 6. Carefully pour liquid into target container/bottle/pouch

#### **Option 4 – Refill by pouring same RTU formula into Pump Container with Applicator**

How to refill [Quick Pump/Pump 'N Go/Applicator Name] [using/with] [1.33 Gallon Ready-To-Use Refill/SF 1345/Product Name/refill/recharge/renew/fill-up/reload/bottle/container]:

- 1. Remove pump handle on Quick Pump/Pump N Go/Applicator Name by twisting it counterclockwise.
- 2. Remove cap from SF 1345/Product Name/refill/recharge/renew/fillup/reload/bottle/container/pouch.
- 3. Pour product carefully and directly into [Quick Pump/Pump 'N Go/Applicator Name] container/bottle. **DO NOT** fill above 2"/3"/4" from top of container/bottle. **DO NOT** add water.

Secure pump handle back on container by twisting it clockwise until tight.

Note to PM: The illustrations may or may not appear on the final printed label. The use of illustrations is dependent upon the size of the packaging.

#### HOW TO APPLY

- Shake gently before using.
- Spray only the weeds you want to kill. Thoroughly wet the foliage to cover but **DO NOT** spray to runoff.
- For best results, apply when weeds are actively growing and when the air temperature is above 60°F.
- **DO NOT** spray plants you desire to keep. You may use a cardboard or plastic shield to protect desirable plants from spray.
- Apply when air is calm to prevent drift to desirable plants.
- If desirable plants are accidentally sprayed, rinse them off immediately with plenty of water.

#### WHAT TO EXPECT

- Sprayed weeds begin to [wilt] [die] within hours after application, with complete kill within [days to] 1-2 weeks.
- A single application controls most [listed] weeds.
- Rainproof: rainfall or watering [15/30] minutes after application will not reduce weed control.
- Perennial landscape plants, trees, and shrubs may be planted 1 day after application.

#### LAWN RENOVATION/REPLACEMENT

Use SF 1345/this product to kill grass and weeds before planting new lawn.

- Determine the size of the area to be treated. [One gallon treats 350 sq. ft.] [One quart treats 88 sq. ft.]
- **DO NOT** mow within [1 week] [7 days] before spraying or [1 week] [7 days] after spraying.
- If soil is dry, water every other day for a week before application.
- Wait 7 days after last application to rake, till, or replant with seed or sod.

#### Weeds Controlled [Optional]

Weeds Controlled [Op	
Alder	Cupgras
Aspen, Quaking	Cupgras
Bahiagrass	Cudwee
Barley, Wild	Dallisgra
Bedstraw	0
	Dandelio
Beggarweed	Dandelio
Beggarweed, Creeping	Dewberr
Beggarweed, Florida	Dock, C
Bermudagrass	Dog fen
Bentgrass	Evening
Bindweed, Field	Evening
Blackberry, Wild	Evening
Bluegrass	
0	Fennel
Bluegrass, Annual	Fescue
Bluegrass, Kentucky	Fescue,
Brassbuttons	Fiddlene
Broadleaf Signalgrass	Filaree
Bromegrass	Foxtail
Bromegrass, Smooth	Foxtail,
Brownseed	Foxtail,
Brome, Downy	Foxtail,
Bur clover	Geraniu
Buttercup	Gooseg
Buttercup, Roughseed	Grounds
Buttercup, Tall	Guineag
Carrot, Wild (Queen	Henbit
Anne's Lace)	Horsene
Catchfly, Nightflowering	Horsera
Cattail	Ironwee
-	
Ceanothus	Iceplant
Centipedegrass	Ironwee
Chamomile, Corn	Itchgras
Cheeseweed	Johnson
Chickweed	Johnson
Chickweed, Common	Johnson
Chickweed, Mouseear	Jungleri
Clover	Kikuyug
-	
Clovers (Annual)	Knapwe
Clover, Red	Knapwe
Clover, Sweet	Knapwe
Clover, White	Knapwe
Cockle, White	Knapwe
Cocklebur	Knawel
Cogongrass	Knotwee
Coral bead	Kochia
Crabgrass	Ladysth
Crabgrass, Hairy	Lambsq
Crabgrass, Large	Lambsq
Crabgrass, Smooth	Maiden
Crabgrass, Southern	Mallow
Crabgrass, Tropical	
Creeping Charlie	
Cupgrass, Prairie	

ss, Southwestern ss, Woolly ed. Purple ass on on, False ry urly nel (Cypressweed) primrose primrose, Common primrose, Cutleaf species Tall eck Giant Green Yellow ım, Wild irass sel, Common grass, Seedling ettle idish be d s ngrass ngrass, Rhizome ngrass, Seedling ice rass ed ed. Black ed. Diffuse ed, Russian ed, Spotted ed umb uarters uarters, Common Cane

Mallow, Common Lantana Lettuce. Prickly Little Bitter Cress London Rocket Lovegrass, Diffuse Mallow, Venice Marestail (Horseweed) Mayweed Medic, Black Medic, Blue Milkweed Morningglory, Ivyleaf Morningglory, Tall Morningglory, Wild Mullein, Common Mustard, Blue Mustard, Tansy Mustard, Tumble Mustard. Wild Nimblewill Nutsedge (Nutgrass) Nutsedge, yellow Nutsedge, purple Oats. wild Oldenlandia Orchardgrass Oxalis Oxalis, yellow Pampasgrass Panicum, Fall Panicum, Texas Paspalum Pennycress, Field (Fanweed, Frenchweed, Stinkweed) Pennywort Pigweed Pigweed, Prostrate Pigweed, Redroot (Carelessweed) Piqweed, Rough Pigweed, Smooth Pigweed, Tumble Plantain Plantain, Broadleaf Plantain, Buckhorn Plantain, common Puncturevine Purslane Purslane, Common

Pusley, Florida Quackgrass Rabbitfootgrass Radweed Ragweed. Common Ragweed, Giant (Buffaloweed) Ragwort, Tansy Red Rice Ryegrass, Annual Ryegrass, Italian Ryegrass, Perennial Sandbur, Field Sandbur, Southern Sandspur Sesbania, Hemp Shattercane Shepherdspurse Sida, Prickly (Teaweed) Smartweed Smartweed, Green Smartweed, Pennsylvania Smartweed, Swamp Smooth Cat's Ear Sorghum almum Sourdock Sowthistle Sowthistle, Annual Sowthistle. Spinv Sprangletop Spurae Spurge, Garden Spurge, Leafy Spurge, Prostrate Spurge, Spotted Starthistle, Yellow St. Augustine grass Thistle, Artichoke Thistle. Bull Thistle, Canada Timothy Toadflax, Blue Torpedograss Trumpetcreeper (Buckvine) Vaseygrass Velvetleaf Virginia Creeper Whitetop Wild Oats Wild Proso Millet Wirestem Muhly Witchgrass Yarrow Yarrow, Common

# STORAGE AND/& DISPOSAL

#### STORAGE AND/& DISPOSAL

**PESTICIDE STORAGE:** Keep from freezing. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Store in a cool, dry place, preferable in a locked storage area. To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.

#### Note to PM reviewer: Below is For Non-Refillable containers

**PESTICIDE DISPOSAL AND CONTAINER HANDLING: If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any or outdoor drain.

#### Note to PM: Below is For Refillable Containers

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** [Applicator Name] can be reused with [Product Name refill bottle/container]. Follow instructions in the Reuse/Refill Directions [when reusing [applicator name]]. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options. Never place unused product down any or outdoor drain.

## Comprehensive List of Marketing Claims [Optional]

#### The following claims may or may not appear on any label panel or in advertising. Appropriate formula and company specific information will be inserted on Final Printed Label to replace "X".

- 1. Absorbed into both broadleaf and grass weeds
- 2. Experience the [SF 1345] Advantage ([peel back this panel for details] [see details inside/underneath this booklet] [see details on back panel])
- 3. Peel/Open Here
- 4. [Open] Resealable Label for Directions and Precautions
- 5. Press to Reseal
- 6. Kills [annual and perennial] weeds, grasses and other unwanted plants
- 7. Multipurpose grass and [broadleaf] weed control [with residual weed control]
- 8. For weed control kills weeds and grasses in [1-2 weeks] [2-4 weeks] roots and all
- 9. Eliminates most common weeds, grasses and unwanted vegetation
- 10. [Proven] [Trusted] performance
- 11. Guaranteed effective: Kills [200] [over 150] [over 175] types of weeds and grasses, roots and all, with just one application
- 12. One application kills [200] [over 150] [over 175] types of weeds and grasses, roots and all
- 13. Kills [200] [over 150] [over 175] weeds
- 14. Kills [to] the root [guaranteed]
- 15. Kills [the toughest weeds and grasses to] the root so [weeds] [they] don't come back
- 16. Kills the root so weeds don't come back
- 17. Kills the roots of [both] broadleaf and grassy weeds
- 18. Kills weeds and grasses down to the root
- 19. Kills [all types of] [most/many/common] weeds [and grasses]
- 20. Spray the leaves to kill the roots
- 21. [A] single application controls most/many/common [listed] weeds
- 22. Individual results may vary
- 23. For outdoor residential use
- 24. No root. No weed. No Problem.
- 25. Speeds absorption to the root for complete kill
- 26. Begins [absorbing] [working] on contact
- 27. Dead [weeds] in a day
- 28. For weeds that are dead in [a] [one] day
- 29. [Next day] [This weekend] results: [Begins] [Starts] killing on contact, visible results in/as fast as [1 hour] [2 hours] [3 hours] [4 hours] [24 hours] [hours]
- 30. [See] [Visible] results in/as fast as [1] [2] [3] [4] hours
- 31. Works in hours
- 32. Starts [to kill] [working] immediately
- 33. Absorbs on contact, starts working immediately
- 34. Begins to kill on contact
- 35. Works when absorbed by the foliage of weeds
- 36. Overnight results
- 37. Ideal for killing unwanted weeds and grasses throughout your yard.
- 38. Use along fences; in cracks of walks, drives and patios; and around perennial beds, trees and shrubs
- 39. Kills weeds around perennial beds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, [and] driveways.
- 40. Can be used many places weeds and grasses grow, including patios, walkways, and driveways; along fences; in landscaping beds; or around perennials, shrubs and trees

- 41. Kills grasses and [broadleaf] weeds in Patios Driveways Sidewalks Ornamental Gardens
- 42. [Spray weeds] [Use] in perennial beds, around trees, shrubs and around fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, [and] driveways
- 43. [Use] For Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, perennial beds and buildings, and in brick and gravel walkways
- 44. Use to trim and edge landscape areas
- 45. [Use] For Spot Spraying: Use in and around perennial beds, ornamental trees, shrubs, fences, driveways and walkways
- 46. For control that [doesn't] [won't] wash away
- 47. Guaranteed effective results even if it rains within hours
- 48. Won't be washed away by rain or watering [15 minutes] [30 minutes] after treatment
- 49. Rainfast/rainproof in [15 minutes] [30 minutes].
- 50. Rain and waterproof in [15 minutes] [30 minutes or less]
- 51. Once it enters the plant, it won't wash off
- 52. Rainfast/rainproof in [15/30] minutes enters the plant on contact
- 53. Won't wash off
- 54. Won't wash away
- 55. Waterproof
- 56. Weatherproof
- 57. Triple-Action [formula]
- 58. [This product/formula] [combines] [3/three] [actives/active ingredients] [combined] [to] deliver both visible results within hours and deep penetration to kill the roots
- 59. [3/three/triple] actives/active ingredients [combination]\*
- 60. [Combines] 3/three/triple actives/active ingredients [combination]
- 61. Dual Activity
- 62. Economical
- 63. Value [size/sized]
- 64. Ready To Use
- 65. Fast-acting [formula]
- 66. Fast-acting formula moves to the root [more] quickly
- 67. Quick kill formula
- 68. Completely kills even the toughest weeds and grasses
- 69. Kills to the root so weeds don't come back
- 70. Water-based formula
- 71. Low odor
- 72. Battery operated sprayer
- 73. Batteries included
- 74. Refill [included]
- 75. [Insert packaging type] refill
- 76. [Insert applicator name] Up to X minutes of continuous spray
- 77. Continuous spray
- 78. [Insert applicator name] [with] extended reach/continuous spray [illustration]



79. 2X extended reach\*

80. Always lock after use [illustration]



- 81. Extended reach/continuous spray [insert applicator name]
- 82. [Insert applicator name]/[wand] extends 2 feet [continuous spray] [illustration]



- 81.
- 82. [Container] treats/covers [up to] xxxx sq. ft. [Note to reviewer: 24 oz treats up to 65 sq ft, 1 gallon treats up to 350 sq ft]
- 83. Coverage may vary based on the number, type or size of weeds treated in a given area
- 84. Spot treat or spray evenly over 350 sq ft
- 85. Guaranteed [We Guarantee It] [or Your Money Back]
- 86. Dead Weeds Guaranteed [or Your Money Back]
- 87. Satisfaction guaranteed or we will gladly refund purchase price
- 88. Satisfaction guaranteed or your money back with proof of purchase
- 89. Insert company Promise satisfaction guaranteed
- 90. ACE Quality since 1924

\*vs previous design [illustration]



The *insert company name* Guarantee: If for any reason you, the consumer are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

Consumer Guarantee: If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

The *[insert company/brand]* Promise: If this [company/brand] product when used for its intended purpose fails to give you complete satisfaction return the item to the [company] store where purchased for free replacement of the same or similar item.

Money Back Guarantee. See back panel for details\*

\*Great quality. Great Price. Guaranteed. Our guarantee is a promise that you'll be fully satisfied with the quality of every (*insert Product Brand Name*) product. If for any reason you aren't happy, we'll replace it or return your money – whichever you prefer. All you need to do is return the empty packaging. It's that simple. Guaranteed. Guaranteed within 1 year of the date of purchase. Questions or comments? Call (855-481-2977)

Questions or Comments?	
[Call] [800 number] [icon phone] C [or visit [our website at]] [www	com] [icon computer] 💻

©20XX Insert Company Name. [World rights reserved.]

Manufactured for/Sold by/Made for/Produced for: Swiss Farms Products, Inc. 3993 Howard Hughes Pkwy, Suite 250 Las Vegas, NV 89109

#### Insert trademark statement

[Assembled in/ Made in/Product of] [USA/ Insert Country]