

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 2, 2021

Rebecca M. Horton Consultant/Agent for AMBRANDS Registrations by Design, Inc. PO Box 1019 Salem, VA 24153-1019

Subject: Label Amendment – Added language from Hydramethylnon Interim Decision and

two sublabels (consumer and commercial) in addition to master label

Product Name: AMDRO Lawn and Garden Ant Bait

EPA Registration Number: 73342-3 Application Date: 03/25/2020 Decision Number: 565185

Dear Ms. Horton:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 73342-3 Decision No. 565185

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, you may contact Robert Mitchell at 703-347-0404 or via email at mitchell.robert@epa.gov.

Sincerely,

Elizabeth Fertich Product Manager 4 Invertebrate-Vertebrate Branch 1 Registration Division Office of Pesticide Programs

Enclosure

{NOTE TO REVIEWER [] indicates alternative or optional wording. {} indicates notes to Reviewer that will not appear on the final label}

{MASTER LABEL}

{The following mode of action banner will be featured on commercial use packaging only}

Hydramethylnon GROUP 20 INSECTICIDE

AMDRO® LAWN AND GARDEN ANT BAIT

{Optional Marketing Statements}

Eliminates listed ant species, crickets, silverfish, and firebrats
Approved for multiple application sites including: Residential, Lawns,
Landscaped Areas, Golf Courses, Ornamental & Non-Food Bearing Nursery Stock,
Non-bearing Fruit or Nut Trees, Sod Farms, and Non-cropland areas
Indoor Crack and Crevice Use Approved

DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION

ACTIVE INGREDIENT:		By wt.
Hydramethylnon		0.9%
(CAS #67485-29-4)		
OTHER INGREDIENTS:		99.1%
	Total	100.0%

CAUTION/PRECAUCION

Si usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See Back/Side/Other Panel(s) for Additional Precautionary Statements and First Aid

ACCEPTED

06/02/2021

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

73342-3

Net Weight: 25.0 lb. (11.3 kg)

EPA Reg. No. 73342-3 May 26, 2021 - revised

EPA Est. No. Page 1 of 18 Pages

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin or inhaled. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt and long pants, socks and shoes and chemical-resistant gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

{when labeled for commercial use – Sublabel B – the following PPE, Engineering Controls & User Safety Recommendations will be included}

Personal Protective Equipment (PPE): Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as barrier laminate, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, or Viton ≥ 14 mils)
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment	
information.	
If on skin	Take off contaminated clothing.
or clothing:	 Rinse skin immediately with plenty of water for 15 – 20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
If inhaled:	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.

EPA Reg. No. 73342-3 May 26, 2021 - revised EPA Est. No. Page 2 of 18 Pages

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

Product Information:

AMDRO Lawn and Garden Ant Bait is attractive to many insect pests including, ants, crickets, silverfish, and firebrats. The delayed action of hydramethylnon allows foraging ants to bring the bait back to the nest so that the entire colony, including the queen(s), is destroyed. You should see fewer ants within a week of treatment. Some ant species may require additional applications to achieve maximum control.

Ant species that are controlled by AMDRO Lawn and Garden Ant Bait include: acrobat ants, Argentine ants, bigheaded ants, some species of carpenter ants, cornfield ants, crazy ants, field ants, fire ants, ghost ants, harvester ants, odorous house ants, pavement ants, Pharaoh ants, and thief ants. AMDRO Lawn and Garden Ant Bait also controls crickets, silverfish, and firebrats.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product by any method not specified on this label.

Wash hands with soap and water promptly after use.

[Not for use in edible product areas of federally inspected meat and poultry processing plants.] Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation. Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Avoid applying granules to impervious surfaces, except as a crack-and crevice treatment.

{when labeled for commercial use – Sublabel B – the following Resistance Management Recommendations will be included}

Resistance Management Recommendations: For resistance management, Amdro Lawn and Garden Ant Bait contains a Group 20 insecticide. Any ant population may contain individuals naturally resistant to Amdro Lawn and Garden Ant Bait and other Group 20 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

Rotate the use of Amdro Lawn and Garden Ant Bait or other Group 20 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.

Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.

Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Contact your local extension specialist or certified crop advisor for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.

For further information or to report suspected resistance contact 1-800-265-0761.

{when labeled for commercial use – Sublabel B – the following Aerial Drift Management guidance, Agricultural Use Requirements, and Non-Agricultural Use Requirements will be included}

Aerial Drift Management

Avoiding drift at the application site is the responsibility of the applicator. The interaction of many equipment- and weather-related factors determine the potential for drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Where states have more stringent regulations, they should be observed.

The applicator should be familiar with and take into account the information covered in Aerial Drift Reduction Advisory Information.

Aerial Drift Reduction Advisory

APPLICATION HEIGHT

Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety.

SWATH ADJUSTMENT

When applications are made with a crosswind, the swath will be displaced downward. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase with increasing drift potential (higher wind, etc.)

WIND

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including equipment type, determine drift potential at any given speed. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect drift.

SENSITIVE AREAS

The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g. residential areas, bodies of water, known habitat for threatened or endangered species, non-target crops) is minimal (e.g. when wind is blowing away from sensitive areas).

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

The PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves (such as barrier laminate, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, or Viton ≥ 14 mils)
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated area during pesticide applications.

OUTDOOR USE DIRECTIONS:

AMDRO Lawn and Garden Ant Bait may be used on lawns, landscaped areas, [golf courses, and other noncropland areas including, airports, roadsides, cemeteries, commercial grounds, parks, school grounds, picnic grounds, athletic fields and other recreational areas, and] as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to AMDRO granules.

[AMDRO Lawn and Garden Ant Bait may be used in and around container or field-grown ornamental and non-food bearing nursery stock, and on sod farms (commercial turf).] AMDRO Lawn and Garden Ant Bait may also be applied to the soil around nonbearing fruit or nut trees. Nonbearing crops will not bear fruit/nuts for at least 1 year after application.

Do not graze or feed lawn or sod clippings to livestock.

Broadcast application: Apply at a rate of up to 2.0 pounds per acre (up to 4 ounces per 5,000 ft²). Broadcast bait uniformly with ground (granular spreaders) [or aerial equipment.] Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

<u>Ant mounds</u>: Sprinkle 1 to 2 ounces around the mound. Do not disturb the mound. Do not apply more than 2.0 pounds per acre. Do not contaminate kitchen utensils by use or storage.

<u>Around structures</u>: Apply 4 to 8 ounces around an average building. Treat areas such as flower gardens, around trees and woodpiles, and apply only as a crack and crevice treatment to porches, patios, driveways, sidewalks, [and] dumpsites, [and loading docks] where ants, crickets, silverfish, and firebrats are trailing, feeding, nesting, or harboraging or entering the structure.

INDOOR USE DIRECTIONS:

[AMDRO Lawn and Garden Ant Bait may be used to control ants, crickets, silverfish, and firebrats in residential buildings, and in non-food/feed areas of institutional, warehousing and commercial establishments, such as groceries and supermarkets, hotels and motels, hospitals and nursing homes, schools, laboratories, computer facilities, food storage areas, sewers, transportation equipment, pet shops, or zoos, and in the inedible product areas of meat or poultry plants. Non-food/feed areas include garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).]

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Using a duster, or similar equipment, apply bait ONLY into cracks and crevices or other inaccessible areas such as structural voids, behind switchplates, unfinished attics or crawl spaces where ants, crickets, silverfish, and firebrats are nesting, harboraging, or entering the structure. Apply 0.5 to 1.0 ounce per crack, crevice or other inaccessible area. Clean up any loose or excess bait. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 ounce per 100 sq. feet only if the space is secured or otherwise inaccessible to children or domestic animals.

{FOR COMMERCIAL USE}

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in cool, dry, secure place. Keep container closed when not in use. Store container away from pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, of allowed by State and local authorities, by burning, or offer for recycling if available. If burned, stay out of smoke.

General: Consult Federal, State, or local disposal authorities for approved alternative procedures.

EPA Reg. No. 73342-3 May 26, 2021 - revised EPA Est. No. Page 6 of 18 Pages

{FOR CONSUMER USE}

STORAGE AND DISPOSAL

Pesticide Storage: Store in cool, dry, secure place and keep container closed. Store container away from pets. When properly stored, this product will retain its effectiveness for up to 3 months after the package has been opened.

Pesticide Disposal: *If partially filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Handling: Nonrefillable container. Do not reuse or refill this container. *If empty -* Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761

Or: For information or in case of an emergency, call (phone number) or visit our Web site: [URL]

AMBRANDS 1000 Parkwood Circle, Suite 700 Atlanta, GA 30339

{Batch Code to be added at production}

AMDRO® LAWN AND GARDEN ANT BAIT

{Optional Marketing Statements}

Eliminates listed ant species, crickets, silverfish, and firebrats Approved for multiple application sites including: Residential, Lawns, Landscaped Areas, Ornamental & Non-bearing Fruit or Nut Trees, and Noncropland areas Indoor Crack and Crevice Use Approved

DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION

ACTIVE INGREDIENT:		By wt.
Hydramethylnon		0.9%
(CAS #67485-29-4)		
OTHER INGREDIENTS:		99.1%
	Total	100.0%

CAUTION

See Back/Side/Other Panel(s) for Additional Precautionary Statements and First Aid

Net Weight: 25.0 lb. (11.3 kg)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin or inhaled. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt and long pants, socks and shoes and chemical-resistant gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID		
Have the product container or label with you when calling a poison control center or doctor, or		
going for treatment. You may also contact 1-800-265-0761for emergency medical treatment		
information.		
If on skin	Take off contaminated clothing.	
or clothing:	 Rinse skin immediately with plenty of water for 15 – 20 minutes. 	
	Call a poison control center or doctor for treatment advice.	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
If inhaled:	Move person to fresh air.	
	If person is not breathing, call 911 or an ambulance, then give artificial	
	respiration, preferably by mouth-to-mouth, if possible.	
	Call a poison control center or doctor for further treatment advice.	

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

Product Information:

AMDRO Lawn and Garden Ant Bait is attractive to many insect pests including, ants, crickets, silverfish, and firebrats. The delayed action of hydramethylnon allows foraging ants to bring the bait back to the nest so that the entire colony, including the queen(s), is destroyed. You should see fewer ants within a week of treatment. Some ant species may require additional applications to achieve maximum control.

Ant species that are controlled by AMDRO Lawn and Garden Ant Bait include: acrobat ants, Argentine ants, bigheaded ants, some species of carpenter ants, cornfield ants, crazy ants, field ants, fire ants, ghost ants, harvester ants, odorous house ants, pavement ants, Pharaoh ants, and thief ants. AMDRO Lawn and Garden Ant Bait also controls crickets, silverfish, and firebrats.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product by any method not specified on this label.

Wash hands with soap and water promptly after use.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation. Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Avoid applying granules to impervious surfaces, except as a crack-and crevice treatment.

OUTDOOR USE DIRECTIONS:

AMDRO Lawn and Garden Ant Bait may be used on lawns, landscaped areas, as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to AMDRO granules.

AMDRO Lawn and Garden Ant Bait may also be applied to the soil around nonbearing fruit or nut trees. Nonbearing crops will not bear fruit/nuts for at least 1 year after application.

Do not graze or feed lawn or sod clippings to livestock.

Broadcast application: Apply at a rate of up to 2.0 pounds per acre (up to 4 ounces per 5,000 ft²). Broadcast bait uniformly with ground (granular) spreaders. Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

<u>Ant mounds</u>: Sprinkle 1 to 2 ounces around the mound. Do not disturb the mound. Do not apply more than 2.0 pounds per acre. Do not contaminate kitchen utensils by use or storage.

<u>Around structures</u>: Apply 4 to 8 ounces around an average building. Treat areas such as flower gardens and around trees and woodpiles, and apply only as a crack and crevice treatment to porches, patios, driveways, sidewalks, and dumpsites where ants, crickets, silverfish, and firebrats are trailing, feeding, nesting, or harboraging or entering the structure.

INDOOR USE DIRECTIONS:

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Using a duster, or similar equipment, apply bait ONLY into cracks and crevices or other inaccessible areas such as structural voids, behind switchplates, unfinished attics or crawl spaces where ants, crickets, silverfish, and firebrats are nesting, harboraging, or entering the structure. Apply 0.5 to 1.0 ounce per crack, crevice or other inaccessible area. Clean up any loose or excess bait. Apply evenly in unfinished attics and crawl

spaces at a rate of 0.5 ounce per 100 sq. feet only if the space is secured or otherwise inaccessible to children or domestic animals.

STORAGE AND DISPOSAL

Pesticide Storage: Store in cool, dry, secure place and keep container closed. Store container away from pets. When properly stored, this product will retain its effectiveness for up to 3 months after the package has been opened.

Pesticide Disposal: *If partially filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Handling: Nonrefillable container. Do not reuse or refill this container. *If empty -* Place in trash or offer for recycling if available.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761.

Or: For information or in case of an emergency, call (phone number) or visit our Web site: [URL]

AMBRANDS 1000 Parkwood Circle, Suite 700 Atlanta, GA 30339

{Batch Code to be added at production}

Hydramethylnon GROUP 20 INSECTICIDE

AMDRO® LAWN AND GARDEN ANT BAIT

{Optional Marketing Statements}

Eliminates listed ant species, crickets, silverfish, and firebrats
Approved for multiple application sites including: Residential, Lawns,
Landscaped Areas, Golf Courses, Ornamental & Non-Food Bearing Nursery Stock,
Sod Farms, and Non-cropland areas
Indoor Crack and Crevice Use Approved

DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION

ACTIVE INGREDIENT:		By wt.
Hydramethylnon		0.9%
(CAS #67485-29-4)		
OTHER INGREDIENTS:		99.1%
	Total	100.0%

CAUTION/PRECAUCION

Si usted no entienda la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See Back/Side/Other Panel(s) for Additional Precautionary Statements and First Aid

Net Weight: 25.0 lb. (11.3 kg)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin or inhaled. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt and long pants, socks and shoes and chemical-resistant gloves. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Personal Protective Equipment (PPE): Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as barrier laminate, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, or Viton ≥ 14 mils)
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or	
going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.	
If on skin	Take off contaminated clothing.
or clothing:	 Rinse skin immediately with plenty of water for 15 – 20 minutes.
	Call a poison control center or doctor for treatment advice.
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue
	rinsing eye.
	 Call a poison control center or doctor for treatment advice.
If inhaled:	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply when weather conditions favor drift from target areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

Product Information:

AMDRO Lawn and Garden Ant Bait is attractive to many insect pests including, ants, crickets, silverfish, and firebrats. The delayed action of hydramethylnon allows foraging ants to bring the bait back to the nest so that the entire colony, including the queen(s), is destroyed. You should see fewer ants within a week of treatment. Some ant species may require additional applications to achieve maximum control.

Ant species that are controlled by AMDRO Lawn and Garden Ant Bait include: acrobat ants, Argentine ants, bigheaded ants, some species of carpenter ants, cornfield ants, crazy ants, field ants, fire ants, ghost ants, harvester ants, odorous house ants, pavement ants, Pharaoh ants, and thief ants. AMDRO Lawn and Garden Ant Bait also controls crickets, silverfish, and firebrats.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product by any method not specified on this label.

Wash hands with soap and water promptly after use.

Not for use in edible product areas of federally inspected meat and poultry processing plants. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation. Keep people and pets out of the area during application. Avoid making applications if it is likely to rain within 24 hours of application, except when applying directly adjacent to a structure that is permanently protected from rainfall by a covering, overhang, awning, or other structure. Avoid applying granules to impervious surfaces, except as a crack-and crevice treatment.

Resistance Management Recommendations: For resistance management, Amdro Lawn and Garden Ant Bait contains a Group 20 insecticide. Any ant population may contain individuals naturally resistant to Amdro Lawn and Garden Ant Bait and other Group 20 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

Rotate the use of Amdro Lawn and Garden Ant Bait or other Group 20 insecticides within a growing season, or among growing seasons, with different groups that control the same pests.

Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological and other chemical control practices.

Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Contact your local extension specialist or certified crop advisor for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.

For further information or to report suspected resistance contact 1-800-265-0761

Aerial Drift Management

Avoiding drift at the application site is the responsibility of the applicator. The interaction of many equipment- and weather-related factors determine the potential for drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Where states have more stringent regulations, they should be observed.

The applicator should be familiar with and take into account the information covered in Aerial Drift Reduction Advisory Information.

Aerial Drift Reduction Advisory

APPLICATION HEIGHT

Applications should not be made at a height greater than 10 feet above the top of the largest plants unless a greater height is required for aircraft safety.

SWATH ADJUSTMENT

When applications are made with a crosswind, the swath will be displaced downward. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase with increasing drift potential (higher wind, etc.)

WIND

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including equipment type, determine drift potential at any given speed. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect drift.

SENSITIVE AREAS

The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g. residential areas, bodies of water, known habitat for threatened or endangered species, non-target crops) is minimal (e.g. when wind is blowing away from sensitive areas).

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

The PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves (such as barrier laminate, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, or Viton ≥ 14 mils)
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated area during pesticide applications.

OUTDOOR USE DIRECTIONS:

AMDRO Lawn and Garden Ant Bait may be used on lawns, landscaped areas, golf courses, and other noncropland areas including, airports, roadsides, cemeteries, commercial grounds, parks, school grounds, picnic grounds, athletic fields and other recreational areas, and as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to AMDRO granules.

AMDRO Lawn and Garden Ant Bait may be used in and around container or field-grown ornamental and non-food bearing nursery stock, and on sod farms (commercial turf). AMDRO Lawn and Garden Ant Bait may also be applied to the soil around nonbearing fruit or nut trees. Nonbearing crops will not bear fruit/nuts for at least 1 year after application.

Do not graze or feed lawn or sod clippings to livestock.

Broadcast application: Apply at a rate of up to 2.0 pounds per acre (up to 4 ounces per 5,000 ft²). Broadcast bait uniformly with ground (granular spreaders) or aerial equipment. Do not exceed four broadcast applications per year. Observe a minimum retreatment interval for broadcast applications of 30 days.

<u>Ant mounds</u>: Sprinkle 1 to 2 ounces around the mound. Do not disturb the mound. Do not apply more than 2.0 pounds per acre. Do not contaminate kitchen utensils by use or storage.

<u>Around structures</u>: Apply 4 to 8 ounces around an average building. Treat areas such as flower gardens, around trees and woodpiles, and apply only as a crack and crevice treatment to porches, patios, driveways, sidewalks, dumpsites, and loading docks where ants, crickets, silverfish, and firebrats are trailing, feeding, nesting, or harboraging or entering the structure.

INDOOR USE DIRECTIONS:

AMDRO Lawn and Garden Ant Bait may be used to control ants, crickets, silverfish, and firebrats in residential buildings, and in non-food/feed areas of institutional, warehousing and commercial establishments, such as groceries and supermarkets, hotels and motels, hospitals and nursing homes, schools, laboratories, computer facilities, food storage areas, sewers, transportation equipment, pet shops, or zoos, and in the inedible product areas of meat or poultry plants. Non-food/feed areas include garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Using a duster, or similar equipment, apply bait ONLY into cracks and crevices or other inaccessible areas such as structural voids, behind switchplates, unfinished attics or crawl spaces where ants, crickets, silverfish, and firebrats are nesting, harboraging, or entering the structure. Apply 0.5 to 1.0 ounce per crack, crevice or other inaccessible area. Clean up any loose or excess bait. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 ounce per 100 sq. feet only if the space is secured or otherwise inaccessible to children or domestic animals.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Storage: Store in cool, dry, secure place. Keep container closed when not in use. Store container away from pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, of allowed by State and local authorities, by burning, or offer for recycling if available. If burned, stay out of smoke.

General: Consult Federal, State, or local disposal authorities for approved alternative procedures.

NOTICE: To the extent consistent with applicable law, Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

In case of an emergency endangering life or property involving this product, call [collect], day or night, 1-800-265-0761.

Or: For information or in case of an emergency, call (phone number) or visit our Web site: [URL]

AMBRANDS 1000 Parkwood Circle, Suite 700 Atlanta, GA 30339

{Batch Code to be added at production}