

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Rebecca M. Horton, Agent for Ambrands Registration by Design, Inc. 118 ½ East Main Street. Suite 1 Salem, VA 24153—3805

JUL 17 2009

SUBJECT: Application for Pesticide Notification (PRN 98-10)

Request Alternate Brand Name "IMAGE Ready-to-Spray Herbicide Concentrate" and General Label Changes (Marketing Claims) EPA Reg. No. 73342-4 Application Dated June 8, 2009

Dear Ms. Horton:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 06/08/09 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

₽PA	Environmenta	United States I Protection Ington, DC 204			Registratio Amendme Other		OPP ider	ntifier Number
		Applicatio	n for Pesticide -	Section	I		L	
 Company/Product Nun 73342-4 	nber		2. EPA Product	t Manager		3. Pro	posed Cla	ssification
4. Company/Product (Na	me) onsumer Concentrate		Tompkins	.			None	Restricte
	Applicant (Include ZIP Co		25			L		
Ambrands	Road, Ste. 370, At		(b)(i), my prod	duct is sim	In accordance ilar or identica MOTII	l in cor	nposition	
Check if	this is a new address	_	Product Na	me	JUL	1720	009	
			Section - II					
Notification - Expl Explanation: Use addi Notification of administrativ updated company address This notification is consiste Confidential Statement of F further understands that if t	tional page(s) if necessar e label changes: (1) Addition and (2) revised emergency of nt with the provisions of PR I formula of this product. Ambr	ry. (For section nal Brand Name - contact phone nur Notice 98-10 and rands understand ent with the terms	I and Section II.) IMAGE Ready-to-Spray Her nber. EPA regulations at 40 CFR 1 s that it is a violation of 18 U. of PR Notice 98-10 and 40 C	52.46, and n S.C. Sec. 10	elow. mer Concentrate; o other changes h 01 to willfully make	ave been any fals	made to th e statemen	ne labeling or the t to EPA, and
			Section - III	<u> </u>				
. Material This Product	Will Be Packaged In:							
Child-Resistant Packaging Yes Vo No Cortification must be submitted	Yes Vo	No. per container		ng . per Itainer		ntainer Aetal Yastic Glass Yaper Other (Sj	oecifγ)	
. Location of Net Conter	nts Information	4. Size(s) Reta	ail Container	5. Lo	cation of Label	Direction	າຮ	
Label	Container	1 P	T / 24 FL OZ / 1 QT		on label/att	ached b	ooklet	
. Manner in Which Labe	l is Affixed to Product	Lithogr Paper (Stencil	aph lued	Other			<u></u>	
		Stenci	Section - IV				<u>د د د</u> ر ري ر	
. Contact Point <i>(Compl</i>	ete items directly below f	for identification	of individual to be conta	cted, if nec	essary, to proce	ss this	apolication	p.)
			Title			lej hone 0-375-8	No. (Inclu	ide Area Code
		l l	Consultant/Agent for				ر دو عن	
Rebecca M. Horton	any knowlingly false or		Consultant/Agent for ion all attachments thereto ar ement may be punishable	e true, accu	urate and comple	ete.	6. Date A Receiv	pplication 9d amped)
l acknowledge that	any knowlinglly false or ble law.	this form and misleading stat	ion all attachments thereto ar	e true, accu by fine or i	urate and complimprisonment or	ete.	6. Date A Keceiv	be

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.



1181/2 East Main Street Suite 1 Salem, VA 24153-3805 phone 540.375.8826 fax 540.375.8827

CERTIFIED MAIL #7008 1140 0001 7211 2209 June 8, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs/Registration Division (7504P) **U.S. Environmental Protection Agency** Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, DC 20460

Re: Notification of Administrative Label Changes EPA Reg. No. 73342-4, IMAGE® Herbicide Consumer Concentrate

Linda Arrington, Team Leader Attn: **Notifications & Minor Formulations**

On behalf of Ambrands of Atlanta, Georgia, enclosed is notification of the following administrative label changes for the above pesticide product:

- Additional Brand Name: IMAGE® Ready-to-Spray Herbicide Consumer Concentrate (1)
- Optional Marketing Statements consistent with currently approved label claims (2)
- (3)Revised/updated emergency contact telephone number
- (4) Updated company address (suite number change only)

The following documents are enclosed:

- 1) EPA Form 8570-1, Application for Pesticide Notification (2 copies)
- 2) Copy of the revised label with areas of revision highlighted in blue.

If further action or information is required on Ambrands' behalf, please advise.

Best regards,

Kelecca M. Horton

Rebecca M. Horton Consultant/Agent for AMBRANDS 00000 000000 00 e-mail: hortonb@ntelos.net ••• 00000 0000

3000

. . . . 0000 <u>.</u>

0

٥

0000

0 00 0 0 0 0 0 0 0

/bmh Enclosures

Federal & State Pesticide/Fertilizer Realistration Services plus typesetting/design of product labeling

Established 1996

01

IMAGE[®] Herbicide Consumer Concentrate

JUL 1 7 2009

0000 0000 0000

00000 00000

[Additional Brand Name(s): IMAGE® Ready-to-Spray Herbicide Consumer Concentrate]

Optional Marketing Statements: Kills Nutsedge Nutsedge Killer Kills Really Tough Weeds [in Lawns] [Also] Kills Dollarweed, Wild Onion, Sandbur, Annual Bluegrass ONE PINT TREATS 4,000 SQUARE FEET 24 FL. OZ. TREATS 6,000 SQUARE FEET 32 FL. OZ. TREATS 8,000 SQUARE FEET

A Selective Herbicide for Use in Established:				
Bermudagrass	St. Augustinegrass			
Buffalograss	Zoysiagras			
Centipedegrass	And Selected Landscape Ornamentals and Groundcovers			

CONTROLS NUTSEDGE Wild Onion and Sandbur

<u>Optional Marketing Statements (when packaged in RTS applicator)</u>: Connect and Spray Applicator Treats 8,000 sq ft.

[Note to EPA: Front panel marketing label may include graphics representing product use; e.g., pictures with names of weeds such as nutsedge, dollar weed, annual bluegrass (poa annua), wild onion and garlic]

ACTIVE INGREDIENT:

۰.

ł

٦

Ammonium salt of imazaquin (2-[4,5-dihydro-4-methyl-4(1-methylethyl)-5-oxo-	
1H-imidazol-2-yl]-3-quinolinecarboxylic acid)*	3.3%
OTHER INGREDIENTS	<u>96.7%</u>
TOTAL	100.0%

*Equivalent to 3.14% 2-[4,5-dihydro-4-methyl-4(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-3quinolinecarboxylic acid.(1 pint contains 0.0375 pounds of active ingredient as the free acid)

KEEP OUT OF R	EACH OF CHILDREN
CAUTION!/	PRECAUCION!

See Back [Inside/Side/Other Panel] for Additional Precautionary Statements and First Aid. (See inside for additional Precautionary Statements, First Aid, and complete Directions Fog Use)

Net Contents:

EPA Reg No. 73342-4

EPA Est. No. 5905-GA- 01_A , 2217-KS- 02_B Subscript used is first letter of Run Code on Container. Page 1 of 6 Pages

June 8, 2009 – Notification

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled or absorbed through skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Keep children and pets out of the treated area until sprays have dried.

	FIRST AID
	ict container or label with you when calling a poison control center or doctor, or going for may also call (800) 265-0761 for emergency medical information.
	If inhaled Move person to fresh air. If person is not breathing, call 911 or an
[nose graphic]	
[hand/shirt graphic]	If on skin or clothing Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
	If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes.
[eye graphic]	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown on golf courses or lawns and grounds.

Observe all cautions and limitations on this label. The use of IMAGE Consumer Concentrate not consistent with this label may result in plant injury. Keep container closed to avoid spills and contamination.

Storage & Disposal	د د د
Pesticide Storage: KEEP FROM FREEZING. Do not store below 32°F. Store in a	cool, dry place
inaccessible to children or pets.	נ נ נ גנוגני נ נוגני
Pesticide Disposal: If partially filled — Call your local solid waste agency for disp	osal instructions.
Never place unused product down any indoor or outdoor drain.	د د د
Container Disposal: If empty - Nonrefillable container. Do not reuse or refill the	is container.
Place in trash or offer for recycling if available.	ل ((ر د ر د ر ر

June 8, 2009 - Notification

GENERAL INFORMATION

IMAGE Consumer Concentrate selectively kills (controls) tough weeds like purple and yellow nutsedge, wild onion and garlic, dollarweed, annual bluegrass, and others as listed. It can be used to kill (control) weeds in bermudagrass, St. Augustinegrass, buffalograss, centipedegrass, or zoysiagrass lawn and also in certain landscape ornamentals and groundcovers (see KILL (CONTROL) OF WEEDS IN ORNAMENTALS). IMAGE is mainly absorbed by the roots of sprayed weeds and is translocated throughout the weed to provide complete kill. Complete kill should occur in 3-5 weeks.

[Note to EPA: to include graphics demonstrating weed kill]

1. IMAGE is absorbed into the weed directly after application

- 2. Weed is yellow and wilted in 1-2 weeks
- 3. Weed is dead in 3-5 weeks

MIXING INSTRUCTIONS

	APPLICATION M Trigger or Pump-up		USE RATE	
[graphic of trigger	[graphic of pump-up	Spot Weed Treatment	Mix 2.5 fl. oz. (5 Tablespoons) in 1 gal. of water. [2 teaspoons in 16 fl. oz.]. Spray to wet.	
sprayer]	sprayer]	Large Area Treatment	Mix 0.8 fl. oz. (1-1/2 Tbs.) in 1 gallon of water to cover 200 sq. ft.	
	Hose-end Spray	yers	USE RATE	
[graphic of hose-end sprayer]		l sprayer]	Use at the rate of 24 oz. Image to cover 6,000 sq. ft. of lawn. Apply in sufficient water (i.e. 5 gallons per 1000 sq. ft.) to insure adequate coverage.	
For ORTHO® D	Dial 'n Spray [®] , pour 2	24 oz. Image into jar, s	set metering dial at 4 tsp. and uniformly apply	

until jar is empty over 6,000 sq. ft.

Ortho[®] and Dial 'n Spray[®] are registered trademarks of OMS Investments, Inc.

(Optional Hose-end Ready Spray)

Apply at the rate of 24 oz. Image to cover 6,000 sq. ft. of lawn [hose-end ready spray graphic] (1 quart Image to cover 8000 sq. ft.)

1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.

2. Turn water on at faucet, aim nozzle toward lawn and turn control lever to ON to begin spraying. The product will automatically siphon and mix with water.

3. When finished, turn control lever to OFF position. Turn faucet off. Discharge residual water pressure by turning control lever ON and OFF again.

APPLICATION INSTRUCTIONS

- Wear long-sleeved shirt, long pants, shoes and socks when applying this product.
- Use only on well-established, non-stressed, labeled lawngrasses with a dense and uniform stand. TEMPORARY YELLOWING MAY OCCUR.
- Water in within 1-7 days after application to wash the IMAGE into the root zone, where the greatest weed control activity occurs.
- For difficult to kill weeks, a second application can be made 6 weeks after the initial application.
- For best results, do not mow immediately before or for 48 hours after application.
- IMAGE may injure tall fescue. Do not use on tall fescue when it is used as a desirable turfgrass.
- Wait at least 11/2 months after treatment before reseeding, winter overseeding, or plugging lowns?
- Not for use on newly planted or plugged lawns nor on winter overseeded lawns, such as ryegrass, when the overseeded grass is desirable.

EPA Reg No. 73342-4

EPA Est. No. 5905-GA- 01_A , 2217-KS- 02_B Subscript used is first letter of Run Code on Container. Page 3 of 6 Pages

June 8, 2009 – Notification

- Avoid application to soil where annual bedding plants may be planted the following year, or plant injury may result.
- Try to avoid overlaps when spraying. Apply only when wind is no more than 10 mph.
- Avoid drift onto vegetables, flowers and unlabeled ornamental shrubs and plants as injury may result.
- Do not graze or feed treated grass clippings. Do not apply in vegetable gardens.
- Do not apply in greenhouses.

١

	KILL [CONTRO]	L] OF SUMMER WEEDS	·····
To kill	yellow nutsedge	purple nutsedge	
	annual sedge*	green kyllinga	
[sun graphic]	rice flatsedge	globe sedge	
	dollarweed*	violets*	
	Virginia buttonweed*	field sandbur	
	crabgrass*	bahiagrass*	
	perennial ryegrass	tall fescue	

Do not apply during the cooler winter months when turf and weeds are not actively growing. Do not apply just prior to or during transition or during periods of very slow turf growth or severe discoloration could occur.

*More than one application may be needed.

	KILL [CONTROL] OF WINTER WEEDS	
To kill	annual bluegrass*	hairy bittercress	
	(Poa annua)	lawn burweed	
[snowflake	tall fescue	red sorrel	
graphic]	common chickweed	wild onion	
	cutleaf evening primrose	perennial ryegrass	
	dovetail geranium	buttercup	
	knawel	cudweed	
	purple deadnettle	Carolina geranium	
	wild garlic	henbit	
	black medic	parsley-piert	
	mouseear chickweed	white clover	
	dandelion*		

Time applications to follow the first killing frost. IMAGE may be applied prior to or soon after emergence of the weeds listed with the exception of wild onion and wild garlic which must be emerged at application time for control. DO NOT USE ON ST. AUGUSTINEGRASS FOR WINTER WEED CONTROL or other labeled turfgrasses that do not go dormant.

*More than one application may be needed.

ננ נ נ נ נ נ נ נ

13))

EPA Reg No. 73342-4

EPA Est. No. 5905-GA- 01_A , 2217-KS- 02_B Subscript used is first letter of Run Code on Container. Page 4 of 6 Pages

June 8, 2009 – Notification

IMAGE CAN BE APPLIED TO THE FOLLOWING ORNAMENTALS:

-

ţ

Indian Hawthorne	(<u>Raphiolepis indica</u>)	
Dwarf Yaupon Holly 'Schillings Dwarf'	(<u>llex vomitoria</u>)	
Blue Pfitzer Juniper 'Pfitzeriana Glauca'	(<u>Juniperus chinensis</u>)	
Helleri Holly 'Helleri'	(<u>Ilex crenata</u>)	
Red Tip Photinia	(<u>Photinia</u> X <u>fraseri</u>)	
Уисса	(<u>Yucca pendula</u>)	
Wax Myrtle	(<u>Myrica cerifera</u>)	
Burford Holly 'Burfordii'	(<u>Ilex cornuta</u>)	
Gardenia 'Miami Supreme'	(<u>Gardenia jasminoides</u>)	
Flame of the Woods	(<u>Ixora coccinea</u>)	
Confederate Jasmine	(<u>Trachelospermum jasminoides</u>)	
Parsons Juniper 'Parsoni'	(<u>Juniperus conferta</u>)	
Blue Pacific Juniper 'Blue Pacific'	(<u>Juniperus conferta</u>)	
Blue Rug Juniper 'Wiltonii'	(<u>Juniperus horizontalis</u>)	
Red Crape Myrtle 'Red'	(<u>Lagerstroemia indica</u>)	
Asiatic Jasmine 'Minima'	(<u>Trachelospermum asiaticum</u>)))))))))))
Giant Liriope 'Evergreen Giant'	(<u>Liriope muscari</u>)	۱ ۱ ۱ ۱ ۱ ۱ ۱ ۲ ۱ ۲ ۱ ۲ ۲ ۲
Variegated Liriope 'Silvery Sunproof'	(<u>Liriope muscari</u>)	
Pachysandra	(<u>Pachysandra terminalis</u>)	

EPA Reg No. 73342-4

June 8, 2009 - Notification

EPA Est. No. 5905-GA- 01_A , 2217-KS- 02_B Subscript used is first letter of Run Code on Container. Page 5 of 6 Pages

د د د د د د د د د د د د د د د

נו ו נינו Mondograss

(Ophiopogon japonicus)

Hosta

,

(Hosta sp.)

Society Garlic

'Lancifolia'

(<u>Tulbaghia violacea</u>)

[In case of an emergency endangering life or property involving this product, call day or night, Area Code 800-265-0761.]

[For more information, please visit our website at www.imageforweeds.com.]

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.


For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Image and Ambrands are registered trademarks of Central Garden & Pet.



Manufactured for: Ambrands 2030 Powers Ferry Road, Ste. 370 Atlanta, GA 30339

[Batch Code to be inserted at production.]



EPA Reg No. 73342-4

EPA Est. No. 5905-GA- 01_A , 2217-KS- 02_B Subscript used is first letter of Run Code on Container. Page 6 of 6 Pages

June 8, 2009 - Notification